



Sri Balaji

**Action Medical Institute**

Multi Speciality Hospital



Date:

To,  
The Director  
Integrated Regional Office  
Ministry of Environment & Forest  
A-209&218, Aranya Bhawan, Mahatma Gandhi Road,  
Jhalana Institutional Area, Jaipur-304002

**Subject:** Submission of six-monthly EC Compliance report for the period of **1<sup>st</sup> April 2024 – 30<sup>th</sup> September 2024** of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust.

**Reference:** EC Lr No.: F.No.21-7/2019-IA-III ; **Dated:** 18/10/2019

Dear Sir,


This is with reference to the above-mentioned subject, we are herewith submitting six-monthly EC Compliance Report for the period of **1<sup>st</sup> April 2024 – 30<sup>th</sup> September 2024** for "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust along with the necessary annexure for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change.

**Thanking You,**

**Yours Sincerely,**

**For M/s Lala Munni Lal Mange Ram Charitable Trust**

  
(Authorized Signatory)

Enclosure: Compliance Report; Soft copy of Report in C.D.

- Copy to:**
1. Member Secretary, Delhi Pollution Control Board (DPCC), ISBT Building Kashmere Gate, Delhi, 110006
  2. Member Secretary, SEIAA, Delhi, 5<sup>th</sup> Floor, ISBT Building Kashmere Gate, Delhi, 110006

A-4, Paschim Vihar, New Delhi-110063

Tel.: 011-42-888-888, 45-666-666 E-mail: info@actionhospital.com, Website: www.actionhospital.in

**A UNIT OF LALA MUNNI LAL MANGE RAM CHARITABLE TRUST**

---

**M/s Lala Munni Lal Mange Ram  
Charitable Trust**

---

**COMPLIANCE REPORT  
of  
Expansion of "Sri Balaji Action  
Medical Institute" at Facility Centre  
No.34, Paschim Puri, New Delhi**

---

**SUBMITTED BY**

---

**M/s Lala Munni Lal Mange Ram  
Charitable Trust**

---

**December 2024**

## TABLE OF CONTENT

<b>S. No</b>	<b>Description</b>
<b>Compliance of Specific and General Conditions</b>	

### *LIST OF ANNEXURES*

<b>Annexure</b>	<b>Description</b>
Annexure-I	Environment Clearance letter for Expansion
Annexure-II	Copy of CTE for Expansion
Annexure-III	Copy of CTO
Annexure-IV	Copy of Fire NOC
Annexure-V	Copy of water bills
Annexure VI	Photographs of STP
Annexure-VII	Copy of STP Logbook
Annexure-VIII	Environmental Monitoring Report
Annexure-IX	Photographs of Rain Water Harvesting Pits
Annexure-X	Photographs of Waste Collection Bins
Annexure-XI	Copy of the Agreement for BMW and Authorization Certificate
Annexure XII	Copy of Traffic circulation plan
Annexure-XIII	Copy of Green Belt Development Plan
Annexure-XIV	Photographs of Greenbelt
Annexure-XV	Detailed CER Budget with activities
Annexure-XVI	Copy of Electric Bills
Annexure -XVII	Photograph of PM10 and PM2.5
Annexure-XVIII	Photographs of DG sets
Annexure-XIX	Photographs of Anti smog gun and water sprinkling
Annexure-XX	Photographs of building material cover under green net
Annexure-XXI	Photograph of wind breaking wall

---

Annexure-XXII Site Photographs

---

Annexure-XXIII Copy of RMC Bill

---

Annexure-XXIV Photographs of Rain water harvesting pits

---

Annexure-XXV Copy of PUC Certificate

---

Annexure-XXVI Receiving of Previous Compliance Report

---

---

**LIST OF TABLES**

<b>Tables</b>	<b>Description</b>	<b>Page No</b>
Table-1	Schedule of Ambient Air Quality Monitoring	01
Table-1(a)	Monitoring Result of PM <sub>10</sub>	01
Table-1(b)	Monitoring Result of PM <sub>2.5</sub>	02
Table-1(c)	Monitoring Result of SO <sub>2</sub>	03
Table- 1(d)	Monitoring Result of NO <sub>2</sub>	04
Table-1(e)	Monitoring Result of CO	05
Table-2	Schedule of Noise Monitoring	06
Table-2(a)	Day time Monitoring result for Ambient Noise	07
Table-2(b)	Night time Monitoring result for Ambient Noise	07
Table-3	Schedule for Drinking Water sample collection	08
Table-3(a)	Drinking Water Monitoring Results (24/01/2024)	8-11
Table-3(b)	Drinking Water Monitoring Results (14/03/2024)	8-11
Table-4	Schedule for Soil Monitoring	11
Table-4(a)	Soil Monitoring Result (24/01/2024)	11-12
Table-5	Soil Monitoring Result (14/03/2024)	11-12
Table-5(a)	Schedule for STP Inlet Monitoring	12
Table-6	STP Inlet Monitoring Result (24/01/2024)	13
Table-6(a)	STP Outlet Monitoring Result (14/03/2024)	13

**LIST OF FIGURES**

<b>Figure Nos.</b>	<b>Description</b>	<b>Page No</b>
Figure-1(a)	PM <sub>10</sub> Concentration	02
Figure-1(b)	PM <sub>2.5</sub> Concentration	03
Figure-1(c)	SO <sub>2</sub> Concentration	04
Figure-1(d)	NO <sub>2</sub> Concentration	05
Figure-1(e)	CO Concentration	06
Figure-2(a)	Graph showing day time noise monitoring result	07
Figure-2(b)	Graph showing night time noise monitoring result	08

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

**COMPLIANCE REPORT DECEMBER 2024**

**For Compliance of environmental clearance conditions as mentioned in the Environmental Clearance Letter Issue F.No.21-7/2019-IA-III, dated 18<sup>th</sup> October, 2019, for Construction and Operation phases of the Project (Annexure - I).**

<b>PART A- SPECIFIC CONDITIONS</b>		
<b>S. No.</b>	<b>CONDITIONS</b>	<b>COMPLIANCE</b>
i	Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.	consent to Establish certificate for Expansion has been obtained from DPCC. A copy of Consent to Establish vide Lr. No.: DPCC/CMC/2022/7817249 dated 22.06.2022. Copy of CTE is enclosed at <b>Annexure-II</b> . Consent to operate certificate for 250 beds has been obtained and renewed from DPCC. A copy of Consent to Operate vide Lr. No.: DPCC/CMC/2023/9708899 dated: 29.12.2023 A copy of the CTO is included in <b>Annexure III</b> .
ii	The project proponent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from Competent Authority as required.	Adequate fire safety measures and equipment will be provided as per the National Building Code/required by the Fire Service Act of the State and instructions issued by the local authority/directorate of fire from time to time. A copy of the Fire NOC is enclosed as <b>Annexure IV</b> .
iii	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Noted. Environmental clearance has been granted to the project vide ministry letter No. F. No. 21-7/2019-IA-III; dated 18/10/2019 ( <b>Annexure-I</b> ).
iv	As proposed, fresh water requirement from Delhi Jal Board shall not exceed 117.85 KLD for which project proponent has already connection for the existing Hospital. Existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.	The project proponent has already connected to the existing hospital. Existing water supply is sufficient to cater to future demand, and no additional water is required for the proposed project. A copy of the water bills from the Delhi Jal Board is enclosed as <b>Annexure-V</b> .

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

v	Sewage shall be treated in the STP based on MBBR Technology with tertiary treatment i.e. Ultra-Filtration. The treated effluent from STP shall be recycled/re-used for flushing, gardening, & HVAC cooling purposes. No excess treated water from STP shall be discharged to municipal drain.	Noted. This condition will be compiled. Photographs of STP are enclosed as <b>Annexure-VI</b> . Copy of STP Logbook is attached as <b>Annexure-VII</b> .
vi	The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.	STP water is monitored at regular intervals. The STP monitoring report is enclosed as <b>Annexure-VIII</b> .
vii	The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.	The water quality of treated water was monitored & found to be within the prescribed standards of SPCB/CPCB. STP water is monitored at regular intervals. The STP monitoring report is enclosed as <b>Annexure-VIII</b> . STP treated water is used for flushing.
viii	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed 2 nos. of rain water harvesting recharge pits shall be provided for rain water harvesting after filtration as per CGWB guidelines.	Rainwater harvesting pits are provided per the Ministry of Urban Development Model Building Byelaws, 2016. Photographs of existing rainwater harvesting pits are enclosed as <b>Annexure-IX</b> .
ix	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site.	Separate wet and dry bins are provided in each unit and solid waste generated shall be disposed as per Solid waste management rules, 2016. Photographs of waste collection bins for existing project site are enclosed as <b>Annexure-X</b> .

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

x	Laboratory wastes shall be managed in accordance to the BMW Rules, 2016 and the atomic Energy Commission regulations as applicable.	Agreed. Laboratory wastes will be managed in accordance with the BMW Rules, 2016. An agreement has been made with M/s SMS Water Grace BMW Pvt. Ltd. for the proper disposal of BMW. A copy of the authorization & agreement for BMW management is enclosed as <b>Annexure-XI.</b>
xi	Traffic Management Plan as submitted shall be implemented in letter and spirit. Further, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	Noted. Traffic circulation plan is attached as <b>Annexure-XII.</b>
xii	No tree cutting/transplantation of existing trees has been proposed in the instant project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 2,255.879 sqm (22.60% of total area) area shall be provided for green area development.	Tree cutting was not done at the project site. Adaptive local species as per CPCB Guidelines have been preferred for landscaping to reduce the water requirement for landscaping. A copy of the greenbelt development plan is enclosed as <b>Annexure XIII.</b> Photographs of existing greenbelts are attached as <b>Annexure-XIV.</b>

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

xiii	As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1 <sup>st</sup> May 2018, and proposed by the project proponent, an amount of Rs. 0.5 Crores (1.0% of the project cost) shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as clean drinking water, skill development etc. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.	Detailed CER Budget with activities is enclosed as <b>Annexure-XV</b> .
<b>PART B- STANDARD CONDITIONS</b>		
<b>I. Statutory Compliance</b>		
i	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Agreed. Environmental clearance has been granted to project vide ministry letter No. F. No. 21-7/2019-IA-III, dated 18/10/2019 (Annexure-I). consent to Establish certificate for Expansion has been obtained from DPCC. A copy of Consent to Establish vide Lr. No.: DPCC/CMC/2022/7817249 dated 22.06.2022. copy of CTE is enclosed at Annexure-II. A consent to operate certificate for 250 beds has been obtained from DPCC. A copy of Consent to Operate vide Lr. No.: DPCC/CMC/2023/9708899 dated: 29.12.2023 A copy of the CTO is included in Annexure III. Fire NOC is attached as Annexure IV
ii	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.	Agreed & Noted This condition.
iii	The project proponent shall obtain the necessary permission for drawl of ground	No groundwater is drawn on the project site. Water connection has been taken from Delhi

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

	water / surface water required for the project from the competent authority.	Jal Board. A copy of the water bills is enclosed at <b>Annexure-V.</b>
iv	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	The Approval from power department has been obtained for power usage with applicable load. Copies of electricity bills are enclosed at <b>Annexure-XVI.</b>
v	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	A very few amounts of diesel is require for DG set. So, permission of Fire department is not required for storage.
vi	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.	Agreed. Solid waste is being managed as per Solid Waste Management Rules, 2016. E-Waste is being managed as per e-Waste (Management) Rules, 2016. Plastic Waste is being managed as per Plastics Waste Management Rules, 2016.
vii	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.	Noted. This condition will be complied.
<b>II. Air quality monitoring and preservation</b>		
i	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	Agreed. This condition is being complied. We have also registered our project on Dust Pollution Control Self-Assessment (DPCC). And fill out the dust audit sheet every 15 days.
ii	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	Agreed.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

iii	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.	PM 10 and PM 2.5 sensor install at project site to monitor Ambient air quality during construction period. Photograph of PM10 and PM 2.5 is enclosed as <b>Annexure -XVII</b>
iv	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	DG sets are installed in an acoustically treated room at rear side in the premises. Stack height has been provided as per the norms for existing project. During this period DG is not in use. Photographs of DG sets are enclosed as <b>Annexure-XVIII.</b>
v	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site	In order to control dust pollution, water sprinkling happens at the construction site. photograph of Anti-smog gun and water sprinkling is attached as <b>Annexure-XIX</b> Construction material is properly covered with green at project site. photograph of material cover with green net is attached as <b>Annexure- XX</b> photograph of wind breaking wall is attached as <b>Annexure -XXI</b> The site photograph is attached as <b>Annexure XXII.</b>
vi	Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	The building material to be used for construction activity is being kept under covered. Photographs of building material cover under green net is attached as <b>Annexure-XX.</b>
vii	Wet jet shall be provided for grinding and stone cutting.	Wet jet is used for grinding and stone cutting
viii	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Dust is being suppressed through water sprinkling. Photograph of Antismog gun and water sprinkling is attached as <b>Annexure-XIX</b>
ix	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are	All construction and demolition waste will be disposed as per the provisions of the Construction and Demolition Waste

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

	properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.	Management Rules, 2016.
x	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	Noted. The low sulphur diesel type DG sets are being used.
xi	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Currently, DG sets are not used at site. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms
xii	For indoor air quality the ventilation provisions as per National Building Code of India.	Ventilation provisions will be provided as per the National Building Code of India.
<b>III. Water Quality Monitoring and Preservation</b>		
i	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	The topography of the project area is plain. No natural drainage flow within the vicinity of the project site. So, no impacts are expected on the natural drainage or run-off characteristics. The drainage pattern of the project is designed in such a way that it will not impact any negative environment. No tree cutting was done at the project site.
ii	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	The natural topography of the project site is not disturbed.
iii	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Water monitoring report is attached at <b>Annexure-VIII.</b>

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

iv	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	Noted. Water connections have been obtained from the Delhi Jal Board. water bill is attached as <b>Annexure-V</b>
v	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Open spaces have been provided for the usage of Grass pavers and paver blocks. Photographs of greenbelt on project site is enclosed as <b>Annexure-XIV</b>
vi	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Dual pipe plumbing has been installed, and it is used for supplying fresh water for drinking, cooking, bathing, and recycled water for flushing and landscaping.
vii	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	Water saving devices/fixtures system being installed in project site for water conservation
viii	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Provision of dual plumbing shall be provided.
ix	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	RMC is used for construction to reduce water demand. RMC bill is attached as <b>Annexure-XXIII</b>
x	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	Rainwater harvesting pits are being constructed as per the approved plan. Photographs of existing rainwater harvesting pits are enclosed as <b>Annexure-XXIV</b> .

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

xi	All recharge should be limited to shallow aquifer.	Noted.
xii	No ground water shall be used during construction phase of the project.	No groundwater is being used for the construction of the project. Private tanker water (STP treated) is used for construction.
xiii	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	No ground water is abstract during construction phase as well as operational phase.
xiv	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoFEF&CC along with six monthly Monitoring reports.	Agreed and noted the condition.
xv	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.	Treated water will be used for plantation and gardening purposes. A copy of the STP logbook is attached as <b>Annexure-VII.</b>
xvi	No sewage or untreated effluent water would be discharged through storm water drains.	No sewage or untreated effluent water is discharged through the storm water drain.
xvii	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.	Agreed.  Treated waste water will be reused for landscape, flushing, cooling tower and other purposes.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

xviii	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	Periodical monitoring of drinking water quality and water quality of treated sewage from existing STP is being conducted. A monitoring report is enclosed as <b>Annexure-VIII</b> .
xix	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	Agreed.
<b>IV. Noise Monitoring and Prevention</b>		
i	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.	Ambient air and noise quality has been monitored by an accredited lab and monitoring report of ambient air and noise has been attached as <b>Annexure-VIII</b> . Adequate measures be made to reduce ambient air and noise level during construction phase.
ii	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	The noise level survey is carried out as per the prescribed guild line, and the report is under the permissible limit. The report is submitted to the regional officer of the ministry with a six-monthly compliance report. The noise monitoring report is attached as <b>Annexure-VIII</b> .
iii	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Noted the condition.
<b>V. Energy Conservation Measures</b>		
i	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	Building design and construction are in compliance with ECBC.
ii	Outdoor and common area lighting shall be	This condition is being complied.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

	LED.	
iii	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.	Noted the condition.
iv	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning	This condition is being complied.
v	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-law's requirement, whichever is higher.	Solar, wind or other renewable energy will be installed to reduce the electricity demand once the project comes under the full operation phase of the project.
vi	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Agreed and Noted.
<b>VI. Waste Management</b>		
i	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	Noted the condition.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

ii	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Muck generated during construction phase is being disposed as per the C&D rules.
iii	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.	Organic waste compost/ Vermiculture pit/ Organic Waste Converter will be installed as per requirement.
iv	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	Agreed.
v	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Hazardous waste generated during construction phase, will be disposed off as per hazardous waste management rule, 2016.
vi	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.	Noted the Condition the environment friendly building materials will be used for construction purpose.
vii	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27 <sup>th</sup> August, 2003 and 25 <sup>th</sup> January, 2016. Ready mixed concrete must be used in building construction.	Fly Ash material is being used as per requirement. RMC is being used in construction of building. Copy of RMC Bill is attached as <b>Annexure – XXIII.</b>
viii	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.	Construction and Demolition waste will be handled as per Construction and Demolition Waste Management Rules, 2016.
ix	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.	Noted the condition. Used CFLs and TFLs will be properly collected and disposed off as per Solid waste Management Rules, 2016.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

<b>VII. Green Cover</b>		
i	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Topsoil excavation soil during the construction in store and use for the development of green belt area. Photographs of green belt is attached as <b>Annexure-XIV</b>
<b>VIII. Transport</b>		
i	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.	Noted the condition.
ii	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during nonpeak hours.	Noted the condition. All the vehicles hired for bringing construction material to the site are in good condition and have a pollution check certificate (PUC), which has been attached as Annexure-XXV.
<b>IX. Human Health Issues</b>		
i	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Noted the Condition.
ii	For indoor air quality the ventilation provisions as per National Building Code of India.	Ventilation provisions will be provided as per National Building Code of India.
iii	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted the Condition.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

iv	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Local laborers have been procured for construction & Mobile toilets have been provided to laborers.
v	Occupational health surveillance of the workers shall be done on a regular basis.	Agreed.
vi	A First Aid Room shall be provided in the project both during construction and operations of the project.	First Box is available at project sit
<b>X. Corporate Environment Responsibility</b>		
i	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest /wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Noted the condition.
ii	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	A separate Environmental Cell as required will be made during the operational phase of the project.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

iii	<p>Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.</p>	<p>Noted the condition. An action plan for implementing EMP and environmental conditions, along with the responsibility matrix of the company, will be prepared and duly approved by competent authority.</p>
<b>XI. Miscellaneous</b>		
i	<p>The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.</p>	<p>This condition has been already complied. Copy of newspaper advertisement is already submitted.</p>
ii	<p>The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.</p>	<p>Copy of Environmental Clearance had been submitted to concerned authorities by project proponent.</p>
iii	<p>The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.</p>	<p>Noted the condition.</p>
iv	<p>The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.</p>	<p>Noted the condition. We are regularly submitting the six monthly compliance report to the regional office of MoEF&amp;CC, Receiving of Previous Compliance Report of Dec 2023 is attached as <b>Annexure- XXVI.</b></p>

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

v	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Agreed and Noted
vi	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted the condition.
vii	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Agreed and noted.
viii	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during their presentation to the Expert Appraisal Committee.	Project proponent is abiding by all the commitments and recommendations as suggested by concerned authority.
ix	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	Noted and Agreed.
x	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed and noted.
xi	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed.
xii	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed.
xiii	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data /information/monitoring reports.	Agreed.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,  
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

---

xiv	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Noted the condition.
xv	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted the condition.

**Annexure-I**  
**Copy of Environment Clearance letter**  
**for Expansion**

F.No.21-7/2019-IA-III  
Government of India  
Ministry of Environment, Forest and Climate Change  
(IA.III Section)

Indira Paryavaran Bhawan,  
Jor Bagh Road, New Delhi - 3

Date: 18<sup>th</sup> October, 2019

To,

**Shri Rajkumar Gupta, Trustee**  
M/s Lala Munni Lal Mange Ram Charitable Trust,  
15/17, East Punjabi Bagh, New Delhi-110026  
E-mail: [sp.khanpuria@gmail.com](mailto:sp.khanpuria@gmail.com)

**Subject: Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust - Environmental Clearance - reg.**

Sir,

This has reference to your online proposal No. IA/DL/MIS/91906/2019 dated 24<sup>th</sup> January, 2019, submitted to this Ministry for grant of Environmental Clearance (EC) in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986.

2. The proposal for grant of environmental clearance to the project Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust, was considered by the Expert Appraisal Committee (Infra-2) in its 39<sup>th</sup> meeting held during 26-28 March, 2019. The details of the project, as per the documents submitted by the project proponent, and also as informed during the above meeting are as under:-

- (i) The project will be located at Latitude: 28°40'25.42"N and Longitude: 77°06'37.93"E.
- (ii) The proposed project is an Expansion project. Total plot area is 23,400 sqm and existing built-up area is 23,272.17 sqm. The existing hospital was constructed in April, 2004. Completion certificate was issued by MCD, West Zone on 25.05.2004. Since, the hospital was constructed before the EIA Notification, 2006, hence, the existing hospital does not attract any environmental statute at the point of time.
- (iii) Due to increase in the capacity of handling of patients and increase in beds, in the existing complex a new tower with multi level car parking (MLCP) will be constructed and vertical addition to existing tower will be done. Hence, 60,182.64 sqm built-up area will be added to existing built-up area of 23,272.17 sqm which will result in total Built-up area of 83,454.810 sqm after expansion. Total beds after expansion shall be increased to 500 beds from existing 250 beds & there will be addition of one new Tower (Hospital Block), Multi-level car parking, vertical expansion in existing towers, two no. of basements, atrium & Non-FAR area as well. Maximum height of the building will be 39.5 m. Project details are as follows:

Particulars	Unit	Existing	Total after Expansion
Plot Area	sqm	23,400	23,400
Ground coverage permissible (40% of plot area)	sqm	9,360	9,360
Ground coverage achieved (for Hospital)	sqm	5,514.260	8,999.6

*S. K. Patel*

Permissible FAR (@ 250% of plot area)	sqm	58,500	58,500
Achieved FAR	sqm	19,806.35	49,859.79
Non- FAR Area	sqm	4,462.66	33,595.02
Basement -1	sqm	4,059.06	8,619.83
Basement -2	sqm	-	4,106.63
Basement - 3	sqm	-	4,061.75
Total	sqm	4,059.06	16,788.21
MLCP Area	sqm	-	5,822.70
Built-up area (FAR + Non-FAR+ Basement area)	sqm	23,272.17	83,454.81
Total green area	sqm	5,287.61	5,287.61
Total open & road area	sqm	9,312.76	9,312.76
No of towers	No.	2	3
Number of basements	No.	1	4
Maximum No. of floors	No.	1B+G+4	3B+G+9
MLCP	No.	-	5
Max. height of building (up to terrace level)	m	19.1	39.5

- (iv) During construction phase, total water requirement is expected to be 5 KLD for construction purpose which will be met by treated water nearby STP. During the construction phase, soak pits and septic tanks will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labour force.
- (v) During operational phase, total water demand of the project is expected to be 455 KLD out of which fresh water demand is 133 KLD will be met through 117.85 KLD from Delhi Jal Board and 15.15 KLD from tanker supply. The total waste water generation will be 282 KLD and will be reused in flushing, gardening & DG & HVAC Cooling. The waste water shall be treated in Sewage Treatment Plant (STP) of capacity 600 KLD and 1 KLD Laboratory waste water will be treated in ETP of 3 KLD and after waste water treatment in ETP shall be discharge to sewer line.
- (vi) After expansion, 213.5 Tons/annum out of which 128.1 Tons/annum will be biodegradable waste and shall be treated in Organic Waste Converter within the complex, non-biodegradable waste generated will be 42.7 Tons/annum and Plastic waste will be 42.7 Tons/annum shall be handed over to authorized recycler and Used Oil of 0.129 kL/annum shall be collected in leak proof containers at isolated place and then it will be given to approved recycler. Bio medical waste of capacity 68.4 Tons/annum will be handed over to state approved biomedical waste vendor for final disposal.
- (vii) The total power requirement will be 1639 kW which will be met by BSES. The DG sets of capacity 3 x 750 kVA are located in a separate acoustically enclosed DG set room in the hospital and the same shall be followed after expansion. Hence, to avoid the emissions, stack height of 6 m above roof level for each D.G. sets shall be installed to reduce the air emissions, meeting all the norms prescribed by CPCB. Total 6 nos. of RWH pits will be constructed to recharge the ground water (out of which 1 no. of pit already in the hospital).
- (viii) Total Parking Requirement for the project is 872 ECS & 886 ECS parking shall be provided within the Basement, Surface & Multi-level car parking.
- (ix) No Eco Sensitive area lies within the 10 km radius of the project site. Hence, NBWL Clearance is not required.
- (x) Forest Clearance is not required.

*J. Rose*

- (xi) There is no Court case pending against the project.
- (xii) Cost of the project is Rs. 150 Crores
- (xiii) Employment potential: Labourers during construction phase 150 no. and about 720 personnel as hospital staff during operation phase.
- (xiv) Benefits of the project: Employment opportunities provided due to the project will lead to better quality of life and will also set a standard for future developments in the area. The project will led to increase in the infrastructure of the area and encouraged others for further development of the area. The Hospital will boast some of the best medical care infrastructure in the country. It will render tertiary and specialised treatment to general population. It will provide healthy, green & safe premises for living. People have more open and green spaces, bringing them closer to nature. People live, stay and recreate; and have immediate access to entertainment facilities in a single, spacious and secured area. Corporate Environment Responsibility will also be considered for the social benefits of the society.


3. The project/activity is covered under category 'B' of item 8(a) 'Building and Construction projects' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level by sectoral EAC. However, due to absence of SEIAA/SEAC in Delhi, the proposal has been appraised at Central Level.

4. The Committee was informed that the land has been allotted by Delhi Development Authority vide deed no. 13525 dated 15.01.1996 to Lala Munni Lal Mange Ram Charitable Trust for development of Hospital and hospital related infrastructures. Since, the hospital complex was constructed before 2006, Environmental Clearance was not applicable for the present operational complex. Existing no. of beds are 250 and the Project Proponent proposed to expand to a total of 500 Beds therefore a new block shall be constructed within the project premises. Consent to Operate for existing hospital was renewed by DPCC vide Consent Order No. DPCC/WMC/2019/48081 dated 19.04.2019 and valid up to 25.07.2023. The project proponent confirmed before the Committee that the present water requirement is being fulfilled by water supply connection from Delhi Jal Board and existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.

5. The EAC in its 39<sup>th</sup> meeting held on 26-28 March, 2019, based on the information submitted and clarifications provided by the Project Proponent and detailed discussions held on all the issues, recommended the project for grant of environmental clearance with stipulated specific conditions along with other Standard EC Conditions as specified by the Ministry vide OM dated 4<sup>th</sup> January, 2019 for the said project/activity, while considering for accord of environmental clearance. As per recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the specific and general conditions as under:-

**A. Specific Conditions:**

- (i) Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of



Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.

- (ii) The project proponent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from Competent Authority as required.
- (iii) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- (iv) As proposed, fresh water requirement from Delhi Jal Board shall not exceed 117.85 KLD for which project proponent has already connection for the existing Hospital. Existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.
- (v) Sewage shall be treated in the STP based on MBBR Technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled/re-used for flushing, gardening, DG & HVAC cooling purposes. No excess treated water from STP shall be discharged to municipal drain.
- (vi) The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.
- (vii) The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
- (viii) The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed 6 nos. of rain water harvesting recharge pits shall be provided for rain water harvesting after filtration as per CGWB guidelines.
- (ix) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site.
- (x) Laboratory wastes shall be managed in accordance to the BMW Rules, 2016 and the atomic Energy Commission regulations as applicable.
- (xi) Traffic Management Plan as submitted shall be implemented in letter and spirit. Further, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to

be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

- (xii) No tree cutting/transplantation of existing trees has been proposed in the instant project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 5,287.610 sqm (22.60% of total area) area shall be provided for green area development.
- (xiii) As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, and proposed by the project proponent, an amount of Rs. 1.125 Crores (0.75% of the project cost) shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as skill development, waste management, education and medical check-up etc. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.

## **B. Standard Conditions:**

### **I. Statutory compliance:**

- i. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- ii. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightning etc.
- iii. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- iv. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- v. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- vi. The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
- vii. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

*S. Rose*

## **II. Air quality monitoring and preservation:**

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub>) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
- x. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

## **III. Water quality monitoring and preservation:**

- i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage

- through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
  - iii. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
  - iv. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
  - v. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
  - vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
  - vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
  - viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
  - ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
  - x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
  - xi. All recharge should be limited to shallow aquifer.
  - xii. No ground water shall be used during construction phase of the project.
  - xiii. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
  - xiv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
  - xv. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water

and gardening. As proposed, no treated water shall be disposed in to municipal drain.

- xvi. No sewage or untreated effluent water would be discharged through storm water drains.
- xvii. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xviii. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xix. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

#### **IV. Noise monitoring and prevention:**

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

#### **V. Energy Conservation measures:**

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.

*S. Bose*

- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

**VI. Waste Management:**

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
- iv. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- v. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vi. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- vii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27<sup>th</sup> August, 2003 and 25<sup>th</sup> January, 2016. Ready mixed concrete must be used in building construction.
- viii. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- ix. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

**VII. Green Cover:**

- i. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

**VIII. Transport**

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and

private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.

- a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - b. Traffic calming measures.
  - c. Proper design of entry and exit points.
  - d. Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

**IX. Human health issues:**

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

**X. Corporate Environment Responsibility:**


- i. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- ii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iii. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

## **XI. Miscellaneous:**

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and that during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
- x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xi. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986,

Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- xv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
6. This issues with the approval of the Competent Authority.

  
(Dr. Subrata Bose)  
Scientist F

**Copy to:**

- 1) The Secretary, Department of Environment, Government of Delhi, New Delhi.
- 2) The Addl. Principal Chief Conservator of Forests (C), Ministry of Environment, Forests and Climate Change, Kendriya Bhavan, 5<sup>th</sup> Floor, Sector-H, Aliganj, Lucknow - 226024.
- 3) The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
- 4) The Member Secretary, Delhi Pollution Control Committee, Department of Environment, Government of N.C.T. Delhi, 4<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi.
- 5) Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- 6) Guard File/ Record File/ Notice Board.
- 7) MoEFCC website.

  
(Dr. Subrata Bose)  
Scientist F

**Annexure-II**  
**Copy of CTE for Expansion**



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccomms.nic.in>)

## CONSENT ORDER

Certificate No. :G-24499

<b>Name of the unit</b>	:	Expansion of Sri Balaji Action Medical Institute A Unit of Lala Munni Lal Mange Ram Charitable Trust
<b>Address</b>	:	FC 34 A4 Paschim Vihar, New Delhi 110063, Health Care Facility, Delhi - 110063
<b>Consent Order No</b>	:	DPCC/CMC/2022/7817249
<b>Date of issue</b>	:	22/06/2022
<b>Product/Activity</b>	:	Health Care Establishments having bed strength above 50 beds and connected or not connected to Sewer and with boiler
<b>Manufacturing Activities</b>	:	N.A.
<b>Category Name</b>	:	[RED]
<b>Prout Capacity</b>	:	500 Numbers/Day

This Consent to **Establish** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **RED** Category. This consent is subjected to terms and conditions specified overleaf. **This is being issued with reference to your application id 7817249 valid from 27/05/2022 to 26/05/2025.**

Senior Environmental Engineer

## Terms and Conditions

1. The Consentee shall meet the effluent standards i.e. pH = 6.5-9, Total Suspended Solids (TSS) = 100, Biochemical Oxygen Demand (3 days at 27 degree Cent.) = 30, COD = 250, Oil and Grease = 10, Bio-assay Test (Present survival of fish after 96 hours in 100% effluent) = 90-100 %. All effluent parameters are in mg/l except pH value & Bioassay test value.
2. The Consent is activity specific and based on the information provided in the consent application along with the subsequent documents/ information submitted to Delhi Pollution Control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity/ manufacturing process.
3. The Consentee shall display the Name of the unit along with its Address, name of the Proprietor /Directors/ Partners etc, Contact Phone No(s) and its Activities/ Processes/ Products on a Display Board to be placed / fixed at the main gate of the unit.
4. The Consentee/ unit shall have/ take separate Electricity/ Power connection in its name and shall have/ install separate meter in this regard.
5. The Consentee shall provide and maintain a separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system and shall be connected to the conveyance system/ sewerage system of the area leading to the Common Effluent Treatment Plant of the Industrial Area/ Sewage Treatment Plant of the catchment area.
6. The Consentee shall obtain permission from Delhi Jal Board for ground water extraction, if any, as per the various orders/ Notification of Govt. of NCT of Delhi. The Consentee shall not extract the groundwater without obtaining prior permission in this regard from DJB/ CGWA. The Consentee shall ensure that there is no bore well in the premises and if exist, the same shall be closed/ sealed with immediate effect till permission received from DJB/ CGWA.
7. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good housekeeping practices so as to maintain a clean & safe environment in and around the premises of the unit.
8. The Consentee shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment and Forest (MoEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MoEF, Dated 09.07.2002, as amended to date. Stack Height for sets (Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following:
  - a). Minimum 6 metre above the building where generator set is installed
  - b). 30 metre
  - c).  $14Q^{0.3}$  (Q- Total SO<sub>2</sub> emission from the plant in kg/hr) and for other DG Set(s) (upto 0.8 MW) stack height shall be as per the following formula,  $H = h + 0.2(KVA)^{0.5}$  (H- Total Height of stack in metre, h = Height of the building in metres where the Generator Set is installed, KVA - Total Generator capacity of the set in KVA).
9. The Consentee shall comply with the provisions of the Hazardous and Other Wastes(Management and Transboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling) Rules, 2001 as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed off only through the Recycler/ Preprocessors/ Authorised Agencies for such wastes, authorised by MoEF/ Central Pollution Control Board/ State Pollution Control Board/ Committee/ DPCC as per details available on their websites.
10. The Consentee shall comply with the provisions of Solid Waste Management Rules, 2016 as amended to date.

11. The Consentee shall comply with the provisions of the Biomedical Waste Management Rules, 2016, as amended to date.
12. The Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016, as amended to date, if applicable.
13. The Consentee shall comply the other prescribed standards of Effluent/ Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000 as amended to date.
14. The Consentee shall promote the use of LED and recovery of mercury from CFL Lamps and should create a system of replacing old bulbs for new to enable recovery of mercury after the bulbs are fused.
15. Total water demand of the project is expected to be approx. 455KLD ( Fresh water demand is 133 KLD will be met through 117.85 KLD from DJB & 15.15 KLD from Tanker Supply). Trade Effluent generated from process, washings, cooling water blowdown, boiler blowdown, DM Plant/ Softening Plant Washings, other activity i.e. (1 KLD) will be treated in ETP of 3 KLD. Expected Domestic wastewater generation will be 282 KLD and will be treated in STP of 600 KLD to meet prescribed standard as given the consent order before operation of the project.
16. Sludge from Effluent Treatment Plant shall be given to common bio-medical waste treatment facility for incineration or to hazardous waste treatment, storage and disposal facility for disposal.
17. The zero wastewater discharge condition to be achieved with installation of onsite Sewage Treatment Plant. Trade effluent shall conform to the norms and standards prescribed by Delhi Pollution Control Committee. The STP should be certified by an independent expert and a report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. Necessary measures should be made to mitigate the odour problem from STP.
18. The treated wastewater of STP shall be recycled and reused for horticulture/ landscaping/ cooling/ flushing purposes to reduce the demand of fresh water as committed.
19. The Project Proponent shall provide electromagnetic flow meter at the inlet and outlet of the water supply, inlet and outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for cooling, flushing and for horticulture purpose/ green etc. and shall maintain a record of readings of each such meter on daily basis.
20. The quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance as projected by the Project Proponent. The record shall be submitted to the Delhi Pollution Control Committee on six monthly basis. The water requirement shall be met from the sources as per the details mentioned in the Environmental Clearance.
21. Capacity of the Diesel Generator Set (s) installed in the HCF are 3\*750 KVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets.
22. The Consentee shall comply with the applicable provisions/ Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23.10.2012 including the directions that no person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of PolyPropylene, Non-woven fabric type carry bags) in the whole of National Capital Territory of Delhi if applicable.
23. The Consentee shall provide widespread Green Cover and the use of Fly Ash as per Fly Ash notification dated 14.09.1999 shall be mandatory.
24. Project Proponent will ensure use of Ozone Depletion Substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created.
25. During the Construction Phase for Control of dust pollution all precautionary measure should be ensured

incompliance of Hon'ble National Green Tribunal order dated 04.12.2014 in the matter of Vardhaman Kaushik Vs. Union of India & Ors. and Sanjay Kulshrestha Vs. Union of India & Ors. and as notified by MoEF&CC, GOI vide Notification No. G.S.R. 94(E) dated 25.01.2018. Consignee shall use Anti-Smog Gun(s) compulsorily for undertaking construction & demolition activity including excavation, material handling and other dust generating activities for compliance of Hon'ble Supreme Court orders dated 13.01.2020 in WPC No. 13029/1985 titled M.C. Mehta Vs. Union of India & Ors.

26. It will be the responsibility of the Project Proponent to obtain prior clearances/ approval and ensure compliances under all other relevant Acts/ Rules/ Regulations/ Guidelines/ Instructions/ Court Orders/ Tribunal Orders as applicable to this project before starting of the project.

27. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.

28. Unit shall implement the environmental safeguards as per stipulations in Environmental Clearance issued by SEIAA Delhi and shall submit a half yearly compliance report in respect of terms and conditions of Environmental Clearance to Regional Office of MoEF&CC and simultaneously to DPCC on the prescribed date.

29. The Consentee shall submit an application for extension of the Consent to Establish/ Consent to Operate under Water and Air Acts & Authorization under BMWM Rules, 2016 one month in advance of the expiry date of this Consent Order/ date of start of operation of the HCF.

30. This consent is being granted focusing only on the Water Act 1974/ Air Act 1981. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD-2021, Building Control Regulations and Safety Regulations. The investment made in the project, if any, based on Consent so granted, in anticipation of the clearance from other statutory authorities shall be entirely at the cost and risk of the project proponent, DPCC shall not be responsible in this regard in any manner.

31. The Consentee is allowed to run the pollution control devices and collect and test the data. The trial for these aforesaid purposes is permitted within the period of maximum three months from the date of completion. The Consentee shall give prior intimation to DPCC, of the dates on which trial would start and end. Thereafter Project Proponent shall apply for Consent to Operate along with requisite details and test reports to DPCC.

32. The Consentee shall abide by the Guidelines on Environmental Management of Construction and Demolition (C&D) Waste and Guidelines on Dust Mitigation Measure in Handling Construction Material and C&D waste developed and published by CPCB available at [www.cpcb.nic.in](http://www.cpcb.nic.in)

33. The Consentee shall display the enclosed template of Notice for Construction and Demolition Waste Management at the site.

34. The Consentee shall ensure the compliance of policy to be followed regarding operation of Ready Mix Concrete Plants (RMC Plants) issued vide office order No. DPCC/CMC I/RMC/2017/2596 to 2614 dated 27.12.2017 (available at DPCC website).

35. In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.

36. Notwithstanding anything contained in this Consent Order. Delhi Pollution Control Committee, reserves its right to review any/ or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution) Act, 1981, as amended to date and the Water (Prevention and Control of Pollution) Act, 1974, as amended to date.

37. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to

exist in violation of other laws and statutory provisions including the Master Plan of Delhi.

38. The Consentee shall ensure the safeguards as envisaged in Environmental Clearance issued to Shri Rajkumar Gupta, Trustee M/s Lala Munni Lal Mange Ram Charitable Trust vide file no. 21-7/2019-IA-III DATED 18.10.2019 including the dust control measures during the construction stage.

39. This issue in view of the Office Order dated 12.04.2016 regarding processing of the Consent to Establish cases.

Template for displaying notice w.r.t. Condition No. 33 to be displayed on board of size 6 feet X 4 feet.

Background color - Yellow, Letters - Black

### NOTICE

(Construction and demolition waste management rule 2016)

The construction/Demolition site is authorized by... Vide file no... Dated.....

1. Name and Address with contact number of contractor/developer

2. Address of the site

3. Area/length

4. Date of initiation of the project (dd/mm/yy)

5. Scheduled completion date of the project (dd/mm/yy)

6. Details date of completion/disposal/clearing of the site (dd/mm/yy)

7. Estimated waste (TPD)

8. Total estimated waste (MT) for the entire project

9. Nature of waste (concrete/iron/plastic/soil) (TPD)

10. Material Generated Recycled Reused Disposed

Sand -----

Concrete -----

11. Identified waste disposal site

12. Mode of utilization of waste (reuse/recycle/convert to construction material)

13. Mode of disposal

14. Mode of handling and transportation (manual/mechanical/pneumatic)(by road/rail)

15. Dust mitigation measures at the site (water sprinkling/curtain/barrister)

16. Reason of delay in disposing waste (in any)

17. Accidents reported (in any)

Name of Agency Owner

Telephone number

**Annexure-III**  
**Copy of CTO**



# DELHI POLLUTION CONTROL COMMITTEE


(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building  
Kashmere Gate, Delhi 110006  
(Visit us at <https://www.dpccocmms.nic.in>)



## CONSENT ORDER

Certificate No. :G-35490

Name of the unit	:	Sri Balaji Action Medical Institute ( A Unit of Lala Munni Lal Mange Ram Charitable Trust)
Address	:	FC 34 A 4 Paschim Vihar, Health Care Facility, Delhi -
Consent Order No	:	DPCC/CMC/2023/9708899
Date of issue	:	29/12/2023
Product/Activity	:	Health Care Establishments
Manufacturing Activities	:	Health Care Establishment 275 Bedded Hospital
Category Name	:	[RED]
Product Capacity	:	0 Metric Tonnes/Day



This **Consent to Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 **OTHER** Category. This consent is subjected to terms and conditions specified overleaf. This is being issued with reference to your application id 9708899 valid from **24/06/2023 to 23/06/2028.**

Prem Swarup  
Pankaj  
Senior Environmental Engineer

Digitally signed  
Prem Swarup Pankaj  
Date: 2023.12.29  
15:41:47 +05'30

**Annexure-IV**  
**Copy of Fire NOC**



GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI  
HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001

7  
10/10/2024

No. F6/DFS/MS/Hospital/WZ/2024/ 549

Dated:- 09/09/2024

FIRE SAFETY CERTIFICATE

Certified that the Sri Balaji Action Medical Institute Located at FC-34, A-4 Block, Paschim Vihar, New Delhi-110063, comprised of Basement, Ground, 1<sup>st</sup> Floor, 2<sup>nd</sup> Floor, 3<sup>rd</sup> Floor & 4<sup>th</sup> Floor only owned/occupied by Lala Munni Lal Mange Ram Charitable Trust, was issued Fire Safety Certificate vide Letter No. F6/DFS/MS/Hospital/2021/WZ/413 dated 26/08/2021. The said premise was re-inspected by the officer concerned of this department on 24/08/2024 in the presence of Sh. Mandeep Lakra (DGM Engineering) and found that the building/premises have deemed complied with the fire prevention and fire safety requirements in accordance with Rule 33 of the Delhi Fire Service Rules, 2010. and that the premises/building is fit for occupancy class "Institutional Building" Group C Sub Division C-1 with effect from 09/09/2024 for a period of three years in accordance with Rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under Rule 38 of the Delhi Fire Service Rules, 2010, printed below.

Issued on 09/09/2024 at New Delhi by.

(Atul Garg)  
Director

Tel. No. 011-23414000

Copy to:-

1. The Executive Engineer (Bldg.), Municipal Corporation of Delhi, 9<sup>th</sup> Floor, Civic Centre, Minto Road, New Delhi-110002.
2. The Medical Superintendent, Sri Balaji Action Medical Institute, FC-34, A-4 Block, Paschim Vihar, New Delhi-110063.

Following fire safety directives must be adhered to:-

1. All the means of escape shall be kept free of all type of obstruction all the time. It should not bolt /locked.
2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any loss of life any property due to the non-functional of any fire safety measures, management shall be held responsible.
4. Any deviation, with regards to construction, ventilation, occupation, electric installation etc. may be got verified from the concerned authorities.
5. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction / unauthorized use of land if any.
6. All comments / directions of building Department shall always be permitted and followed.
7. The owner /occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on [www.dfs.delhigovt.nic.in](http://www.dfs.delhigovt.nic.in)
8. The owner / occupier shall apply for renewal of this Fire Safety Certificate to the Director in 'Form J' (sub Rule (1) of Rule 37) along with copy of the certificate, six months prior to its expiry.
9. The basement shall be used as per BBL.

**Annexure-V**  
**Copy of water bills**



**STOP CORONA:**  
I. Wear Mask.  
II. Follow Physical Distancing.  
III. Maintain Hand Hygiene.

## Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)

[www.djb.gov.in](http://www.djb.gov.in)

Regular Water Bill



SAVE RAIN WATER  
INSTALL RAIN  
WATER HARVESTING

Catch the Rain



Catch the Rain

**Name(नाम):** SH MANAV SEVARTH TRUST  
**Address(पता):** A-4/FC-34 G, F, PASCHIM VIHAR, Delhi  
**Mobile No. (मोबाइल):** 9811052607  
**Zone/Loc (क्षेत्र / स्थान):** / Kanhaiya Nagar  
**Area Code (एरिया कोड):** A-2  
**MR Code (एमआर कोड):** 296/BULK  
**KNO(केएनओ):** 2156471000

**Consumer Category(उपभोक्ता श्रेणी):** CAT II  
**Premise Detail (परिसर विवरण):** (No of floors-1, No of Borewell-1)  
**Meter No. (मीटर संख्या):** 15017227  
**Meter Type (मीटर का प्रकार) (DJB/Pvt):** PVT  
**Bill No. (बिल संख्या):** 215128168754  
**Bill Cycle(बिल चक्र):** ZALL(B1-2024)  
**Bill Basis(बिल आधार):** REGULAR

**Bill Date(बिल की तिथि)**  
30-APR-2024  
**Bill Amount (Rs.) (बिल राशि (रु))**  
142371  
**Bill Amount Payable (Rs.) (देय बिल राशि (रु))**  
(Nearest up to Rs. 10) (लगभग 10 रु तक)  
142370  
**Bill Due Date(बिल देय तिथि)**  
17-MAY-2024  
**Amount Payable After Due Date(Rs.)**  
(देय तिथि के बाद देय राशि (रु))  
149489

Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (यूनिट)
15017227	KL	18-APR-2024	122663 / OK	23-MAR-2024	122072 / OK	26	591

**Bill Details: Current Period Charges (बिल विवरण: वर्तमान अवधि शुल्क) (23-MAR-2024 to 18-APR-2024)**

Applicable Rate Period	Description	Amount(Rs.)
24-MAR-2024 to 18-APR-2024	Total Consumption Charges	97201.99
24-MAR-2024 to 18-APR-2024	Sewerage Charge (60 % of Water Consumption Charge)	58321.19
24-MAR-2024 to 18-APR-2024	Service Charge - Consumption > 100 KL	1142.00
24-MAR-2024 to 18-APR-2024	Additional Sewerage Maintenance Charge for Hospitals/NH	10833.33
24-MAR-2024 to 18-APR-2024	Sub Total Bill Amount without Meter Rent	167498.51
24-MAR-2024 to 18-APR-2024	Discount for WH or WWR(10% of Total Water Bill)	-16749.85
24-MAR-2024 to 18-APR-2024	Discount for both WH & WWR(5% of Total Water Bill)	-8374.93
24-MAR-2024 to 18-APR-2024	Subtotal Bill Amount	142373.73
	Adjustment Details Are Listed Below	

**Arrear, If any (Rs.) (बकाया, यदि कोई (रु))** -3.55

**Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (रु))** 142371

**Late Payment Surcharge (Rs.) (देर से भुगतान पर अधिभार)** 7118  
(5% surcharge will be applicable after due date) (देय तिथि के बाद 5% अधिभार लागू होगा)  
**Amount with LPSC after due date (Rs.)** .51  
(देय तिथि के बाद अधिभार के साथ राशि (रु)) 149489

**PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) (छूट योजना के लिए देय राशि (रु))**

Bill History (पिछला बिल)						Payment History (पिछला भुगतान)			
Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date
19-FEB-2024	23-MAR-2024	33	122072	OK	751	180917	215043645268	180920.00	12-APR-2024
29-JAN-2024	19-FEB-2024	21	121321	OK	543	130681	215075795557	130681.00	13-MAR-2024
29-DEC-2023	29-JAN-2024	31	120778	OK	690	166254	215594839144	166254.00	15-FEB-2024
29-NOV-2023	29-DEC-2023	30	120088	OK	689	165971	215469675471	165970.00	15-JAN-2024
30-OCT-2023	29-NOV-2023	30	119399	OK	689	165973	215505565809	165970.00	08-DEC-2023

### Important Message

**If bill is not paid till Bill Due Date- connection may be disconnected (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)**

For any assistance / query : Please call 1916 or [www.djb.gov.in](http://www.djb.gov.in) (किसी भी सहायता / जानकारी के लिए: 1916 पर कॉल करें या [www.djb.gov.in](http://www.djb.gov.in) पर जाएं)



### Delhi Jal Board Bill Payment Counter Foil

Cheque / DD should be drawn in favour of DJB in the following format

(चेक / डिमांड ड्राफ्ट द्वारा भुगतान करने के लिए निम्न फॉर्मेट का उपयोग करें) DJB KNO

<b>KNO(केएनओ)</b>	2156471000	<b>Name(नाम)</b>	SH MANAV SEVARTH TRUST	<b>Bill No. (बिल संख्या)</b>	215128168754
<b>Bill Date(बिल की तिथि)</b>	30-APR-2024	<b>Bill Due Date (बिल देय तिथि)</b>	17-MAY-2024	<b>Bill Amount (Rs.) (बिल राशि (रु))</b>	142371
<b>Bill Amount with LPSC (Rs.):</b> 149489 (LPSC के साथ बिल राशि (रु)):	<b>Payment Date/ (भुगतान की तारीख)</b>		<b>Cash/Cheque No./DD No.:</b>		
	<b>Amount Paid(Rs.) (राशि का भुगतान (रु))</b>		<b>(कैश / चेक नंबर / डीडी नं. :)</b>		
<b>Name of Bank / Branch (बैंक / शाखा का नाम)</b>					

30 APR 2024

*(Handwritten Signature)*

**Tariff Structure for monthly consumption w.e.f 01-02-2018**

Category	Monthly Consumption (KL)	Service Charge (Rs)	Volumetric Charge (Rs. per KL)
Category - I(Domestic)	Up-to 20	146.41	5.27
	20-30	219.62	26.36
	Above 30	292.82	43.93
Category - II(Non-Domestic)	0-6	146.41	17.57
	6-15	292.82	26.35
	15-25	585.64	35.14
	25-50	1024.87	87.85
	50-100	1171.28	140.56
	100-above	1317.69	175.69

**Note:** To ensure proper implementation of Rain Water Harvesting and Waste Water Recycling norms and in compliance of Building Byelaws, it will be mandatory for plots/properties having area of 100 Sq. Mtrs. or more to have functional Rain Water Harvesting System, even if the property is constructed prior to 28-07-2001. Such plot/property owning consumers would be required to install functional Rain Water Harvesting System and will get rebate on water bill. In case, consumer fail to comply with the aforesaid mandatory provision within the time limit prescribed, the tariff as applicable for respective consumer category will be increased by 1.5 times, till the system is installed and intimated to the respective Zonal Revenue officer. Functionality certificate of RWH need to be given in the month of 'May' of every year in ZRO Office.

**Payment Facilities:**

Besides DJB ZRO Offices listed below, consumers can make payment online through e-payment gateways of Axis Bank, Utkarsh Bank, IDBI & Union Bank at Customer portal ([www.djb.gov.in](http://www.djb.gov.in)) and branches of authorized bank at IDBI Bank. Payment can also be made online through e-wallets, Net Banking, Debit/Credit Card, UPI etc. though any agency under Bharat Bill Payment System (BBPS) viz Paytm, Google Pay, Phone Pay, Amazon Pay, Free charge & other major banks. Cheque may be issued in favor of "DJB KNO XXXXXXXXXX", where XXXXXXXXXX represent 10-digit of New K. No. of the consumer mentioned on the bill.

Payment may be made through NEFT/RTGS to DJB A/C using Utkarsh Small Finance Bank Limited, Axis Bank Ltd, South Indian Bank Ltd. & IDBI Banks. Please visit Customer portal ([www.djb.gov.in](http://www.djb.gov.in)) - Pay Online > Pay through NEFT/RTGS for details of beneficiary account.

- For any issue related to reading, billing, the consumer can call **CUSTOMER CARE NUMBER No. 1916-** Extn. 2 and take online complaint No. instantly. Consumer can avail different online facilities regarding New Connection, Mutation, Re-Opening, Disconnection, online payments and register grievances through Customer portal ([www.djb.gov.in](http://www.djb.gov.in)). Please use your New K.NO for all communication with DJB. Consumer can contact concerned ZRO or his Dy. Director Revenue or Joint Director Revenue to resolve all billing and application regarding New Connection, Mutation, Re-Opening, Disconnection and Payment related grievance at followings:

SL.No	Zone	ZRO Location and Collection Counter	Office No.	SL.No	Zone	ZRO Location and Collection Counter	Office No.
1	NW1	Sultan Puri	25476298	26	CZ2	Pratap Nagar	23692201
2	WZ1	Subhash Nagar	25408765	27	SW3	R K Puram	26193424
3	WZ2	Punjabi Bagh	25223568	28	SZ2	Lajpat Nagar	29814106
4	NW1	Kirari	8920657545	29	SZ3	Greater Kailash	29239668
5	NE1	Shahadara	22591171	30	PP1	MNWS R K Puram	18001024669
6	NE2	Yamuna Vihar	22910491	31	PP1	MNWS Mehrauli	18001024669
7	NE1	GTB Enclave	22571986	32	PP1	MNWS Greater Kailash	18001024669
8	NE3	New Seelam Pur	22182253	33	PP2	MVV R K Puram	18001037232
9	CZ1	Jhandewalan	23612792	34	PP2	MVV Mehrauli	18001037232
10	NW4	Kewal Park	27675270	35	EZ1	Preet Vihar	22444424
11	NZ2	Mukherjee Nagar	27606627	36	EZ2	Shiv Puri	22047239
12	WZ3	Paschim Vihar	25252797	37	EZ2	Yojna Vihar	22158119
12	NZ2	Burari	27613757	38	EZ1	Mayur Vihar	22759551
14	PP3	NWS BHERA ENCLAVE	180030000136	39	EZ1	MANDAWALI	22444424
15	PP3	NWS Mohan Garden	18001020389	40	NW2	Narela	27281673
16	SW1	Kakrola More	8851254848	41	NW2	Rohini	27040004
17	WZ1	Janak Puri	25557475	42	NW3	Kanhaiya Nagar	27395044
18	PP3	Nangloi Water Service	27675270	43	NW3	Ashok Vihar	27301456
19	WZ1	Rejouri Garden	8800233484	44	CZ2	Tibbiya College	23546251
20	SW4	Dwarka	28082442				
21	WZ2	Rajendra Nagar	25724938				
22	SW2	Vasant Kunz	26897787				
23	SZ1	Saket	29561916				
24	SZ2	Giri Nagar	26212219				
25	SZ4	Sarita Vihar	29941159				

As can be observed from the tariff that Delhi Jal Board emphasizes on the conservation of water and tariff is designed on the principle- 'Use More Pay More'. Hence, consumers are advised to conserve water by:-

1. Plugging all leakages in pipes, joints, taps, overhead tanks etc.
2. To use kitchen waste water for gardening purposes.
3. To wash vehicle etc. by bucket instead of pipe.
4. Install valve before meter and close it when water is not use.
5. Consumers should use MDPE pipes for underground position for carrying portable water.

**Tariff consists of following components:**

1. Water-to be measured on volumetric charges of water consumed as reported in meter.
2. Sewerage maintenance charge- @60% of water volumetric consumption charges.
3. Service Charges-Levied on the basis of slab wise consumption.
4. Meter rent in case meter has been provided by DJB.

**How to Calculate Bill-** Divide the total units consumed by number of days for which bill has been issued and multiply by 30 to give per month average water consumption. Water consumption charge (multiplying monthly charge by the actual period of reading) will be calculated as per tariff for the respective category as mentioned above. Sewerage maintenance charge will be 60% of water consumption charges. Add service charges as per respective category and Consumption slab. It will give you the bill amount

**Abbreviations on bill:**

New Code	Meter Status	New Code	Meter Status
OK	OK	RDDT	Reading Detained
NUW	NO Use Of Water	TEST	Meter Under Testing
PLUG	Plugged	DFMT	Defective Meter
DEM	Demolished	STP	Stopped
PLOC	Premises Locked	MTTM	Meter Tempered
NRES	NO Response	MREV	Meter Reverse
MBUR	Meter Buried	UNMT	Running Unmetered
VMMT	Vapoured/Moistured Meter	BYPS	T-Joint/ByPass
DUST	Dusty Meter	CUT	Meter Cut-Off
MLOC	Meter Locked	ADF	Access Denied/Refused
UOM	Unit Of Measurement		

**Note:** Payment in respect of New water connection, mutation, disconnection and reopening cases should be made within prescribed time, failure may result in withdrawal of sanction.

Any work on DJB Water & Sewer Lines can be allowed only through Licensed Plumber or Authorized Agency of DJB with prior approval/sanction.

For any issue related to water, contamination, tanker or sewerage consumer can call **CUSTOMER CARE NUMBER No. 1916-** Extn. 1 or visit [www.delhijalboard.nic.in](http://www.delhijalboard.nic.in)



<input type="checkbox"/>	<b>Name of Bank / Branch</b> (बैंक / शाखा का नाम)	
---	---	--

### Tariff Structure for monthly consumption w.e.f 01-02-2018

Category	Monthly Consumption (KL)	Service Charge (Rs)	Volumetric Charge (Rs. per KL)
Category - I(Domestic)	Up-to 20	146.41	5.27
	20-30	219.62	26.36
	Above 30	292.82	43.93
Category - II(Non-Domestic)	0-6	146.41	17.57
	6-15	292.82	26.35
	15-25	585.64	35.14
	25-50	1024.87	87.85
	50-100	1171.28	140.56
	100-above	1317.69	175.69

**Note:** To ensure proper implementation of Rain Water Harvesting and Waste Water Recycling norms and compliance of Building Byelaws, it will be mandatory for plots/properties having area of 100 Sq. Mtrs. or more to have functional Rain Water Harvesting System, even if the property is constructed prior to 28-07-2001. Such plot/property owning consumers would be required to install functional Rain Water Harvesting System and will get rebate on water bill. In case, consumer fail to comply with the aforesaid mandatory provision within the time limit prescribed, the tariff as applicable for respective consumer category will be increased by 1.5 times, till the system is installed and intimated to the respective Zonal Revenue officer. Functionality certificate of RWH need to be given in the month of 'May' of every year in ZRO Office.

#### Payment Facilities:

Besides DJB ZRO Offices listed below, consumers can make payment online through e-payment gateways of Axis Bank, Utkarsh Bank, IDBI & Union Bank at Customer portal ([www.djb.gov.in](http://www.djb.gov.in)) and branches of authorized bank at IDBI Bank. Payment can also be made online through e-wallets, Net Banking, Debit/Credit Card, UPI etc. though any agency under Bharat Bill Payment System (BBPS) viz Paytm, Google Pay, Phone Pay, Amazon Pay, Free charge & other major banks. Cheque may be issued in favor of "DJB KNO XXXXXXXXXX", where XXXXXXXXXX represent 10-digit of New K. No. of the consumer mentioned on the bill.

Payment may be made through NEFT/RTGS to DJB A/C using Utkarsh Small Finance Bank Limited, Axis Bank Ltd, South Indian Bank Ltd. & IDBI Banks. Please visit Customer portal ([www.djb.gov.in](http://www.djb.gov.in)) - Pay Online > Pay through NEFT/RTGS for details of beneficiary account.

- For any issue related to reading, billing, the consumer can call **CUSTOMER CARE NUMBER No. 1916**- Extn. 2 and take online complaint No. instantly, Consumer can avail different online facilities regarding New Connection, Mutation, Re-Opening, Disconnection, online payments and register grievances through Customer portal ([www.djb.gov.in](http://www.djb.gov.in)). Please use your New K.NO for all communication with DJB. Consumer can contact concerned ZRO or his Dy. Director Revenue or Joint Director Revenue to resolve all billing and application regarding New Connection, Mutation, Re-Opening, Disconnection and Payment related grievance at followings:

#### Abbreviations on bill:

SL.No	Zone	ZRO Location and Collection Counter	Office No.	SL.No	Zone	ZRO Location and Collection Counter	Office No.
1	NW1	Sultan Puri	25476298	26	CZ2	Pratap Nagar	23692201
2	WZ1	Subhash Nagar	25408765	27	SW3	R K Puram	26193424
3	WZ2	Punjabi Bagh	25223568	28	SZ2	Lajpat Nagar	29814106
4	NW1	Kirari	8920657545	29	SZ3	Greater Kailash	29239668
5	NE1	Shahadara	22591171	30	PP1	MNWS R K Puram	18001024669
6	NE2	Yamuna Vihar	22910491	31	PP1	MNWS Mehrauli	18001024669
7	NE1	GTB Enclave	22571986	32	PP1	MNWS Greater Kailash	18001024669
8	NE3	New Seelam Pur	22182253	33	PP2	MVV R K Puram	18001037232
9	CZ1	Jhandewalan	23612792	34	PP2	MVV Mehrauli	18001037232
10	NW4	Kewal Park	27675270	35	EZ1	Preet Vihar	22444424
11	NZ2	Mukherjee Nagar	27606627	36	EZ1	Shiv Puri	22047239
12	WZ3	Paschim Vihar	25252797	37	EZ2	Yojna Vihar	22158119
12	NZ2	Burari	27613757	38	EZ1	Mayur Vihar	22759551
14	PP3	NWS BHERA ENCLAVE	180030000136	39	EZ1	MANDAWALI	22444424
15	PP3	NWS Mohan Garden	18001020389	40	NW2	Narela	27281673
16	SW1	Kakrola More	8851254848	41	NW2	Rohini	27040004
17	WZ1	Janak Puri	25557475	42	NW3	Kanhajya Nagar	27395044
18	PP3	Nangloi Water Service	27675270	43	NW3	Ashok Vihar	27301456
19	WZ1	Rajouri Garden	8800233484	44	CZ2	Tibbiya College	23546251
20	SW4	Dwarka	28082442				
21	WZ2	Rajendra Nagar	25724938				
22	SW2	Vasant Kunz	26897787				
23	SZ1	Saket	29561916				
24	SZ2	Giri Nagar	26212219				
25	SZ4	Santa Vihar	29941159				

Tariff consists of following components:

- Water-to be measured on volumetric charges of water consumed as reported in meter.
- Sewerage maintenance charge- @60% of water volumetric consumption charges.
- Service Charges-Levied on the basis of slab wise consumption.
- Meter rent in case meter has been provided by DJB.

**How to Calculate Bill-** Divide the total units consumed by number of days for which bill has been issued and multiply by 30 to give per month average water consumption. Water consumption charge (multiplying monthly charge by the actual period of reading) will be calculated as per tariff for the respective category as mentioned above. Sewerage maintenance charge will be 60% of water consumption charges. Add service charges as per respective category and Consumption slab. It will give you the bill amount

New Code	Meter Status	New Code	Meter Status
OK	OK	RDDT	Reading Detained
NUW	NO Use Of Water	TEST	Meter Under Testing
PLUG	Plugged	DFMT	Defective Meter
DEM	Demolished	STP	Stopped
PLOC	Premises Locked	MTTM	Meter Tempered
NRES	NO Response	MREV	Meter Reverse
MBUR	Meter Buried	UNMT	Running Unmetered
VMMT	Vapoured/Moistured Meter	BYPS	T-Joint/ByPass
DUST	Dusty Meter	CUT	Meter Cut-Off
MLOC	Meter Locked	ADF	Access Denied/Refused
UOM	Unit Of Measurement		

As can be observed from the tariff that Delhi Jal Board emphasizes on the conservation of water and tariff is designed on the principle- 'Use More Pay More'. Hence, consumers are advised to conserve water by:-

1. Plugging all leakages in pipes, joints, taps, overhead tanks etc.
2. To use kitchen waste water for gardening purposes.
3. To wash vehicle etc. by bucket instead of pipe.
4. Install valve before meter and close it when water is not use.
5. Consumers should use MDPE pipes for underground position for carrying portable water.

**Note:** Payment in respect of New water connection, mutation, disconnection and reopening cases should be made within prescribed time, failure may result in withdrawal of sanction.

Any work on DJB Water & Sewer Lines can be allowed only through Licensed Plumber or Authorized Agency of DJB with prior approval/sanction.

For any issue related to water, contamination, tanker or sewerage consumer can call **CUSTOMER CARE NUMBER No. 1916**- Extn. 1 or visit [www.delhijalboard.nic.in](http://www.delhijalboard.nic.in)



STOP CORONA:

- I. Wear Mask.
- II. Follow Physical Distancing.
- III. Maintain Hand Hygiene.

# Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)

[www.djb.gov.in](http://www.djb.gov.in)

Regular Water Bill



SAVE RAIN WATER  
INSTALL RAIN  
WATER HARVESTING

Catch the Rain

© 2010 The Rain  
Water Harvesting

**Name(नाम):** M/S.BALAJI HOSPITAL  
(MEDICAL INSTITUTE)  
**Address(पता):** A-4/(FC-34), PASCHIM  
VIHAR, Delhi  
**Mobile No. (मोबाइल):** 9288877015  
**Zone/Loc (क्षेत्र / स्थान):** / Kanhaiya Nagar  
**Area Code (एरिया कोड):** A-1  
**MR Code (एमआर कोड):** 296/BULK  
**KNO(केएनओ):** 6056471000

**Consumer Category(उपभोक्ता श्रेणी):** CAT II  
**Premise Detail (परिसर विवरण):** (No of floors-1)  
**Meter No. (मीटर संख्या):** NA  
**Meter Type (मीटर का प्रकार) (DJB/Pvt):** PVT  
**Bill No. (बिल संख्या):** 605746153078  
**Bill Cycle(बिल चक्र):** ZALL(B4-2024)  
**Bill Basis(बिल आधार):** REGULAR

<b>Bill Date(बिल की तिथि)</b> 29-JUL-2024
<b>Bill Amount (Rs.) (बिल राशि (रु))</b> 118379
<b>Bill Amount Payable (Rs.) (देय बिल राशि (रु))</b> (Nearest up to Rs. 10) (लगभग 10 रु तक) 118380
<b>Bill Due Date(बिल देय तिथि)</b> 16-AUG-2024
<b>Amount Payable After Due Date(Rs.)</b> (देय तिथि के बाद देय राशि (रु)) 124298

Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (यूनिट)
NA	KL	29-JUL-2024	20958 / OK	27-JUN-2024	20497 / OK	32	461

Applicable Rate Period	Description	Amount(Rs.)
28-JUN-2024 to 29-JUL-2024	Total Consumption Charges	72832.14
28-JUN-2024 to 29-JUL-2024	Sewerage Charge (60 % of Water Consumption Charge)	43699.28
28-JUN-2024 to 29-JUL-2024	Service Charge - Consumption > 100 KL	1405.54
28-JUN-2024 to 29-JUL-2024	Additional Sewerage Maintenance Charge for Hospitals/NH	21333.33
28-JUN-2024 to 29-JUL-2024	Sub Total Bill Amount without Meter Rent	139270.29
28-JUN-2024 to 29-JUL-2024	Discount for WH or WWR(10% of Total Water Bill)	-13927.03
28-JUN-2024 to 29-JUL-2024	Discount for both WH & WWR(5% of Total Water Bill)	-6963.51
28-JUN-2024 to 29-JUL-2024	Subtotal Bill Amount	118379.75
Adjustment Details Are Listed Below		

<b>Arrear, If any (Rs.) (बकाया, यदि कोई (रु))</b>	-0.77
<b>Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (रु))</b>	118379
<b>Late Payment Surcharge (Rs.) (देर से भुगतान पर अधिभार)</b> (5% surcharge will be applicable after due date)(देय तिथि के बाद 5% अधिभार लागू होगा)	5918.95
<b>Amount with LPSC after due date (Rs.) (देय तिथि के बाद अधिभार के साथ राशि (रु))</b>	124298

### PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) (छूट योजना के लिए देय राशि (रु))

Bill History (पिछला बिल)						Payment History (पिछला भुगतान)			
Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date
27-MAY-2024	27-JUN-2024	31	20497	OK	442	113579	605472037291	113579.00	15-JUL-2024
18-APR-2024	27-MAY-2024	39	20055	OK	513	132606	605328832481	132610.00	11-JUN-2024
23-MAR-2024	18-APR-2024	26	19542	OK	405	103451	605269443888	103450.00	15-MAY-2024
20-FEB-2024	23-MAR-2024	32	19137	OK	453	114885	605345054918	114890.00	06-APR-2024
19-DEC-2023	20-FEB-2024	63	18684	OK	1127	-1584	605563757592	292520.00	15-FEB-2024

### Important Message

01 AUG 2024

**If bill is not paid till Bill Due Date- connection may be disconnected** (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)  
For any assistance / query : Please call 1916 or [www.djb.gov.in](http://www.djb.gov.in) (किसी भी सहायता / जानकारी के लिए: 1916 पर कॉल करें या [www.djb.gov.in](http://www.djb.gov.in) पर जाएं)

Delhi Jal Board Bill Payment Counter Foil				Cheque / DD should be drawn in favour of DJB in the following format (चेक / डिमांड ड्राफ्ट द्वारा भुगतान करने के लिए निम्न फॉर्मेट का उपयोग करें) DJB KNO	
<b>KNO(केएनओ)</b>	6056471000	<b>Name(नाम)</b>	M/S.BALAJI HOSPITAL (MEDICAL INSTITUTE)	<b>Bill No. (बिल संख्या)</b>	605746153078
<b>Bill Date(बिल की तिथि)</b>	29-JUL-2024	<b>Bill Due Date (बिल देय तिथि)</b>	16-AUG-2024	<b>Bill Amount (Rs.) (बिल राशि (रु))</b>	118379
<b>Bill Amount with LPSC (Rs.):</b> 124298 (LPSC के साथ बिल राशि (रु)):		<b>Payment Date/ (भुगतान की तारीख)</b>		<b>Cash/Cheque No./DD No.:</b> (कैश / चेक नंबर / डीडी नं. :)	
		<b>Amount Paid(Rs.) (राशि का भुगतान (रु))</b>			

*[Handwritten Signature]*



### Tariff Structure for monthly consumption w.e.f 01-02-2018

Category	Monthly Consumption (KL)	Service Charge (Rs)	Volumetric Charge (Rs. per KL)
Category - I (Domestic)	Up-to 20	146.41	5.27
	20-30	219.62	26.36
	Above 30	292.82	43.93
Category - II (Non-Domestic)	0-6	146.41	17.57
	6-15	292.82	26.35
	15-25	585.64	35.14
	25-50	1024.87	87.85
	50-100	1171.28	140.56
	100-above	1317.69	175.69

**Note:** To ensure proper implementation of Rain Water Harvesting and Waste Water Recycling norms and non-compliance of Building Byelaws, it will be mandatory for plots/properties having area of 100 Sq. Mtrs. or more to have functional Rain Water Harvesting System, even if the property is constructed prior to 28-07-2001. Such plot/property owning consumers would be required to install functional Rain Water Harvesting System and will get rebate on water bill. In case, consumer fail to comply with the aforesaid mandatory provision within the time limit prescribed, the tariff as applicable for respective consumer category will be increased by 1.5 times, till the system is installed and intimated to the respective Zonal Revenue officer. Functionality certificate of RWH need to be given in the month of 'May' of every year in ZRO Office.

#### Payment Facilities:

Besides DJB ZRO Offices listed below, consumers can make payment online through e-payment gateways of Axis Bank, Utkarsh Bank, IDBI & Union Bank at Customer portal ([www.djb.gov.in](http://www.djb.gov.in)) and branches of authorized bank at IDBI Bank. Payment can also be made online through e-wallets, Net Banking, Debit/Credit Card, UPI etc. though any agency under Bharat Bill Payment System (BBPS) viz Paytm, Google Pay, Phone Pay, Amazon Pay, Free charge & other major banks. Cheque may be issued in favor of "DJB KNO XXXXXXXXXX", where XXXXXXXXXX represent 10-digit of New K. No. of the consumer mentioned on the bill.

Payment may be made through NEFT/RTGS to DJB A/C using Utkarsh Small Finance Bank Limited, Axis Bank Ltd, South Indian Bank Ltd. & IDBI Banks. Please visit Customer portal ([www.djb.gov.in](http://www.djb.gov.in)) - Pay Online > Pay through NEFT/RTGS for details of beneficiary account.

- For any issue related to reading, billing, the consumer can call **CUSTOMER CARE NUMBER No. 1916-** Extn. 2 and take online complaint No. instantly, Consumer can avail different online facilities regarding New Connection, Mutation, Re-Opening, Disconnection, online payments and register grievances through Customer portal ([www.djb.gov.in](http://www.djb.gov.in)). Please use your New KNO for all communication with DJB. Consumer can contact concerned ZRO or his Dy. Director Revenue or Joint Director Revenue to resolve all billing and application regarding New Connection, Mutation, Re-Opening, Disconnection and Payment related grievance at followings:

SL.No	Zone	ZRO Location and Collection Counter	Office No.	SL.No	Zone	ZRO Location and Collection Counter	Office No.
1	NW1	Sultan Puri	25476298	26	CZ2	Pratap Nagar	23692201
2	WZ1	Subhash Nagar	25408765	27	SW3	R K Puram	26193424
3	WZ2	Punjabi Bagh	25223568	28	SZ2	Lajpat Nagar	29814106
4	NW1	Kirari	8920657545	29	SZ3	Greater Kailash	29239668
5	NE1	Shahadara	22591171	30	PP1	MNWS R K Puram	18001024669
6	NE2	Yamuna Vihar	22910491	31	PP1	MNWS Mehrauli	18001024669
7	NE1	GTB Enclave	22571986	32	PP1	MNWS Greater Kailash	18001024669
8	NE3	New Seelam Pur	22182253	33	PP2	MVV R K Puram	18001037232
9	CZ1	Jhandewalan	23612792	34	PP2	MVV Mehrauli	18001037232
10	NW4	Kewal Park	27675270	35	EZ1	Preet Vihar	22444424
11	NZ2	Mukherjee Nagar	27606627	36	EZ2	Shiv Puri	22047239
12	WZ3	Paschim Vihar	25252797	37	EZ2	Yojna Vihar	22158119
12	NZ2	Burari	27613757	38	EZ1	Mayur Vihar	22759551
14	PP3	NWS BHERA ENCLAVE	18003000136	39	EZ1	MANDAWALI	22444424
15	PP3	NWS Mohan Garden	18001020389	40	NW2	Narela	27281673
16	SW1	Kakrola More	8851254848	41	NW2	Rohini	27040004
17	WZ1	Janak Puri	25557475	42	NW3	Kanhaiya Nagar	27395044
18	PP3	Nangloi Water Service	27675270	43	NW3	Ashok Vihar	27301456
19	WZ1	Rajouri Garden	8800233484	44	CZ2	Tibbiya College	23546251
20	SW4	Dwarka	28082442				
21	WZ2	Rajendra Nagar	25724938				
22	SW2	Vasanti Kunz	26897787				
23	SZ1	Saket	29561916				
24	SZ2	Giri Nagar	26212219				
25	SZ4	Sarita Vihar	29941159				

#### Tariff consists of following components:

- Water-to be measured on volumetric charges of water consumed as reported in meter.
- Sewerage maintenance charge- @60% of water volumetric consumption charges.
- Service Charges-Levied on the basis of slab wise consumption.
- Meter rent in case meter has been provided by DJB.

**How to Calculate Bill-** Divide the total units consumed by number of days for which bill has been issued and multiply by 30 to give per month average water consumption. Water consumption charge (multiplying monthly charge by the actual period of reading) will be calculated as per tariff for the respective category as mentioned above. Sewerage maintenance charge will be 60% of water consumption charges. Add service charges as per respective category and Consumption slab. It will give you the bill amount

#### Abbreviations on bill:

New Code	Meter Status	New Code	Meter Status
OK	OK	RDDT	Reading Detained
NUW	NO Use Of Water	TEST	Meter Under Testing
PLUG	Plugged	DFMT	Defective Meter
DEM	Demolished	STP	Stopped
PLOC	Premises Locked	MTTM	Meter Tempered
NRES	NO Response	MREV	Meter Reverse
MBUR	Meter Buried	UNMT	Running Unmetered
VMMT	Vapoured/Moistured Meter	BYPS	T-Joint/ByPass
DUST	Dusty Meter	CUT	Meter Cut-Off
MLOC	Meter Locked	ADF	Access Denied/Refused

UOM	Unit Of Measurement
-----	---------------------

As can be observed from the tariff that Delhi Jal Board emphasizes on the conservation of water and tariff is designed on the principle- 'Use More Pay More'. Hence, consumers are advised to conserve water by:-

- Plugging all leakages in pipes, joints, taps, overhead tanks etc.
- To use kitchen waste water for gardening purposes.
- To wash vehicle etc. by bucket instead of pipe.
- Install valve before meter and close it when water is not use.
- Consumers should use MDPE pipes for underground position for carrying portable water.

**Note:** Payment in respect of New water connection, mutation, disconnection and reopening cases should be made within prescribed time, failure may result in withdrawal of sanction.

Any work on DJB Water & Sewer Lines can be allowed only through Licensed Plumber or Authorized Agency of DJB with prior approval/sanction.

For any issue related to water, contamination, tanker or sewerage consumer can call **CUSTOMER CARE NUMBER No. 1916-** Extn. 1 or visit [www.delhijalboard.nic.in](http://www.delhijalboard.nic.in)



**STOP CORONA:**  
I. Wear Mask.  
II. Follow Physical Distancing.  
III. Maintain Hand Hygiene.

## Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)

[www.djb.gov.in](http://www.djb.gov.in)

Regular Water Bill



**Name(नाम):** M/S.BALAJI HOSPITAL  
(MEDICAL INSTITUTE)  
**Address(पता):** A-4/(FC-34), PASCHIM  
VIHAR, Delhi  
**Mobile No. . (मोबाइल):** 9288877015  
**Zone/Loc (क्षेत्र / स्थान):** / Kanhaiya Nagar  
**Area Code (एरिया कोड):** A-1  
**MR Code (एमआर कोड):** 296/BULK  
**KNO(केएनओ):** 6056471000

**Consumer Category(उपभोक्ता श्रेणी):** CAT II  
**Premise Detail (परिसर विवरण):** (No of floors-1)  
**Meter No. (मीटर संख्या):** NA  
**Meter Type (मीटर का प्रकार) (DJB/Pvt):** PVT  
**Bill No. (बिल संख्या):** 605634962814  
**Bill Cycle(बिल चक्र):** ZALL(B6-2024)  
**Bill Basis(बिल आधार):** REGULAR

**Bill Date(बिल की तिथि)**  
23-SEP-2024  
**Bill Amount (Rs.) (बिल राशि (रु) )**  
101503  
**Bill Amount Payable (Rs.)(देय बिल राशि (रु।))**  
(Nearest up to Rs. 10) (लगभग 10 रु. तक)  
101500  
**Bill Due Date(बिल देय तिथि)**  
10-OCT-2024  
**Amount Payable After Due Date(Rs.)**  
(देय तिथि के बाद देय राशि (रु) )  
106578

Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (यूनिट)
NA	KL	23-SEP-2024	21860 / OK	30-AUG-2024	21461 / OK	24	399

**Bill Details: Current Period Charges (बिल विवरण: वर्तमान अवधि शुल्क) (30-AUG-2024 to 23-SEP-2024)**

Applicable Rate Period	Description	Amount(Rs.)
31-AUG-2024 to 23-SEP-2024	Total Consumption Charges	63979.69
31-AUG-2024 to 23-SEP-2024	Sewerage Charge (60 % of Water Consumption Charge)	38387.81
31-AUG-2024 to 23-SEP-2024	Service Charge - Consumption > 100 KL	1054.15
31-AUG-2024 to 23-SEP-2024	Additional Sewerage Maintenance Charge for Hospitals/NH	16000.00
31-AUG-2024 to 23-SEP-2024	Sub Total Bill Amount without Meter Rent	119421.65
31-AUG-2024 to 23-SEP-2024	Discount for WH or WWR(10% of Total Water Bill)	-11942.17
31-AUG-2024 to 23-SEP-2024	Discount for both WH & WWR(5% of Total Water Bill)	-5971.08
31-AUG-2024 to 23-SEP-2024	Subtotal Bill Amount	101508.40
	Adjustment Details Are Listed Below	

**Arrear, If any (Rs.) (बकाया, यदि कोई (रु))** -5.86

**Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (रु))** 101503

**Late Payment Surcharge (Rs.)(देर से भुगतान पर अधिभार)** 5075  
(5% surcharge will be applicable after due date)(देय तिथि के बाद 5% अधिभार लागू होगा) .13  
**Amount with LPSC after due date (Rs.)** 106578  
(देय तिथि के बाद अधिभार के साथ राशि (रु))

**PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) ( छूट योजना के लिए देय राशि (रु।))**

Bill History (पिछला बिल)						Payment History (पिछला भुगतान)			
Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date
29-JUL-2024	30-AUG-2024	32	21461	OK	503	128415	605653260172	128420.00	10-SEP-2024
27-JUN-2024	29-JUL-2024	32	20958	OK	461	118379	605577013786	118380.00	14-AUG-2024
27-MAY-2024	27-JUN-2024	31	20497	OK	442	113579	605472037291	113579.00	15-JUL-2024
18-APR-2024	27-MAY-2024	39	20055	OK	513	132606	605328832481	132610.00	11-JUN-2024
23-MAR-2024	18-APR-2024	26	19542	OK	405	103451	605269443888	103450.00	15-MAY-2024

**Important Message**

*(Handwritten Signature)*

**If bill is not paid till Bill Due Date- connection may be disconnected** (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)

For any assistance / query : Please call 1916 or [www.djb.gov.in](http://www.djb.gov.in). (किसी भी सहायता / जानकारी के लिए: 1916 पर कॉल करें या [www.djb.gov.in](http://www.djb.gov.in) पर जाएं)



### Delhi Jal Board Bill Payment Counter Foil

Cheque / DD should be drawn in favour of DJB in the following format

(चेक / डिमांड ड्राफ्ट द्वारा भुगतान करने के लिए निम्न फॉर्मेट का उपयोग करें) DJB KNO

KNO(केएनओ)	6056471000	Name(नाम)	M/S.BALAJI HOSPITAL (MEDICAL INSTITUTE)	Bill No. (बिल संख्या)	605634962814
Bill Date(बिल की तिथि)	23-SEP-2024	Bill Due Date (बिल देय तिथि)	10-OCT-2024	Bill Amount (Rs.) (बिल राशि (रु।))	101503
Bill Amount with LPSC (Rs.): (LPSC के साथ बिल राशि (रु।)):	106578	Payment Date/ (भुगतान की तारीख)		Cash/Cheque No./DD No.:	
		Amount Paid(Rs.) (राशि का भुगतान (रु।))		(कैश / चेक नंबर / डीडी नं. :)	

30 SEP 2024



**Tariff Structure for monthly consumption w.e.f 01-02-2018**

Category	Monthly Consumption (KL)	Service Charge (Rs)	Volumetric Charge (Rs. per KL)
Category - I (Domestic)	Up-to 20	146.41	5.27
	20-30	219.62	26.36
	Above 30	292.82	43.93
Category - II (Non-Domestic)	0-6	146.41	17.57
	6-15	292.82	26.35
	15-25	585.64	35.14
	25-50	1024.87	87.85
	50-100	1171.28	140.56
	100-above	1317.69	175.69

**Note:** To ensure proper implementation of Rain Water Harvesting and Waste Water Recycling norms and in compliance of Building Byelaws, it will be mandatory for plots/properties having area of 100 Sq. Mtrs. or more to have functional Rain Water Harvesting System, even if the property is constructed prior to 28-07-2001. Such plot/property owning consumers would be required to install functional Rain Water Harvesting System and will get rebate on water bill. In case, consumer fail to comply with the aforesaid mandatory provision within the time limit prescribed, the tariff as applicable for respective consumer category will be increased by 1.5 times, till the system is installed and intimated to the respective Zonal Revenue officer. Functionality certificate of RWH need to be given in the month of 'May' of every year in ZRO Office.

**Payment Facilities:**

Besides DJB ZRO Offices listed below, consumers can make payment online through e-payment gateways of Axis Bank, Utkarsh Bank, IDBI & Union Bank at Customer portal ([www.djb.gov.in](http://www.djb.gov.in)) and branches of authorized bank at IDBI Bank. Payment can also be made online through e-wallets, Net Banking, Debit/Credit Card, UPI etc. though any agency under Bharat Bill Payment System (BBPS) viz Paytm, Google Pay, Phone Pay, Amazon Pay, Free charge & other major banks. Cheque may be issued in favor of "DJB KNO XXXXXXXXXX", where XXXXXXXXXX represent 10-digit of New K. No. of the consumer mentioned on the bill.

Payment may be made through NEFT/RTGS to DJB A/C using Utkarsh Small Finance Bank Limited, Axis Bank Ltd, South Indian Bank Ltd. & IDBI Banks. Please visit Customer portal ([www.djb.gov.in](http://www.djb.gov.in)) - Pay Online > Pay through NEFT/RTGS for details of beneficiary account.

- For any issue related to reading, billing, the consumer can call **CUSTOMER CARE NUMBER No. 1916**- Extn. 2 and take online complaint No. instantly, Consumer can avail different online facilities regarding New Connection, Mutation, Re-Opening, Disconnection, online payments and register grievances through Customer portal ([www.djb.gov.in](http://www.djb.gov.in)). Please use your New K.NO for all communication with DJB. Consumer can contact concerned ZRO or his Dy. Director Revenue or Joint Director Revenue to resolve all billing and application regarding New Connection, Mutation, Re-Opening, Disconnection and Payment related grievance at followings:

**Abbreviations on bill:**

SL.No	Zone	ZRO Location and Collection Counter	Office No.	SL.No	Zone	ZRO Location and Collection Counter	Office No.
1	NW1	Sultan Pun	25476298	26	CZ2	Pralap Nagar	23692201
2	WZ1	Subhash Nagar	25408765	27	SW3	R K Puram	26193424
3	WZ2	Punjabi Bagh	25223568	28	SZ2	Lajpat Nagar	29814106
4	NW1	Kirari	8920667545	29	SZ3	Greater Kailash	29239668
5	NE1	Shahadara	22591171	30	PP1	MNWS R K Puram	18001024669
6	NE2	Yamuna Vihar	22910491	31	PP1	MNWS Mehrauli	18001024669
7	NE1	GTB Enclave	22571986	32	PP1	MNWS Greater Kailash	18001024669
8	NE3	New Seelam Pur	22182253	33	PP2	MVV R K Puram	18001037232
9	CZ1	Jhandewalan	23612792	34	PP2	MVV Mehrauli	18001037232
10	NW4	Kewal Park	27675270	35	EZ1	Preet Vihar	22444424
11	NZ2	Mukherjee Nagar	27606627	36	EZ2	Shiv Puri	22047239
12	WZ3	Paschim Vihar	25252797	37	EZ2	Yojna Vihar	22158119
12	NZ2	Burari	27613757	38	EZ1	Mayur Vihar	22759551
14	PP3	NWS BHERA ENCLAVE	180030000136	39	EZ1	MANDAWALI	22444424
15	PP3	NWS Mohan Garden	18001020389	40	NW2	Narela	27281673
16	SW1	Kakrola More	8851254848	41	NW2	Rohini	27040004
17	WZ1	Janak Puri	25557475	42	NW3	Kanhaiya Nagar	27395044
18	PP3	Nangloi Water Service	27675270	43	NW3	Ashok Vihar	27301456
19	WZ1	Rajoun Garden	8800233484	44	CZ2	Tibbiya College	23546251
20	SW4	Dwarka	28082442				
21	WZ2	Rajendra Nagar	25724938				
22	SW2	Vasant Kunz	26897787				
23	SZ1	Saket	29561916				
24	SZ2	Giri Nagar	26212219				
25	SZ4	Sarita Vihar	29941159				

**Tariff consists of following components:**

- Water-to be measured on volumetric charges of water consumed as reported in meter.
- Sewerage maintenance charge- @60% of water volumetric consumption charges.
- Service Charges-Levied on the basis of slab wise consumption.
- Meter rent in case meter has been provided by DJB.

**How to Calculate Bill-** Divide the total units consumed by number of days for which bill has been issued and multiply by 30 to give per month average water consumption. Water consumption charge (multiplying monthly charge by the actual period of reading) will be calculated as per tariff for the respective category as mentioned above. Sewerage maintenance charge will be 60% of water consumption charges. Add service charges as per respective category and Consumption slab. It will give you the bill amount

New Code	Meter Status	New Code	Meter Status
OK	OK	RDDT	Reading Detained
NUW	NO Use Of Water	TEST	Meter Under Testing
PLUG	Plugged	DFMT	Defective Meter
DEM	Demolished	STP	Stopped
PLOC	Premises Locked	MTTM	Meter Tempered
NRES	NO Response	MREV	Meter Reverse
MBUR	Meter Buried	UNMT	Running Unmetered
VMMT	Vapoured/Moistured Meter	BYPS	T-Joint/ByPass
DUST	Dusty Meter	CUT	Meter Cut-Off
MLOC	Meter Locked	ADF	Access Denied/Refused
UOM	Unit Of Measurement		

As can be observed from the tariff that Delhi Jal Board emphasizes on the conservation of water and tariff is designed on the principle- 'Use More Pay More'. Hence, consumers are advised to conserve water by:-

- Plugging all leakages in pipes, joints, taps, overhead tanks etc.
- To use kitchen waste water for gardening purposes.
- To wash vehicle etc. by bucket instead of pipe.
- Install valve before meter and close it when water is not use.
- Consumers should use MDPE pipes for underground position for carrying portable water.

**Note:** Payment in respect of New water connection, mutation, disconnection and reopening cases should be made within prescribed time, failure may result in withdrawal of sanction.

Any work on DJB Water & Sewer Lines can be allowed only through Licensed Plumber or Authorized Agency of DJB with prior approval/sanction.

For any issue related to water, contamination, tanker or sewerage consumer can call **CUSTOMER CARE NUMBER No. 1916**- Extn. 1 or visit [www.delhijalboard.nic.in](http://www.delhijalboard.nic.in)

**Annexure-VI**  
**Photographs of STP**





**Annexure-VII**  
**Copy of STP Logbook**

Star Water Solutions

Date: 10/7/24

Shri Balaji Action Medical Institute, Paschim Vihar, Delhi  
Sewage Treatment Plant - 600 KLD

LOG BOOK

Time	Sewage Transfer Pump	Sludge Recycling Pump	Air Blower			Hypo Dosing Pump	Filter Feed Pump		Screw Pump		Filter Press	Ultra-Violet System	Flushing Water Transfer Pump	Multi Grade Filter	Activated Carbon Filter	Ultra Filtration Feed Pump		Ultra Filtration	Reverse Osmosis
Hours	STP-1	STP-2	AB-1	AB-2	AB-3	HDS	FFP-1	FFP-2	SP-1	SP-2	FP	UV	FWTP	MGF	ACF	UFFP-1	UFFP-2	UF	RO
7:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
8:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
9:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
10:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
11:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
12:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
13:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
14:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
15:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
16:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
17:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
18:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
19:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
20:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
21:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
22:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
23:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
0:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
1:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
2:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
3:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
4:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
5:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
6:00	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON

Client Signature

Flow Meter Reading			
Meter	Previous	Present	Consumption
Inlet	984469	984665	396
Outlet	905069	905200	131

Backwash	Operator Shift			General	Sign
	Shift - A	Shift - B	Shift - C		
MGF	50m	25m	25m		Sahil
ACF	45	25m	25m		Rajinder

Remarks

Star Water Solutions

Date: 31-07-24

Shri Balaji Action Medical Institute, Paschim Vihar, Delhi  
Sewage Treatment Plant - 600 KLD

LOG BOOK

Time	Sewage Transfer Pump		Sludge Recycling Pump		Air Blower			Hypo Dosing Pump	Filter Feed Pump		Screw Pump		Filter Press	Ultra-Violet System	Flushing Water Transfer Pump	Multi Grade Filter	Activated Carbon Filter	Ultra Filtration Feed Pump		Ultra Filtration	Reverse Osmosis
	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3		FFP-1	FFP-2	SP-1	SP-1						FP	UV		
7:00	ON	-	-	-	ON	-	-	ON	ON	-	-	-	-	ON	ON	ON	ON	-	-	-	-
8:00	-	-	-	ON	-	ON	-	ON	-	-	-	-	-	ON	-	-	ON	ON	-	-	ON
9:00	ON	-	-	-	ON	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
10:00	-	ON	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
11:00	ON	-	-	-	ON	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
12:00	-	ON	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
13:00	ON	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
14:00	-	ON	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
15:00	ON	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
16:00	-	ON	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
17:00	ON	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
18:00	-	ON	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
19:00	ON	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
20:00	-	ON	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
21:00	ON	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
22:00	-	ON	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
23:00	ON	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
0:00	-	ON	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
1:00	ON	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
2:00	-	ON	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
3:00	-	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
4:00	-	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
5:00	-	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON
6:00	ON	-	-	-	-	-	-	ON	ON	-	-	-	-	ON	-	-	ON	ON	-	-	ON

Client Signature

Flow Meter Reading			
Meter	Previous	Present	Consumption
Inlet	902856	948172	316 KLD
Outlet	909159	909362	208 KLD

Backwash	Shift A	Shift B	Shift C	General
MGF	2.5m	?	1.8m	
ACF	2.5m		1.8m	

Operator Shift		Sign
Shift - A	Shift - B	Suljan
Shift - C		Sulvi

Remarks

→ Rec

LOG BOOK

Shri Balaji Action Medical Institute, Paschim Vihar, Delhi  
Sewage Treatment Plant - 600 KLD

Date: 01/08/24

Time	Sewage Transfer Pump		Sludge Recycling Pump		Air Blower			Hypo Dosing Pump	Filter Feed Pump		Screw Pump	Filter Press	Ultra-Violet System	Flushing Water Transfer Pump	Multi Grade Filter	Activated Carbon Filter	Ultra Filtration Feed Pump		Ultra Filtration	Reverse Osmosis
	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3		FFP-1	FFP-2							SP-1	SP-1		
7:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
8:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
9:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
10:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
11:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
12:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
13:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
14:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
15:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
16:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
17:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
18:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
19:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
20:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
21:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
22:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
23:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
0:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
1:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
2:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
3:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
4:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
5:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-
6:00	ON	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	ON	-	-	-	-

Client Signature: *[Signature]*

Flow Meter Reading			
Meter	Previous	Present	Consumption
Inlet	0093172	0093472	3056
Outlet	009367	0093586	195

Backwash	Shift A	Shift B	Shift C	General	Operator Shift			Sign
	MGF	ACF	Shift		Shift - A	Shift - B	Shift - C	
30m	25m	30m	25m					

\*Recycling Both MBBR Tank. Do backwash in shift-B also

LOG BOOK

Shri Balaji Action Medical Institute  
Paschim Vihar, Delhi.

Sewage Treatment Plant - 600 KLD

Time	Sewage Transfer Pump		Sludge Recycling Pump		Air Blower			Hypo Dosing Pump	Filter Feed Pump		Screw Pump		Filter Press	Ultra-Violet System	Flushing Water Transfer Pump	Multi Grade Filter	Activated Carbon Filter	Ultra Filtration Feed Pump		Ultra Filtration	Reverse Osmosis
	SRP-1	SRP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3		FFP-1	FFP-2	SP-1	SP-1						FP	UV		
7:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
8:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
9:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
10:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
11:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
12:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
13:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
14:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
15:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
16:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
17:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
18:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
19:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
20:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
21:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
22:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
23:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
0:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
1:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
2:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
3:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
4:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
5:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
6:00	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH

Client Signature

*Shahabuddin*

Flow Meter Reading

Meter	Previous	Present	Consumption
Inlet	1002111	10028370	25914L
Outlet	914260	914395	1351L

Backwash

Backwash	Shift A	Shift B	Shift C	General
MGF	25 PM	30 M	30 M	
ACF	25 PM	30 M	30 M	

Operation Shift

Shift - A	Shift - B	Shift - C
<i>PS</i>	<i>PS</i>	<i>PS</i>
<i>PS</i>	<i>PS</i>	<i>PS</i>

Sign

*PS*  
*PS*  
*PS*

Star Water Solutions

Date: 30/09/2024

Sewage Treatment Plant - 600 KLD

Shri Balaji Action Medical Institute  
Paschim Vihar, Delhi.

LOG BOOK

Time	Sewage Transfer Pump		Sludge Recycling Pump		Air Blower			Hypo Dosing Pump	Filter Feed Pump		Screw Pump		Filter Press	Ultra-Violet System	Flushing Water Transfer Pump	Multi Grade Filter	Activated Carbon Filter	Ultra Filtration Feed Pump		Ultra Filtration	Reverse Osmosis
	STP-1	STP-2	SRR-1	SRR-2	AB-1	AB-2	AB-3		FFP-1	FFP-2	SP-1	SP-1						FP	UV		
7:00	ON	-	-	-	ON	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	-	-	-	-
8:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
9:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
10:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
11:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
12:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
13:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
14:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
15:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
16:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
17:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
18:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
19:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
20:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
21:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
22:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
23:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
0:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
1:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
2:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
3:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
4:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
5:00	OH	-	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH
6:00	-	OH	-	-	-	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-	-	-	OH

Client Signature

*[Handwritten Signature]*

Flow Meter Reading

Meter	Previous	Present	Consumption
Inlet	101147	1011423	276 KL
Outlet	918742	918885	143 KL

Backwash	Shift A	Shift B	Shift C	General
MGF	30 Sept 8:00 AM to 2:30 PM			
ACF	30 Sept 8:00 AM to 2:30 PM			

Operation Shift

Shift - A	Shift - B	Shift - C	Sign
			<i>[Signature]</i>
			<i>[Signature]</i>
			<i>[Signature]</i>

Remarks

**Annexure-VIII**  
**Environmental Monitoring Report**

**TEST REPORT**

**Issued to**

**M/s Sri Balaji Action Medical Institute**  
**C/o M/s Lala Munni Lal Mange Ram Charitable**  
**Trust, 15/17, East Punjabi Bagh, New Delhi-110026**

**Doc No.** : ELPL/IV/QF/20  
**Amend. No. & Amend. Date** : 02 & 17.02.2018  
**Lab Reference No.** : 240611010 N  
**Issue Date** : 18/06/2024  
**Your Reference** : Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Ambient Noise level testing was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 10/06/2024 to 11/06/2024.

<b>Type of sample</b>	: Ambient Noise	<b>Sample Registration Date</b>	: 11/06/2024
<b>Sampling Date</b>	: 10/06/2024 to 11/06/2024	<b>Testing Starting Date</b>	: 11/06/2024
<b>Sampling Done by</b>	: Lab representative	<b>Testing Completion Date</b>	: 12/06/2024
<b>Quantity received</b>	: 24 Hourly Sample	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: Near By Gate No-A1	<b>Sampling Method</b>	: ELPL/III/SOP/37

Page1of 1

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm )	dB(A)	60.9	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	50.3	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution ( Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

\*\*\*\*\*END OF REPORT\*\*\*\*\*

\*Leq : It is energy mean of the noise level over a specified period.

*Sneh Smita*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



**TEST REPORT**

<b>Issued to</b>	<b>Doc No.</b>	: ELPL/IV/QF/20
<b>M/s Sri Balaji Action Medical Institute</b>	<b>Amend. No. &amp; Amend. Date</b>	: 02 & 17.02.2018
<b>C/o M/s Lala Munni Lal Mange Ram Charitable</b>	<b>Lab Reference No.</b>	: 240611009 A
<b>Trust, 15/17, East Punjabi Bagh, New Delhi-110026</b>	<b>Issue Date</b>	: 18/06/2024
	<b>Your Reference</b>	: Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Ambient Air Quality Monitoring was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 10/06/2024 to 11/06/2024.

<b>Type of sample</b>	: Ambient Air	<b>Sample Registration Date</b>	: 11/06/2024
<b>Sampling Date</b>	: 10/06/2024 to 11/06/2024	<b>Analysis Starting Date</b>	: 11/06/2024
<b>Sampling Done by</b>	: Lab representative	<b>Analysis Completion Date</b>	: 18/06/2024
<b>Quantity received</b>	: 24 Hourly Sample	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: Near By Gate No-A1	<b>Sampling Method</b>	: ELPL/III/SOP/21

**Test Result**

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM <sub>10</sub>	µg/m <sup>3</sup>	216	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM <sub>2.5</sub>	µg/m <sup>3</sup>	127.6	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO <sub>2</sub>	µg/m <sup>3</sup>	17.9	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO <sub>x</sub>	µg/m <sup>3</sup>	42.2	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m <sup>3</sup>	0.52	002 (08 Hourly)	IS 5182 (Pt-10)

\*\*\*\*\*END OF REPORT\*\*\*\*\*

*Sneh Smita*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



### TEST REPORT

**Issued to**  
**M/s Sri Balaji Action Medical Institute**  
**C/o M/s Lala Munni Lal Mange Ram Charitable**  
**Trust, 15/17, East Punjabi Bagh, New Delhi-110026**

**Doc No.** : ELPL/IV/QF/20  
**Amend. No. & Amend. Date** : 02 & 17.02.2018  
**Lab Reference No.** : 240611008 S  
**Issue Date** : 18/06/2024  
**Your Reference** : Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Soil sample was collected from ground at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 10/06/2024.

<b>Type of sample</b> : Soil	<b>Sample Registration Date</b> : 11/06/2024
<b>Sampling Date</b> : 10/06/2024	<b>Analysis Starting Date</b> : 11/06/2024
<b>Sampling Done by</b> : Lab representative	<b>Analysis Completion Date</b> : 18/06/2024
<b>Quantity received</b> : 1 Kg approx.	<b>Tests Required</b> : Mentioned below
<b>Sample's Location</b> : Nearby Emergency Gate	<b>Sampling Method</b> : Grab Method

#### Test Result

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.46	IS 2720(P-26):1987
2	Conductivity (1:5)	µmhos/cm	376	IS 14767:2000
3	Bulk Density	gm/cc	1.36	ELPL/III/SOP/40
4	Chloride as Cl	mg/kg	396	ELPL/III/SOP/46
5	Calcium as Ca	mg/kg	6321	ELPL/III/SOP/42
6	Magnesium as Mg	mg/kg	437	ELPL/III/SOP/43
7	Organic matter	%	0.53	IS 2720(P-22):1972
8	Phosphorous	mg/kg	102	ELPL/III/SOP/47
9	Moisture	%	28	ELPL/III/SOP/53
10	Sulphate	mg/kg	210	IS:3025 (P-24)
11	Iron	mg/kg	51	USEPA 6010C:2000
12	Lead	mg/kg	BDL (DL-2)	USEPA 6010C:2000

\*\*\*\*\*END OF REPORT\*\*\*\*\*

*Sneha Smita*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



**TEST REPORT**

**Issued to**

M/s Sri Balaji Action Medical Institute  
C/o M/s Lala Munni Lal Mange Ram Charitable  
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20  
Amend. No. & Amend. Date : 02 & 17.02.2018  
Lab Reference No. : 240611007 W  
Issue Date : 18/06/2024  
Your Reference : Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Waste water sample was collected from STP Outlet at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 10/06/2024.

<b>Type of sample</b>	: STP Outlet	<b>Sample Registration Date</b>	: 11/06/2024
<b>Sampling Date</b>	: 10/06/2024	<b>Analysis Starting Date</b>	: 11/06/2024
<b>Sampling Done by</b>	: Lab representative	<b>Analysis Completion Date</b>	: 18/06/2024
<b>Quantity received</b>	: 2 Ltr approx.	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: STP Plant Room	<b>Sampling Method</b>	: ELPL/III/SOP/20

**Test Result**

S.No.	Test Parameters	Units	Results	As Per CPCB Norm	Test Method
1	pH	-	6.40	5.0-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	03	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	20	30	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	110	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	22	100	IS 3025 (P-17)

\*\*\*\*\*END OF REPORT\*\*\*\*\*

*Sneh Smita*  
**Checked By**  
(SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
(PURUSHOTTAM SHARMA)

## TEST REPORT

**Issued to**

M/s Sri Balaji Action Medical Institute  
 C/o M/s Lala Munni Lal Mange Ram Charitable  
 Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20  
 Amend. No. & Amend. Date : 02 & 17.02.2018  
 Lab Reference No. : 240611006 W  
 Issue Date : 18/06/2024  
 Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

Sample Particulars: Waste water sample was collected from STP Inlet at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 10/06/2024.

Type of sample	: STP Inlet	Sample Registration Date	: 11/06/2024
Sampling Date	: 10/06/2024	Analysis Starting Date	: 11/06/2024
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/06/2024
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: STP Plant Room	Sampling Method	: ELPL/III/SOP/20

Test Result

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	7.08	IS 3025 (P-11)
2	Oil and grease	mg/l	08	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27 <sup>0</sup> C for 3 days	mg/l	140	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	400	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	56	IS 3025 (P-17)

\*\*\*\*\*END OF REPORT\*\*\*\*\*

*Sneh Smita*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



**TEST REPORT**

<b>Issued to</b>	Doc No.	: ELPL/IV/QF/20
<b>M/s Sri Balaji Action Medical Institute</b>	Amend. No. & Amend. Date	: 02 & 17.02.2018
<b>C/o M/s Lala Munni Lal Mange Ram Charitable</b>	<b>Lab Reference No.</b>	: 240611005 W
<b>Trust, 15/17, East Punjabi Bagh, New Delhi-110026</b>	<b>Issue Date</b>	: 18/06/2024
	<b>Your Reference</b>	: Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Water sample was collected from Tap at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 10/06/2024.

<b>Type of sample</b>	: Drinking Water	<b>Sample Registration Date</b>	: 11/06/2024
<b>Sampling Date</b>	: 10/06/2024	<b>Analysis Starting Date</b>	: 11/06/2024
<b>Sampling Done by</b>	: Lab representative	<b>Analysis Completion Date</b>	: 18/06/2024
<b>Quantity received</b>	: 2 Ltr approx.	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: General OPD Area	<b>Sampling Method</b>	: ELPL/III/SOP/20

**Test Result**

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA 23 <sup>rd</sup> Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 <sup>rd</sup> Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 <sup>rd</sup> Ed.3120B
25	Iron (as Fe)	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium (as Mg)	mg/l	9.7	30	100	APHA 23 <sup>rd</sup> Ed.3500B
27	Manganese (as Mn)	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 <sup>rd</sup> Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 <sup>rd</sup> Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
33	Mercury (as Hg)	mg/l	BDL (DL0.001)	0.001	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.01)	0.07	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
35	Nickel (as Ni)	mg/l	BDL (D L0.01)	0.02	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B

\*\*\*\*\*END OF REPORT\*\*\*\*\*

BDL: Below Detection Limit  
 DL: Detection Limit

*Sneh Smिता*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



**TEST REPORT**

**Issued to**  
**M/s Sri Balaji Action Medical Institute**  
**C/o M/s Lala Munni Lal Mange Ram Charitable**  
**Trust, 15/17, East Punjabi Bagh, New Delhi-110026**

**Doc No.** : ELPL/IV/QF/20  
**Amend. No. & Amend. Date** : 02 & 17.02.2018  
**Lab Reference No.** : 240611005 W  
**Issue Date** : 18/06/2024  
**Your Reference** : Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Water sample was collected from Tap at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 10/06/2024.


<b>Type of sample</b> : Drinking Water	<b>Sample Registration Date</b> : 11/06/2024
<b>Sampling Date</b> : 10/06/2024	<b>Analysis Starting Date</b> : 11/06/2024
<b>Sampling Done by</b> : Lab representative	<b>Analysis Completion Date</b> : 18/06/2024
<b>Quantity received</b> : 2 Ltr approx.	<b>Tests Required</b> : Mentioned below
<b>Sample's Location</b> : General OPD Area	<b>Sampling Method</b> : ELPL/III/SOP/20

**Test Result**

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.01	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	80	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium (as Ca)	mg/l	10	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl <sub>2</sub> )	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride (as Cl)	mg/l	12.4	250	1000	IS 3025 (Pt-32)
12	Fluoride (as F)	mg/l	BDL(DL 0.01)	1.0	1.5	APHA 23 <sup>rd</sup> Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate (as NO <sub>3</sub> )	mg/l	BDL (DL1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate (as SO <sub>4</sub> )	mg/l	26	200	400	IS 3025 (Pt-24)
17	Sulphide (as H <sub>2</sub> S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	15	200	600	IS 3025 (Pt-23)
19	Total Hardness (as CaCO <sub>3</sub> )	mg/l	65	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)

*Sneh Smita*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



**TEST REPORT**

Issued to

M/s Sri Balaji Action Medical Institute  
 C/o M/s Lala Munni Lal Mange Ram Charitable  
 Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20  
 Amend. No. & Amend. Date : 02 & 17.02.2018  
 Lab Reference No. : 240928007 W  
 Issue Date : 05/10/2024  
 Your Reference : Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Water sample was collected from Tap at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 28/09/2024.

Type of sample	: Drinking Water	Sample Registration Date	: 28/09/2024
Sampling Date	: 28/09/2024	Analysis Starting Date	: 28/09/2024
Sampling Done by	: Lab representative	Analysis Completion Date	: 05/10/2024
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: General OPD Area	Sampling Method	: ELPL/III/SOP/20

**Test Result**

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.69	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	86	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium (as Ca)	mg/l	22	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl <sub>2</sub> )	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride (as Cl)	mg/l	22	250	1000	IS 3025 (Pt-32)
12	Fluoride (as F)	mg/l	BDL(DL 0.01)	1.0	1.5	APHA 23 <sup>rd</sup> Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate (as NO <sub>3</sub> )	mg/l	BDL (DL1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate (as SO <sub>4</sub> )	mg/l	16	200	400	IS 3025 (Pt-24)
17	Sulphide (as H <sub>2</sub> S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	20	200	600	IS 3025 (Pt-23)
19	Total Hardness (as CaCO <sub>3</sub> )	mg/l	70	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)

*Sneh Smिता*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



**TEST REPORT**

**Issued to**  
**M/s Sri Balaji Action Medical Institute**  
**C/o M/s Lala Munni Lal Mange Ram Charitable**  
**Trust, 15/17, East Punjabi Bagh, New Delhi-110026**

**Doc No.** : ELPL/IV/QF/20  
**Amend. No. & Amend. Date** : 02 & 17.02.2018  
**Lab Reference No.** : 240928009 W  
**Issue Date** : 05/10/2024  
**Your Reference** : Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Waste water sample was collected from STP Outlet at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 28/09/2024.

<b>Type of sample</b>	: STP Outlet	<b>Sample Registration Date</b>	: 28/09/2024
<b>Sampling Date</b>	: 28/09/2024	<b>Analysis Starting Date</b>	: 28/09/2024
<b>Sampling Done by</b>	: Lab representative	<b>Analysis Completion Date</b>	: 05/10/2024
<b>Quantity received</b>	: 2 Ltr approx.	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: STP Plant Room	<b>Sampling Method</b>	: ELPL/III/SOP/20


**Test Result**

S.No.	Test Parameters	Units	Results	As Per CPCB Norm	Test Method
1	pH	-	6.55	5.0-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	03	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	26	30	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	132	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	28	100	IS 3025 (P-17)

\*\*\*\*\*END OF REPORT\*\*\*\*\*

*Sneh Smita*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



### TEST REPORT

<b>Issued to</b>	Doc No.	: ELPL/IV/QF/20
	Amend. No. & Amend. Date	: 02 & 17.02.2018
<b>M/s Sri Balaji Action Medical Institute</b>	<b>Lab Reference No.</b>	: 240928008 W
<b>C/o M/s Lala Munni Lal Mange Ram Charitable</b>	<b>Issue Date</b>	: 05/10/2024
<b>Trust, 15/17, East Punjabi Bagh, New Delhi-110026</b>	<b>Your Reference</b>	: Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Waste water sample was collected from STP Inlet at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 28/09/2024.

<b>Type of sample</b>	: STP Inlet	<b>Sample Registration Date</b>	: 28/09/2024
<b>Sampling Date</b>	: 28/09/2024	<b>Analysis Starting Date</b>	: 28/09/2024
<b>Sampling Done by</b>	: Lab representative	<b>Analysis Completion Date</b>	: 05/10/2024
<b>Quantity received</b>	: 2 Ltr approx.	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: STP Plant Room	<b>Sampling Method</b>	: ELPL/III/SOP/20

**Test Result**

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	6.89	IS 3025 (P-11)
2	Oil and grease	mg/l	18	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27 <sup>o</sup> C for 3 days	mg/l	280	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	720	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	112	IS 3025 (P-17)

\*\*\*\*\*END OF REPORT\*\*\*\*\*

*Sneh Smita*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



**TEST REPORT**

**Issued to**  
**M/s Sri Balaji Action Medical Institute**  
**C/o M/s Lala Munni Lal Mange Ram Charitable**  
**Trust, 15/17, East Punjabi Bagh, New Delhi-110026**

**Doc No.** : ELPL/IV/QF/20  
**Amend. No. & Amend. Date** : 02 & 17.02.2018  
**Lab Reference No.** : 240928007 W  
**Issue Date** : 05/10/2024  
**Your Reference** : Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Water sample was collected from Tap at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 28/09/2024.

<b>Type of sample</b>	: Drinking Water	<b>Sample Registration Date</b>	: 28/09/2024
<b>Sampling Date</b>	: 28/09/2024	<b>Analysis Starting Date</b>	: 28/09/2024
<b>Sampling Done by</b>	: Lab representative	<b>Analysis Completion Date</b>	: 05/10/2024
<b>Quantity received</b>	: 2 Ltr approx.	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: General OPD Area	<b>Sampling Method</b>	: ELPL/III/SOP/20

**Test Result**

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA 23 <sup>rd</sup> Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 <sup>rd</sup> Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 <sup>rd</sup> Ed.3120B
25	Iron (as Fe)	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium (as Mg)	mg/l	3.6	30	100	APHA 23 <sup>rd</sup> Ed.3500B
27	Manganese (as Mn)	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 <sup>rd</sup> Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 <sup>rd</sup> Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
33	Mercury (as Hg)	mg/l	BDL (DL0.001)	0.001	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.01)	0.07	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
35	Nickel (as Ni)	mg/l	BDL (D L0.01)	0.02	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B

\*\*\*\*\*END OF REPORT\*\*\*\*\*

**BDL: Below Detection Limit**  
**DL: Detection Limit**

*Sneh Smita*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



**TEST REPORT**

Issued to

M/s Sri Balaji Action Medical Institute  
 C/o M/s Lala Munni Lal Mange Ram Charitable  
 Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20  
 Amend. No. & Amend. Date : 02 & 17.02.2018  
 Lab Reference No. : 240928012 N  
 Issue Date : 05/10/2024  
 Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

Sample Particulars: Ambient Noise level testing was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 27/09/2024 to 28/09/2024.

Type of sample	: Ambient Noise	Sample Registration Date	: 28/09/2024
Sampling Date	: 27/09/2024 to 28/09/2024	Testing Starting Date	: 28/09/2024
Sampling Done by	: Lab representative	Testing Completion Date	: 05/10/2024
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Near By Project Gate	Sampling Method	: ELPL/III/SOP/37

Page 1 of 1

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm )	dB(A)	61.7	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	57.2	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution ( Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

\*\*\*\*\*END OF REPORT\*\*\*\*\*

\*Leq : It is energy mean of the noise level over a specified period.

*Sneh Smita*  
 Checked By  
 (SNEH SMITA)

*Purushottam Sharma*  
 Authorized Signatory  
 (PURUSHOTTAM SHARMA)



**TEST REPORT**

<b>Issued to</b>	Doc No.	: ELPL/IV/QF/20
<b>M/s Sri Balaji Action Medical Institute</b>	Amend. No. & Amend. Date	: 02 & 17.02.2018
<b>C/o M/s Lala Munni Lal Mange Ram Charitable</b>	<b>Lab Reference No.</b>	: 240928011 A
<b>Trust, 15/17, East Punjabi Bagh, New Delhi-110026</b>	<b>Issue Date</b>	: 05/10/2024
	<b>Your Reference</b>	: Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063

**Sample Particulars:** Ambient Air Quality Monitoring was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 27/09/2024 to 28/09/2024.

<b>Type of sample</b>	: Ambient Air	<b>Sample Registration Date</b>	: 28/09/2024
<b>Sampling Date</b>	: 27/09/2024 to 28/09/2024	<b>Analysis Starting Date</b>	: 28/09/2024
<b>Sampling Done by</b>	: Lab representative	<b>Analysis Completion Date</b>	: 05/10/2024
<b>Quantity received</b>	: 24 Hourly Sample	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: Near By Project Gate	<b>Sampling Method</b>	: ELPL/III/SOP/21

**Test Result**

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM <sub>10</sub>	µg/m <sup>3</sup>	218	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM <sub>2.5</sub>	µg/m <sup>3</sup>	130.3	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO <sub>2</sub>	µg/m <sup>3</sup>	18.1	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO <sub>x</sub>	µg/m <sup>3</sup>	39.2	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m <sup>3</sup>	0.54	002 (08 Hourly)	IS 5182 (Pt-10)

\*\*\*\*\*END OF REPORT\*\*\*\*\*

*Sneh Smita*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



**TEST REPORT**

<b>Issued to</b>	Doc No.	: ELPL/IV/QF/20
<b>M/s Sri Balaji Action Medical Institute</b>	Amend. No. & Amend. Date	: 02 & 17.02.2018
<b>C/o M/s Lala Munni Lal Mange Ram Charitable</b>	<b>Lab Reference No.</b>	: 240928010 S
<b>Trust, 15/17, East Punjabi Bagh, New Delhi-110026</b>	<b>Issue Date</b>	: 05/10/2024
	<b>Your Reference</b>	: Email

**Project Name:** Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Vihar, New Delhi 110063  
**Sample Particulars:** Soil sample was collected from ground at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Vihar, New Delhi 110063 on 28/09/2024.

<b>Type of sample</b>	: Soil	<b>Sample Registration Date</b>	: 28/09/2024
<b>Sampling Date</b>	: 28/09/2024	<b>Analysis Starting Date</b>	: 28/09/2024
<b>Sampling Done by</b>	: Lab representative	<b>Analysis Completion Date</b>	: 05/10/2024
<b>Quantity received</b>	: 1 Kg approx.	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: Nearby Emergency Gate	<b>Sampling Method</b>	: Grab Method

**Test Result**

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.52	IS 2720(P-26):1987
2	Conductivity (1:5)	µmhos/cm	398	IS 14767:2000
3	Bulk Density	gm/cc	1.33	ELPL/III/SOP/40
4	Chloride as Cl	mg/kg	410	ELPL/III/SOP/46
5	Calcium as Ca	mg/kg	6284	ELPL/III/SOP/42
6	Magnesium as Mg	mg/kg	522	ELPL/III/SOP/43
7	Organic matter	%	0.48	IS 2720(P-22):1972
8	Phosphorous	mg/kg	124	ELPL/III/SOP/47
9	Moisture	%	54	ELPL/III/SOP/53
10	Sulphate	mg/kg	345	IS:3025 (P-24)
11	Iron	mg/kg	58	USEPA 6010C:2000
12	Lead	mg/kg	BDL (DL-2)	USEPA 6010C:2000

\*\*\*\*\*END OF REPORT\*\*\*\*\*

*Sneh Smita*  
**Checked By**  
 (SNEH SMITA)

*Purushottam Sharma*  
**Authorized Signatory**  
 (PURUSHOTTAM SHARMA)



**Environmental Monitoring Report**

**1. Ambient Air Quality Monitoring**

Ambient air quality monitoring has been done quarterly basis at locations AAQ-1 (Nearby office back side) and AAQ-1 (Nearby STP Area) for 24 Hrs. The detail of monitoring schedule is given in **Table-1**

**Table 1: Schedule of Ambient Air Quality Monitoring**


S. No.	Duration of sampling (hours)	Date		Sample collected on	Location
		From	To		
1	24	10/06/2024	11/06/2024	10/06/2024 to 11/06/2024	AAQ-1 (Nearby Gate no. A-1)
2	24	27/09/2024	28/09/2024	27/09/2024 to 28/09/2024	AAQ-1 (Nearby Project Site)

**Particulate Matter**

**PM<sub>10</sub>**: Monitoring results of PM<sub>10</sub> is given in **Table- 1(a)** and graphical representation is given in **Figure- 1(a)**.

**Table-1 (a): Monitoring results for PM<sub>10</sub>**

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m <sup>3</sup> )	NAAQS (as per CPCB), µg/m <sup>3</sup>
1	10/06/2024 to 11/06/2024	AAQ - 1	24 Hourly	216	100
2	27/09/2024 to 28/09/2024	AAQ - 1	24 Hourly	218	100




**Figure 1 (a): PM<sub>10</sub> concentrations**

The concentration of PM<sub>10</sub> was found higher than permissible limit by NAAQS.

**PM<sub>2.5</sub>:** Monitoring results of PM<sub>2.5</sub> is given in **Table-1 (b)** and graphical representation is given in **Figure- 1 (b)**

**Table 1 (b): Monitoring results for PM<sub>2.5</sub>**

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m <sup>3</sup> )	NAAQS (as per CPCB), µg/m <sup>3</sup>
1	10/06/2024 to 11/06/2024	AAQ - 1	24 Hourly	127.6	60
2	27/09/2024 to 28/09/2024	AAQ - 1	24 Hourly	130.3	60



**Figure 1 (b): PM<sub>2.5</sub> concentrations**


The concentration of PM<sub>2.5</sub> was found to be higher than permissible limit by NAAQS.

### **Sulphur Dioxide (SO<sub>2</sub>)**

Monitoring results of SO<sub>2</sub> are given in **Table-1 (c)** and graphical representation is given in **Figure-1 (c)**

**Table- 1(c): Monitoring results for SO<sub>2</sub>**

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m <sup>3</sup> )	NAAQS (as per CPCB), µg/m <sup>3</sup>
1	10/06/2024 to 11/06/2024	AAQ - 1	24 Hourly	17.9	80
2	27/09/2024 to 28/09/2024	AAQ - 1	24 Hourly	18.1	80



**Figure-1(c): SO<sub>2</sub> concentrations**


The concentration of SO<sub>2</sub> was observed below permissible Limit as per NAAQS.

**Nitrogen Dioxide (NO<sub>2</sub>)**

Monitoring results of NO<sub>2</sub> is given in **Table-1 (d)** and graphical representation is given in **Figure-1 (d)**

**Table-1 (d) Monitoring results for NO<sub>2</sub>**

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m <sup>3</sup> )	NAAQS (as per CPCB), µg/m <sup>3</sup>
1	10/06/2024 to 11/06/2024	AAQ - 1	24 Hourly	42.2	80
2	27/09/2024 to 28/09/2024	AAQ - 1	24 Hourly	39.2	80



**Figure 1 (d): NO<sub>2</sub> concentrations**


The concentration of NO<sub>2</sub> was below the limits as permissible limit as per NAAQS.

**Carbon Monoxide (CO)**

Monitoring results of CO is given in **Table-1(e)** and graphical representation is given in **Figure-1(e)**

**Table -1 (e): Monitoring results for CO**

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m <sup>3</sup> )	NAAQS (as per CPCB), µg/m <sup>3</sup>
1	10/06/2024 to 11/06/2024	AAQ - 1	08 Hourly	0.52	002
2	27/09/2024 to 28/09/2024	AAQ - 1	08 Hourly	0.54	002



**Figure 1 (e): CO concentrations**

The concentration of CO was within the limit as prescribed by NAAQS.

**2. Noise Monitoring**

Noise monitoring was done quarterly basis at location ANQ-1 (Nearby Gate no. A-1) and ANQ-1 (Near By Project Site) for 24 Hrs. The details of monitoring are given in **Table-(2)**

**Table (2): Schedule of Noise Monitoring**

S. No.	Duration of sampling (hours)	Date		Sample collected on	Location
		From	To		
1	24	10/06/2024	11/06/2024	10/06/2024 to 11/06/2024	ANQ-1 (Nearby Gate no. A-1)

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,  
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

2	24	27/09/2024	28/09/2024	27/09/2024 to 28/09/2024	ANQ-1 (Near By Project Site)
---	----	------------	------------	--------------------------------	------------------------------


Monitoring has been done for 24 hours. The results for day time & night time observations are given below:

**Day Time**

Monitoring results of day time is given in **Table- 2 (a)** and graphical representation is given in **Figure- 2 (a)**

**Table 2 (a): Day Time monitoring result**

S. No.	Monitoring Locations	Duration of Monitoring	Results dB(A)	Permissible Limit dB(A) (as per CPCB)
1	ANQ - 1	Day time (6:00 AM to 10:00 PM)	60.9	65
2	ANQ - 1	Day time (6:00 AM to 10:00 PM)	61.7	65



**Figure 2 (a): Graph showing day time Noise monitoring result**


The day Noise result was found to be within the limit as prescribed by NAAQS.

**Night Time**

Monitoring results of night time is given in **Table- 2 (b)** and graphical representation is given in **Figure-2 (b)**.

**Table - 2 (b): Night Time monitoring result**

S. No.	Monitoring Locations	Duration of Monitoring	Results dB(A)	Permissible Limit dB(A) (as per CPCB)
1	ANQ - 1	Night time (10:00 PM to 06:00AM)	50.3	55
2	ANQ - 1	Night time (10:00 PM to 06:00AM)	57.2	55



**Figure 2 (b): Graph showing night time Noise monitoring result**

The night Noise result was found to be within the limit as prescribed by NAAQS.

### 3. Drinking Water Monitoring

Schedule for Drinking water monitoring is given in **Table 4**.

**Table 4: Schedule for Drinking water sample collection**

Day of sampling	Sample collected on	Location
Day 1	10/06/2024	General OPD area
Day 1	28/09/2024	General OPD area

**Drinking water** for Day-1 monitoring results given in **Table 4(a)**.

**Table 4(a): - Drinking Water Monitoring Results (10/06/2024)**

S. No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptabl e Limit, max.	Permissibl e Limit in the Absence of Alternate source,	

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,  
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

					<b>max.</b>	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.01	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	80	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	10	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl <sub>2</sub> )	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	12.4	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	BDL(DL0.01)	1.0	1.5	APHA 23 <sup>rd</sup> Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO <sub>3</sub>	mg/l	BDL (DL1.0)	45	No relaxation	IS 3025 (Pt-34)
15	PheNolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO <sub>4</sub>	mg/l	26	200	400	IS 3025 (Pt-24)
17	Sulphide (as H <sub>2</sub> S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO <sub>3</sub>	mg/l	15	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO <sub>3</sub>	mg/l	65	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 <sup>rd</sup> Ed.3120B
22	Barium (as Ba)	mg/l	BDL(DL 0.1)	0.7	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	1.0	APHA 23 <sup>rd</sup> Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 <sup>rd</sup> Ed.3120B
25	Iron as Fe	mg/l	BDL(DL 0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium as Mg	mg/l	9.7	30	100	APHA 23 <sup>rd</sup> Ed.3500B

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,  
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

27	Manganese as Mn	mg/l	BDL(DL 0.05)	0.1	0.3	APHA 23 <sup>rd</sup> Ed.3120B
28	Selenium (as Se)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
29	Silver (as Ag)	mg/l	BDL(DL 0.05)	0.1	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
30	Zinc (as Zn)	mg/l	BDL(DL 0.05)	5	15	APHA 23 <sup>rd</sup> Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL(DL 0.01)	0.07	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B

**Drinking water** for Day-1 monitoring results given in **Table 4(b)**.

**Table 4(b): - Drinking Water Monitoring Results (28/09/2024)**

S. No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.69	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	86	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	22	75	200	IS 3025 (Pt-40)
10	Chloramines (as	mg/l	BDL (DL0.1)	4.0	No	IS 3025 (Pt-26)

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,  
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

	Cl <sub>2</sub> )				relaxation	
11	Chloride as Cl	mg/l	22	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	BDL(DL 0.01)	1.0	1.5	APHA 23 <sup>rd</sup> Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO <sub>3</sub>	mg/l	BDL (DL1.0)	45	No relaxation	IS 3025 (Pt-34)
15	PheNolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO <sub>4</sub>	mg/l	16	200	400	IS 3025 (Pt-24)
17	Sulphide (as H <sub>2</sub> S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO <sub>3</sub>	mg/l	20	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO <sub>3</sub>	mg/l	70	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA23 <sup>rd</sup> Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	1.0	APHA 23 <sup>rd</sup> Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 <sup>rd</sup> Ed.3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium as Mg	mg/l	3.6	30	100	APHA 23 <sup>rd</sup> Ed.3500B
27	Manganese as Mn	mg/l	BDL(DL 0.05)	0.1	0.3	APHA 23 <sup>rd</sup> Ed.3120B
28	Selenium (as Se)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
29	Silver (as Ag)	mg/l	BDL(DL 0.05)	0.1	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
30	Zinc (as Zn)	mg/l	BDL(DL 0.05)	5	15	APHA 23 <sup>rd</sup> Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL(DL 0.01)	0.07	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
36	Total Arsenic (as	mg/l	BDL(DL 0.01)	0.01	No	APHA

	As)				relaxation	23 <sup>rd</sup> Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B

#### 4. Soil monitoring

Schedule for Soil monitoring are given in **Table 7**.

**Table 7: Schedule for Soil sample collection**

Sample collected on	Locations
10/06/2024	Nearby Emergency gate
28/09/2024	Nearby Emergency gate

**Soil monitoring** was monitored for Soil monitoring. The results are furnished in **Table-7(a) & Table-7(b)** below: -

**Table 7(a): Results of Soil monitoring (10/06/2024)**

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.46	IS 2720(P-26):1987
2	Conductivity (1:5)	µmhos/cm	376	IS 14767:2000
3	Bulk Density	gm/cc	1.36	ELPL/III/SOP/40
4	Chloride as Cl	mg/kg	396	ELPL/III/SOP/46
5	Calcium as Ca	mg/kg	6321	ELPL/III/SOP/42
6	Magnesium as Mg	mg/kg	437	ELPL/III/SOP/43
7	Organic matter	%	0.53	IS 2720(P-22):1972
8	Phosphorous	mg/kg	102	ELPL/III/SOP/47
9	Moisture	%	28	ELPL/III/SOP/53
10	Sulphate	mg/kg	210	IS:3025 (P-24)
11	Iron	mg/kg	51	USEPA 6010C:2000
12	Lead	mg/kg	BDL (DL-2)	USEPA 6010C:2000

**Table 7(b): Results of Soil monitoring (28/09/2024)**

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.50	IS 2720(P-26):1987
2	Conductivity (1:5)	µmhos/cm	398	IS 14767:2000
3	Bulk Density	gm/cc	1.33	ELPL/III/SOP/40
4	Chloride as Cl	mg/kg	410	ELPL/III/SOP/46
5	Calcium as Ca	mg/kg	6284	ELPL/III/SOP/42
6	Magnesium as Mg	mg/kg	522	ELPL/III/SOP/43
7	Organic matter	%	0.48	IS 2720(P-22):1972
8	Phosphorous	mg/kg	124	ELPL/III/SOP/47
9	Moisture	%	54	ELPL/III/SOP/53
10	Sulphate	mg/kg	345	IS:3025 (P-24)
11	Iron	mg/kg	58	USEPA 6010C:2000
12	Lead	mg/kg	BDL (DL-2)	USEPA 6010C:2000

### 5. STP Inlet monitoring

Schedule for STP Inlet monitoring are given in **Table 8**.

**Table 8: Schedule for STP Inlet Water sample collection**

Sample collected on	Locations
10/06/2024	STP Plant Room
28/09/2024	STP Plant Room

**Table 8(a): Results of STP Inlet Water monitoring (10/06/2024)**

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	7.06	IS 3025 (P-11)
2	Oil and grease	mg/l	08	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	140	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	400	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	56	IS 3025 (P-17)

**Table 8(b): Results of STP Inlet Water monitoring (28/09/2024)**

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	6.89	IS 3025 (P-11)
2	Oil and grease	mg/l	18	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	280	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	720	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	112	IS 3025 (P-17)

### 6. STP Outlet monitoring

Schedule for STP Outlet monitoring are given in **Table 9**.

**Table 9: Schedule for STP Outlet Water sample collection**

Sample collected on	Locations
10/06/2024	STP Plant Room
28/09/2024	STP Plant Room

**Table 9(a): Results of STP Outlet Water monitoring (10/06/2024)**

S.No.	Test Parameters	Units	Results	As Per CPCB Norm	Test Method
1	pH	-	6.40	5.5-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	03	10	IS 3025 (P-39)
3	Biochemical oxygen demand as	mg/l	20	30	IS 3025 (P-44)

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,  
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

---

	BOD at 27°C for 3 days				
4	Chemical oxygen demand as COD	mg/l	110	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	22	100	IS 3025 (P-17)

**Table 9(b): Results of STP Outlet Water monitoring (28/09/2024)**

<b>S.No.</b>	<b>Test Parameters</b>	<b>Units</b>	<b>Results</b>	<b>As Per CPCB Norm</b>	<b>Test Method</b>
1	pH	-	6.55	5.5-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	03	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	26	30	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	132	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	28	100	IS 3025 (P-17)

## **Annexure-XI**

# **Copy of the Agreement for BMW & Authorization Certificate**



AND

**SRI BALAJI ACTION MEDICAL INSTITUTE** having its operating health care unit at **FC-34, A4, PASCHIM VIHAR, NEW DELHI-110063**, (hereinafter referred to as "Waste Generator") represented through its Authorized Signatory **Dr. Sunil Sumbli (Medical Superintendent)** to enter into and sign this Agreement for and on behalf of the Waste Generator of the **OTHER PART**.

The expression of both the parties shall mean and include the parties, their respective legal heirs, successors, legal representatives, administrators, executors and assignees.

Whereas the Service Provider has been selected by Director of Health Services (DHS), Health & Family Welfare, Govt. of N.C.T. of Delhi and duly authorized by the Delhi Pollution Control Committee (DPCC), under rule of 8(4) of the Bio-Medical Waste (Management & Handling) Rules 2016 for operating and providing facility for the collection, Reception, Treatment, Storage, Transportation and disposal of the Bio- Medical Waste. Whereas the Waste Generator is desirous of out sourcing the disposal of its Bio-Medical Waste generated at the health care unit and have approached the Service Provider for providing its service in this regard and after discussions and due negotiations taken place, both the parties agreed to enter into this Agreement on the terms and conditions stated herein after:-

NOW THIS AGREEMENT witnessed the following terms & conditions to be performed to by both parties to the present agreement.

1. That the Waste Generator will segregate, pack and label the bio-medical waste in the colour coded bags from the waste generation points as per guidelines of Bio-Medical Waste (Management & Handling) Rules 2016 and keep the said packed waste ready for collection by the staff of the Service Provider. The Service Provider will not collect any Bio-Medical waste which is not properly segregated and packed in accordance with guidelines of Bio-Medical Waste (Management & Handling) Rules 2016. The record of the collected waste shall be maintained by the Waste Generator with the acknowledgement signature of the collection staff of the Service Provider to submit the annual Report to the concerned Pollution Board in the prescribed format.
2. That the Service Provider will ensure that the waste is collected on all working days.
3. That the Waste Generator has to pay monthly payment of **Rs.1,40,000/- (One Lac Forty Thousand Only) + 12% GST** against the BMW disposal services and if the health care unit is closed before expiration of agreement the Service Provider will refund the balance amount after adjusting all the dues if any outstanding towards the Waste Generator.




4. That the Service Provider Monthly Charges Inclusive to the Waste Generator, being Clinic/Pathological Lab/Diagnostic Centre etc. (Not having bed facilities ) and being a Nursing Home/Hospital (Having Bed facilities) as per the following schedule of rates:

(i) Minimum charges of **Rs.1,40,000/- (One Lac Forty Thousand Only)** per month excluding 12% GST for Hospital (Beds **275 nos.**). The goods and service tax (GST) shall be borne by the Waste Generator upon the respective billings.

5. a) Notwithstanding the aforesaid terms this Agreement may be terminated by either party by giving 30 days advance written notice. However this requirement of 30 days notice shall not be applicable in the event occurrence of any of events specified in Clause 4b,(i) in which events the service would be suspended/ terminated forthwith.

(b) Notwithstanding the aforesaid terms and conditions:-

i. The Service Provider will be at liberty to discontinue this service to the Waste Generator in the event when the Waste generator does not pay the service charges.


ii. The Waste Generator and Service Provider both to strictly follow the guidelines of the Bio-Medical Waste (Management & Handling) Rules 2016, during segregation, collection, Transportation and disposal of the bio- Medical Waste, except for circumstances arising under force majeure clause or due to circumstances beyond control of the parties.


(c) That upon expiry of the term or the earlier termination of this Agreement, the accounts shall be settled and excess amount if any paid by the Waste Generator under Clause 3 and 4 shall be refunded back without any interest thereon.

6. Neither party shall transfer and /or assign the rights granted under this Agreement without the prior intimation and written permission of the other party and without obtaining a written undertaking by the proposed assignee/transferee agreeing to assume all of the said party 's obligations under this Agreement and to abide by all the obligations and covenants contained herein.

7. That this Agreement shall be governed by the laws of India and shall be subject to the exclusive jurisdiction of Courts at Delhi, to try, entertain and dispose any disputes between the parties thereto. All notices, requests, demands and other communications, required/permitted to be given under this Agreement shall be in writing.


8. That the Waste Generator should get the Agreement renewed one month before the expiry of the validity of the Agreement. The Waste generator further undertakes keep






the validity period of the Agreement for a minimum period of one year from the date of service as per pollution Control Committee/Board Rule and in between if the Agreement is cancelled/terminated, it should directly intimate pollution control committee / Board with adequate reason about the cancelation of the Agreement, failing which, all the consequence and penalties will be borne by the waste generator. Further, the Waste Generator also undertakes to give one month notice in writing if it wants to discontinue the service and wish to switch over to another service provider failing which, they have to pay the service charge equivalent to one month minimum service charges to the service provider in lieu of one monthly notice period.

9. That in case the Agreement gets misplaced by the Waste Generator then Rs.100/- will be charged from the Waste Generator for issuing the Agreement again.
10. That the Waste Generator further undertakes to sign every page of the Agreement and return both copies of the Agreement to the Service Provider's for its signature and the Services Provider will return the duplicate copy of the Agreement to the Waste Generator. On receipt of the Agreement, the Waste generator will submit a copy of the Agreement with the date of service expiry to the pollution control committee /board.
11. The term of this Agreement shall be for a period from **1<sup>st</sup> April,2024 to 31<sup>st</sup> March,2025**.
12. That in case there is any change in the constitution of the Waste Generator the same shall be informed forth with to the Service Provider.
13. That both the parties undertake to remain bound by the terms and conditions set out herein above.
14. Please note that the Waste Generator must inform the Service Provider in writing in advance, preferably over email, if the health care unit is closed due to any reason. In the absence of such intimation, Waste Generator shall be liable to pay the service charges.



IN WITNESS WHEREOF, THE PARTIES HERE TO HAVE SET THEIR SIGNATURE AND SEAL ON THE DAY AND YEAR MENTIONED HEREIN ABOVE.

**SRI BALAJI ACTION MEDICAL INSTITUTE  
(WASTE GENERATOR)**

  
AUTHORIZED SIGNATORY

**FC-34, A4, PASCHIM VIHAR,  
NEW DELHI-110063  
Ph: 011-42888888**



**SMS WATER GRACE BMW PVT. LTD.  
(SERVICE PROVIDER)**

  
AUTHORIZED SIGNATORY

**Sewage Treatment Plant, Delhi Jal  
Board Complex, New Delhi - 110041  
Ph: +91- 8744076042  
Web: [www.smsdelhibmw.co.in](http://www.smsdelhibmw.co.in)  
Email: [prabal.singh@smsl.co.in](mailto:prabal.singh@smsl.co.in)**



Witness – H.C.E.

1. 

Witness:- SMSWGBMWPL

1. 



## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building  
Kashmere Gate, Delhi 110006  
(Visit us at <https://www.dpccocmms.nic.in>)



### (AUTHORIZATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016)

**File number of authorization : DPCC/(11)(5)(01)/2023/BMW/NST/AUTH/51172730D**

**Application No: 9712938**

**Date:29/12/2023**

1. M/s Sri Balaji Action Medical Institute ( A Unit of Lala Munni Lal Mange Ram Charitable Trust) an occupier of the facility located at FC 34 A 4 Paschim Vihar is hereby granted this authorization for Generation, Segregation, Collection, Storage, Transportation, of Biomedical Waste at the premises and for Transportation, Treatment and Disposal of Bio-Medical Waste through Common Bio-Medical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee.
2. **Number of beds of HCF : 275**
3. **Quantity of Biomedical waste handled : 785 (Kg/day)**
4. This authorization shall be in force for a period of Five Years and valid up to 26/06/2028.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Signature.....

Designation

### **-:-Terms and Conditions:-:-**

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
3. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers / bags at the point of generation in accordance with Schedule-I (part I).
4. The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transportation, treatment & disposal of the bio-medical waste.
5. The Occupier shall hand over the bio-medical waste timely to the authorized operator of a facility duly segregated, labelled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
6. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio medical waste with in the intended time or as per the agreed time.
7. The occupier shall maintain records of the Bio-Medical Waste generated and disposed of/ handed over. The record shall be made available, for inspection & verification, to any officer authorized by DPCC.
8. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in

Form-I, prescribed under the Rules, to DPCC.

9. In case the Occupier is having a DG Set, he shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment, Forest & Climate Change (MoEF&CC), Government of India Dated 17.05.2002 and 12.07.2004, as amended to date, for the Diesel Generator Set(s). Stack height with the DG Set shall be as per the following formula, H is equal to h plus  $(0.2 \times \text{square root of KVA})$  where 'H' is Total Height of stack in meter, 'h' is Height of the building in meters where the Generator Set is installed and KVA is capacity of the D.G. set in KVA).

10. The Occupier shall also ensure proper collection and disposal of bio-medical waste containing mercury through the vendor authorize for the purpose. The occupier shall phase out mercury based equipment e.g. thermometers and B.P. Measuring Equipment.

11. The Occupier shall pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDs Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal.

12. The Occupier is required to display the authorization at a prominent place in its premises for view of general public.

13. If the Occupier is having laundry facility and/or not connected to the public sewer, the Occupier is required to install requisite treatment system before its discharge to meet the standards as prescribed under BMW Rules, 2016.

14. The Occupier shall use only non-chlorinated plastic bags & gloves as per Notification dated 16 th March, 2018 published by MOEF&CC.

15. The Occupier shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises for the further treatment & disposal in accordance with the guidelines issued by CPCB.

16. The Occupier shall ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other generated effluent from HCF.

17. The Occupier shall ensure treatment and disposal of the entire effluent/liquid waste generated from the HCF in accordance with the provisions under the Water (Prevention and Control of Pollution) Act, 1974 and shall meet the standards prescribed by Delhi Pollution Control Committee. The Occupier shall also ensure the maximum re-use of the treated effluent for various purposes e.g. gardening, flushing, cooling etc.

18. The Occupier shall immunise all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis-B & Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health & Family Welfare issued from time to time.

19. The Occupier shall ensure occupational safety of all its health care workers & others involved in handling of bio-medical waste by providing appropriate & adequate personal protective equipment.

20. The Occupier shall conduct health check-up at the time of induction & at least once in a year for all its health care workers others involved in handling of bio-medical waste & shall maintain records for the same.

21. The Occupier shall develop its own website by 15 th March, 2020 and shall make available the annual report on its website.

22. The Occupier shall provide training to all its health care workers and others, involved in handling of bio-medical waste at the time of induction & thereafter at regular intervals & the details of training programmes conducted, number of personnel trained & number of personnel not undergone any training shall be provided in the Annual Report.

23. The Occupier shall submit the Annual Report in Form-IV by 30th June every year, including information about the categories and quantities of bio-medical waste generated from 1st January to 31st

December of the preceding year.

24. The Occupier shall use only Piped Natural Gas (PNG) as fuel in boilers, if any.

25. The Occupier shall submit the copy of fresh valid agreement with CBWTF to this office within 15 days of expiry of previous agreement or in case of any change.

26. Submission of false information shall make the authorization liable for cancellation without any notice.

27. The occupier shall apply for renewal of authorization under the aforementioned Rules before one month of the expiry of this authorization.

28. The Occupier shall apply for fresh Authorization in case of any alteration/ addition in the activity/number of beds etc.


29. In case of violation of any of above said conditions, penal action will be initiated against the Occupier including withdrawal of authorization/consent etc.

30. In case of failure to comply with any of the above conditions and / or with any provision of the Act or of these Rules, authorization issued to the Occupier may be suspended or cancelled as per the provisions under sub-rule 10 (2) of Bio-Medical Waste Management Rules, 2016, as amended to date.

31. Environmental Compensation imposed (if any) shall be dealt separately.

To,

**Sri Balaji Action Medical Institute ( A Unit of Lala Munni Lal Mange Ram Charitable Trust)  
FC 34 A 4 Paschim Vihar**



**Annexure-X**  
**Photographs of Waste Collection Bins**



## **Annexure-XII**

### **Copy of Traffic circulation plan**



## **Annexure-XIII**

# **Copy of Green Belt Development Plan**



## **Annexure-XIV**

# **Photographs of Existing Greenbelt**



## **Annexure-XIV**

# **Photographs of Green Belt**



**Annexure-XV**  
**Detailed CER Budget with activities**

# LALA MUNNI LAL MANGE RAM CHARITABLE TRUST



FC-34, A-4, PASCHIM VIHAR, NEW DELHI - 110 063  
Tel. : 011- 42888888, 45666666 Fax : 91-11-25270725

## UNDERTAKING

I, Jogender Aggarwal S/o Shri H.K. Aggarwal, Authorised signatory of **Lala Munni Lal Mange Ram Charitable Trust** for the project Expansion of "Sri Balaji Action Medical Institute" at Facility Centre-34, Paschim Puri, New Delhi -63 Solemnly affirm & undertake as under:

That, the cost of expansion for project is Rs. 150 cr.

That, the expenditure for Corporate Environment Responsibility (CER) for the above project as per MoI.F&CC Office Memorandum no. F.No. 22-65/2017-IA.III dated 01.05.2018 will be 0.75% of the capital investment on expansion part (Rs. 1.125 Crore) of the project.

As per the Office Memorandum some of the activities which can be carried out in CER, are infrastructure creation for drinking water supply, sanitation, health, education, skill development, roads, cross drains, electrification including solar power, solid waste management facilities, scientific support and awareness to local farmers to increase yield of crop and fodder, rain water harvesting, soil moisture conservation works, avenue plantation, plantation in community areas, etc.

S. No	Activity	Provision	Areas	Cost in INR Lakhs					
				1st Year	2nd Year	3rd Year	4th Year	5th Year	Total Cost
1	Skill Development	Skill Development for ward boys, Patient care, nurses, maintenance of equipment and admin work by giving training.	Paschim Vihar	6.0	6.0	6.0	6.0	6.0	30.0
3	Waste Management	Bio-degradable waste Management by providing bins for collection of segregated waste. (OWC)	Within 2 km area radius of hospital subject to land allotted by MCD/DDA	2.0	2.0	2.0	2.0	2.0	10.0
4	Education	Will be providing health talks for general public and nearby RWA colonies on general and specific issues like health and hygiene. By specialist. Will be providing education to general public on basic life support procedures.	Paschim Vihar	3.0	3.0	3.0	3.0	3.0	15.0

Continued

J. [Signature]

# LALA MUNNI LAL MANGE RAM CHARITABLE TRUST



FC-34, A-4, PASCHIM VIHAR, NEW DELHI - 110 063  
Tel. : 011- 42888888, 45666666 Fax : 91-11-25270725

5	Medical check-ups	Will be arranging monthly camps for general patients. Will be conducting regularly health check-up camps in-house for examination. Will also be starting a mobile dispensary clinic for under privileged people of the society. This mobile dispensary will be going to various nearby locations to provide free consultation and free medicines for common ailments to people who are unable to attend hospital.	within 2 km radius of hospital	10.0	10.0	10.0	10.0	10.0	50
Total				21.0	21.0	21.0	21.0	21.0	105.0

Lala Munni Lal Mange Ram Charitable Trust

Authorised Signatory

**Annexure-XVI**  
**Copy of Electricity Bills**

EBILL Customer

Due Date (देय तिथि):

24-05-2024

### 11 MAY 2024 Bill of Supply for Electricity

Name : SRI BALAJI ACTION MEDICAL INSTITUTE  
 Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063

Sanctioned Load : 1391.00 (kVA)  
 Contract Demand : 1391.00 (kVA)  
 M D I : 1200.00 (kVA)  
 Power Factor : 0.996  
 Pole No. : NA  
 Meter Reading Status : DL  
 Cycle No. : KC  
 Tariff Category : Large Industrial Power

CA No. : 100012528  
 Energisation Date : 04-06-2004  
 Meter Type : 3PSK  
 Supply Type : HT(11KV)  
 Bill No. : 100158877649  
 Bill Basis : Actual  
 O.D. No. : R/24/10423373655  
 CCTV Tagged : No  
 Street Light Tagged : No  
 Wi Fi Tagged : No

Supply Address : FC-34 PASCHIM VIHAR NEAR BALAJI  
 Mobile / Tel. No. : 9560972288  
 Email ID : maintenance@actionhospital.com  
 District / Division : Punjabi Bagh  
 Walking Sequence : PSVKC0035A0AA  
 Bill Month : MAY-24  
 Bill Date : 09-05-2024

Customer Care Centre No. (ग्राहक सेवा केन्द्र का नंबर) 19123 (24x7 Toll Free)

Meter No. (मीटर सं.)	Unit (यूनिट)	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor (गुणांक)	Current Consumption (वर्तमान खपत)	
		Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)		Days (दिन)	Unit (यूनिट)
			Meter	Details in Annexure				

#### Billing Details (बिल का विवरण)

Current Period Charges (वर्तमान अवधि का शुल्क) (05-04-2024 to 02-05-2024)

Adopt e-bill, Save trees, Provide email details to us through website/call/email.

Fixed Charge="A" (स्थायी शुल्क)	Consumption Measured During (खपत अवधि माप)	Energy Units Consumed / Billed (खपत / बिल में शामिल विद्युत यूनिट)	Slabwise Energy Charge (स्लेब आधारित विद्युत शुल्क)		Slab-wise Power Purchase Adjustment Charge (स्लेब आधारित विद्युत खपत समायोजन शुल्क)		Time of Day (TOD) Charge (टॉम ऑफ़ दे (टीओडी) शुल्क)		Surcharge @ 8% on (Energy Charge + Fixed Charge - Rebate) = "E"	Electricity Tax @ 5% on Energy Charge, PPAC amount & TOD Surcharge/Rebate amount = "H"	Total Amount (K = A+B+C+D+E+ F+G+H+I+J) (कुल राशि)
			Units Rate (यूनिट दर)	Amount = "B" (राशि)	PPAC % on B (B पर पीपीएसी प्रतिशत)	PPAC Amount = "C" (पीपीएसी राशि)	TOD % on "B" (B पर टीओडी प्रतिशत)	TOD Surcharge/Rebate Amount = "D" (टीओडी अवधिमाप/चूट राशि)			
323818.81 0.93 Mth(s)	OFFPEAK(S) PEAK(S)	108884.00 115291.00	7.75 7.75	843851.00 893505.25	35.83 35.83	302351.81 320142.93					318040.72
PPAC on Fixed Charge = "G"	NORMAL(S) OFFPEAK(S)	244240.00 8376.00	7.75 7.75	1892860.00 64914.00	35.83 35.83	678211.74 18606.95	20.00	(12982.80)			278285.64
116024.28	PEAK(S)	8869.00	7.75	68734.75	35.83	29553.19	20.00	13746.95			TCS Amount "I"
CCTV Units 0.00											Base Amt. Surcharge
Street Light Units											Other Charges "J"
Wi-Fi Units											CCTV Bill Amount
Total Units = 485660				Total (B) = 3763865.00		Total (C) = 1348866.67	Total (D) = 764.15				0.00



Scan & Pay

#### Past Dues / Refunds / Subsidy (पिछला बकाया/वापसी/सब्सिडी)

Consumer registered under GST may submit it's GSTIN at concerned division

Provisional Bill Refunds (वापसी)	Arrears (बकाया)	Late Payment Surcharge (LPSC)	Total Charges Payable	Rebate / Subsidy	Net Amount Payable
Refund Unit	Refund Amount	Amount (राशि) Period to which it relates (जिस अवधि से संबद्ध है)	Amount (राशि)	Period to which it relates (जिस अवधि से संबद्ध है)	Amount (राशि)
0		Since MAR-24	6418303.25	(153404.88)/	6264898.37

Amount not immediately payable, if any. (राशि जो सुरत देय नहीं है, यदि हो तो)	BG Security Deposit	₹
	BG Expiry Date	
Service line cum Development Charges paid (भुगतान किया गया सर्विसलाईन एवं डेवलपमेंट शुल्क)	Cash Security Deposit	₹ 2212500.00
Interest accrued for FY 2023-24, already adjusted in bill No. 100517969648 (generated for the period 05-03-2024 to 04-04-2024)		₹ (183263.80)
Interest for FY 2024-25 will be adjusted in your first bill to be generated in FY 2025-26		

#### Bill Amount Payable (बिल देय राशि)

₹ 6264900.00  
 Due Date of Payment (भुगतान देय तिथि) 24-05-2024  
 If payment is made after the due date, LPSC for the delay, shall be charged in the next bill. (नियत तिथि के बाद भुगतान करने पर इस विलंब हेतु अगले बिल में एलपीएससी जोड़ दिया जाएगा.)

KCC 4851699

Last payment ₹ 5838942.00 received on 25-04-2024. Payment accounted upto 06-05-2024. The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection - Single phase ₹ 200, Three phase ₹ 500. "LET'S MOVE TO ELECTRIC VEHICLES FOR BETTER TOMORROW (अच्छे भविष्य के लिए विद्युत वाहन की तय्यारी बढ़ावा करें)"

#### IMPORTANT MESSAGE (महत्वपूर्ण सूचना)

Power Purchase Adjustment Charge (PPAC) @ 35.83% been levied on energy & fixed charge w.e.f 01.05.2024. CCTV Bill amount include Energy, RA, PPAC, PTC and Electricity Tax on energy & fixed charge w.e.f. 01.10.2021. In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 7.00% has been levied on energy & fixed charge w.e.f. 01.10.2021. The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division office. Anyone reducing Electricity Bill as conclusive proof of Residence is advised to verify the particulars. Switch off lights and appliances from mains when not in use. This will conserve energy and reduce your electricity bill. ELCB is a safeguard against faulty internal wiring and prevents shock, fire and etc

(This bill is computer generated, hence does not require any signature)

*[Signature]*  
 BSES Rajdhani Power Limited

**BSES** Powered by **BHARAT BILLPAY**

- Payment slip
- Make your digital payment to BRPL CA No. 100012528
  - Cheque should not be post dated.
  - Write your telephone number on backside of the cheque.

- Cheque should be account payee and payable at Delhi.
- Do not staple. only clip the cheque to payment slip.



Bill amount payable : ₹ 6264900.00 Bill month: MAY, 24.....  
 Cheque/DD No.: Date: .....

Dear Consumer, Get coloured electricity bills directly in your mail box. Switch to e-bills to save trees. Please call 19123 or email: brpl.customercare@relianceada.com - Team BRPL

# Tariff structure

The revised tariff schedule is effective from 1st October 2021

Categories	Description	Fixed/Demand Charge		Energy Charge					Categories	Description	Fixed/Demand Charge	Energy Charge	Temporary			
		Load(kW)	(₹/month)	0-200 Units	201-400 Units	401-800 Units	801-1200 Units	Above 1200 Units					Categories	Fixed Charge	Energy Charge	
Domestic	Individual connections:	Upto 2kW	20/kW/mth	₹ 3.00	₹ 4.50	₹ 6.50	₹ 7.00	₹ 8.00	Agriculture	Agnculture	125/kW/mth	₹ 1.50/kWh	Domestic including GHS	Same as relevant category	Same as relevant category	
	Domestic Light / Mixed Domestic Power, Farm House upto 21kW	>2kW to 5kW	50/kW/mth						Mushroom	Mushroom Cultivation upto 100 kW	200/kW/mth	₹ 3.50/kWh		Threshers during the threshing season	MCD E. Tax of ₹ 270 / conn/mth	Flat Rate - ₹ 5400/mth
	>5kW to 15kW	100/kW/mth	Public Utility						Delhi Jal Board, DMRC, Public Lighting etc.	250/kVA/mth	₹ 6.25/kVAh	All other including construction			Same as relevant category	1.30 times of relevant category of tariff
	Single point supply at 11kV for GHS- Domestic Lighting / Fan and Power	>15kW to 25kW	200/kW/mth					Advertisements and Hoardings	250/kVA/mth	₹ 8.50/kVAh						
Non-Domestic	Shopkeepers	Upto 3kVA	250 kVA/mth	₹ 6.00/kVAh					Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery	LT	₹ 4.50/kWh					
	Other Non-Domestic	>3kVA		₹ 8.50/kVAh						HT	₹ 4.00/kVAh					
Industrial	Industrial		250/kVA/mth	₹ 7.75/kVAh												

## Schedule of Time of Day (TOD) Tariff

Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
May-September	1400-1700 hrs and 2200-0100 hrs	20% (*waived for Sep 2020)	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for >10kW/11kVA other than Domestic. Optional for 3 Phase Domestic Consumers.

## Consumption History (खपत का विवरण) :

From	To	No. of Days	Units (kwh/kvah)	Total Bill Payable	Bill Basis
05-03-2024	04-04-2024	31	461120	5844970.00	Actual
03-02-2024	04-03-2024	31	405180	5374050.00	Actual
03-01-2024	02-02-2024	31	381480	4788400.00	Actual
03-12-2023	02-01-2024	31	388660	4799540.00	Actual
04-11-2023	02-12-2023	29	396240	4916030.00	Actual
05-10-2023	03-11-2023	30	500080	6083090.00	Actual

## Paying your electricity bill (Bill payment information)

- Payment Options**
- You can pay your bill by cash / cheque /DD /Pay Order up to Rs 4000/- and for amount more than Rs 4000/- by cheque /DD/Pay Order.
  - According to DERC's recent tariff order, it is mandatory for all consumers (except Domestic, Agriculture & Mushroom Cultivation) to pay their monthly electricity bills exceeding Rs 20,000/- through digital modes w.e.f October 1, 2021.
  - Drop your cheque in our drop boxes at various RWA offices and at BRPL Counters. The list of drop boxes is available on the website.
  - Bill payment counters are open from 0900 hrs. to 1500 hrs. from Monday to Saturday.
  - Bill payment upto Rs 50,000/- can be paid in cash at Bank branches of PNB and Bank of Baroda.
- Points to remember while paying your bill**
- Please pay your electricity bill only on obtaining computer generated bill.
  - Do not make payment to unauthorized agencies /outs.
  - In case your cheque is returned unpaid/dishonored by bank, cheque return charges (presently Rs. 200 + GST, as applicable) will be imposed and action will be taken under Section 138 of the Negotiable Instruments Act 1881.
  - Convenience fee on card swipe and online payments applicable on payment amount above Rs 5000/- is to be borne by the consumer. For charge details, kindly visit our website [www.bsesdelhi.com](http://www.bsesdelhi.com)

## Customer Complaint Management:

For any query / complaint, you may contact us using any of the following options:

- Call Center No. 19123 (24x7 Toll Free)
- Customer Care Centers (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat: 9:30 AM to 1:00 PM)
- Email - [brpl.customercare@relianceada.com](mailto:brpl.customercare@relianceada.com)
- [www.bsesdelhi.com](http://www.bsesdelhi.com)

## Escalation matrix for complaints:

- In case you are not satisfied with the resolution of your query / complaint, you may contact the below listed BRPL officials-
  - Customer Care Officer (Timing 09:15 AM to 3:15 PM)
  - Business Manager (between 10 AM to 11 AM on any working day)
  - Circle Head (with prior appointment)
- Head-Customer Care,**  
BSES Rajdhani Power Limited,  
BSES Bhawan, Nehru Place, New Delhi-110019  
Email - [brplhead\\_customercare@relianceada.com](mailto:brplhead_customercare@relianceada.com)
- Consumer Grievance Redressal Forum (CGRF):** In case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017.  
Email: [cgrfbrpl@gmail.com](mailto:cgrfbrpl@gmail.com)
- Electricity Ombudsman:** An appeal against the CGRF order may be filed with Electricity Ombudsman. B-53, Paschimi Marg, Vasant Vihar, New Delhi-110057.

## उपभोक्ता शिकायत प्रबंध :

किसी तरह के पृष्ठताछ / शिकायत के लिए कृपया आप हमें निम्नवत विकल्पों के जरिए संपर्क कर सकते हैं:

- कॉल सेंटर नंबर 19123 (24x7 टोल फ्री)
- करस्टमर केयर सेंटर समय (सोमवार से शुक्रवार सुबह 9:30 बजे से अपरह्न 5:30 बजे और शनिवार सुबह 9:30 से अपरह्न 1:00 बजे तक)
- [brpl.customercare@relianceada.com](mailto:brpl.customercare@relianceada.com) पर ईमेल करें
- [www.bsesdelhi.com](http://www.bsesdelhi.com)

## शिकायतों के लिए यहां भी संपर्क करें :

- अगर आप अपने पृष्ठताछ / शिकायत के निवारण से संतुष्ट नहीं हैं तो आप निम्नवत वीआरपीएल अधिकारियों से संपर्क कर सकते हैं-
  - करस्टमर केयर ऑफिसर (सुबह 9:15 बजे से अपरह्न 3:15 बजे)
  - बिजनेस मैनेजर (किसी भी कार्यदिवस के दिन सुबह 10 बजे से 11 बजे तक)
  - सर्किल हेड (पूर्व निश्चित समय लेकर)
- हेड करस्टमर केयर,**  
वीएसईएस राजधानी पावर लिमिटेड,  
वीएसईएस भवन, नेहरू प्लेस, नई दिल्ली 110019  
ईमेल: [brplhead\\_customercare@relianceada.com](mailto:brplhead_customercare@relianceada.com)
- कंज्यूमर ग्रीवांस रिड्रेसल फोरम (सीजीआरएफ) :** यदि आप अपनी शिकायत पर सेवा प्रदाता के जवाब से संतुष्ट नहीं हैं तो आप सीजीआरएफ-बीआरपीएल, सब स्टेशन बिल्डिंग, सेक्टर -V, पुष्पविहार, नई दिल्ली 110017, ईमेल [cgrfbrpl@gmail.com](mailto:cgrfbrpl@gmail.com) में अपनी शिकायत दर्ज कर सकते हैं।
- इलेक्ट्रिसिटी ऑम्बुड्समैन :** सीजीआरएफ के आदेश के खिलाफ अपील इलेक्ट्रिसिटी ऑम्बुड्समैन, बी-53, पश्चिमी मार्ग, वसंत विहार, नई दिल्ली-110057, में दायर कर सकते हैं।

**Disclaimer-** This electricity bill is only for electricity supply to the premises occupied by the consumer and should not be construed as having bearing on the rights or titles over the premises.

**अस्वीकरण:** यह बिजली का बिल उपभोक्ता के निवास/कार्यालय पर बिजली की आपूर्ति के लिए है, और इसे उस स्थान पर उपभोक्ता के अधिकार या स्वामित्व समान नहीं समझा जाए।

**\*GoNCT vide Order No. F.6/85/Power/2024/447-459 dated 14.03.2024 has extended subsidy to Domestic Consumers for Financial Year 2024-2025 of entire bill amount upto 200 Units/month, Slab 201-400 Units/month will get subsidy upto Rs 800/month. No subsidy consumption above 400 Units/month\***

दिल्ली सरकार की आदेश संख्या F.6/85/Power/2024/447-459 दिनांक 14.03.2024 के अनुसार घरेलू उपभोक्ताओं के लिए सस्ती बिजली वष 2024-25 तक बढ़ा दी है, 200 यूनिट/माह तक के संपूर्ण बिल राशि, स्लेब 201-400 यूनिट/माह पर ₹ 800 सब्सिडी मिलेगी। 400 यूनिट प्रति माह से ऊपर खपत के लिए कोई सब्सिडी नहीं है।

**मुफ्त कानूनी सहायता (Free Legal Aid)**

गुरु बख्शी मेमोरियल के लिए आप दिल्ली राज्य बिलिक सेक्टर प्रॉक्सी (DLSA) के कार्यकर्ता हैं। दिल्ली राज्य बिलिक सेक्टर प्रॉक्सी, पटियाला हाउस न्यायालय परिसर, नई दिल्ली।

दस्तावेज: 1516 (24x7) डेली फ्री, ईमेल: [delhi-dlsa@govin.in](mailto:delhi-dlsa@govin.in), वेबसाइट: [www.dlsa.org](http://www.dlsa.org)। [Facebook.com/dlsa](https://www.facebook.com/dlsa) अथवा आप किसी भी बिल ब्यावहार परिसर में बिल बिल बिलिक सेक्टर प्रॉक्सी (DLSA) के कार्यालय में भी संपर्क कर सकते हैं।

बिजली के संबंधित विवाद के निवारण के लिए संपर्क करें।

- राष्ट्रीय लोक अदालत - 1 & 2 P.L.A. (बीएसईएस आरपीएल, बीएसईएस एचएमएल, और टोपीओडिएल के लिए) जगत सुनील मेन, अदालत के पास, नई दिल्ली - 110002
- राष्ट्रीय लोक अदालत - 1 & 2 P.L.A. (केएल बीएसईएस आरपीएल) गौरीचंद्र टोप, वी-सीओ, पीओआर के पास, किशन पुरी इस्ट दिल्ली - 110018

## आपका बिल भुगतान

### बिल भुगतान सूचना

- भुगतान विकल्प**
- आप 4000 रुपये तक के अपने बिल का भुगतान नकद / चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं। 4000 रुपये से अधिक की रकम का भुगतान बैंक / सीडी / पे ऑर्डर के माध्यम से कर सकते हैं।
  - डीडीआरपी के माध्यम से बिल भुगतान के लिए, कृपया उपभोक्ताओं (घरेलू, कृषि और व्यवसाय) की सूची को अपडेट करने के लिए यह आवश्यक है कि वे 20,000 रुपये से अधिक के बिलों का भुगतान 1 अक्टूबर 2024 से डिजिटल माध्यम से करें।
  - आवश्यक ऑफिसियल और गैर-ऑफिसियल बिलों/पत्रों पर हमारे ड्रॉप बॉक्स में आप अपना चेक/बिल ड्रॉप बॉक्स में डाल सकते हैं।
  - बिल भुगतान के लिए सुबह 9 बजे से शाम 3 बजे तक खुले रहेंगे।
  - पुनः भुगतान बैंक और बैंक ऑफ ब्रॉचर की शर्तों में 50000 रुपये तक बिजली का भुगतान नकद से करा सकते हैं।
- बिल भुगतान करने समय ये बातें याद रखें**
- कंप्यूटरीकृत बिल पाने के बाद ही अपने बिजली बिल का भुगतान करें।
  - अनाधिकृत एजेंटों/दलालों को भुगतान न करें।
  - अगर आपका चेक बैंक द्वारा वापस आता है / अस्वीकृत होकर वापस आ जाता है तो चेक वापसी शुल्क (मिडल 200 रुपये + जीआरएल) जमा करना ही सुलभ जाएगा और निगम/बिलिंग इन्फॉर्मेशन पर 1801 की याचिका 130 के तहत कार्यवाही की जाएगी।
  - वाई स्टाफ और ऑनलाइन के द्वारा 5000 रुपये से अधिक के भुगतान पर लगने वाले सुविधा शुल्क को सत्यापना को न करने होगा। शुल्क के विस्तृत ब्यौरा के लिए कृपया हमारे वेबसाइट [www.bsesdelhi.com](http://www.bsesdelhi.com) पर जाएं।

## Contact details: (संपर्क संबंधी विवरण):

**Nearest Payment Centre**  
1ST FLOOR, A-BLOCK, BSES BHAWAN NEHRU PLACE NEW DELHI 110019 (Tel No: 49209489)

**Business Manager : MR NISHANT SRIVASTAVA (49209489)**  
**Commercial Officer : MR BHUPESH DHASMANA (49209485)**

## Pay your electricity bills conveniently by any of the following options:

Payment Options	Timings	Payment Options	Timings
<b>Digital Online Payments</b> • Bharat BillPay (BBPS) - Pay option on all BBPS enabled Payments/App (Paytm etc.) (Zero Charges) • Bharat QR code QR Code on Bill • BSE S Mobile App/Website -UPI, IMPS, Internet Banking, Credit/Debit Cards, Mobile Wallets, QR Code • RTGS/NEFT/ECS	24x7	<b>Bank Branches</b> • Cash, Upto Rs. 50,000/- only for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum permissible limit is upto Rs. 20,000/- • Cheque & Demand Draft: No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/- • Transfer by account holders	Bank Timings
<b>Cash Counters</b> • Cash-Upto Rs. 4000/- • Cheque & Demand Draft- No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/- • Credit/Debit Cards • UPI	9AM - 3PM	<b>Cheque Drop boxes</b> Select RWA locations BRPL owned drop boxes all counters	24x7
<b>24x7 self payment Kiosk</b> 24x7 self payment Kiosks by cards, each division office	24x7	<b>Cheque by Post</b> To BRPL division offices- Cheque & Demand Draft: No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-	9AM - 5PM 24x7

**लोकसभा चुनाव 2024**  
LOK SABHA ELECTIONS  
25 मई, 2024

**अधिक जानकारी के लिए स्कैन करें**

कोई मतदाना न छूटे

[www.ceodelhi.gov.in](http://www.ceodelhi.gov.in) | Follow us: [Facebook](https://www.facebook.com/ceodelhioffice) | [Instagram](https://www.instagram.com/ceodelhioffice) | [YouTube](https://www.youtube.com/ceodelhioffice) | Visit: [www.nvap.in](http://www.nvap.in)

**दिल्ली का चोट है दिल्ली की शान लोकतंत्र के लिए जरूरी है मतदान**

**1950**

**मुख्य निवचन अधिकारी**  
श्री श्री अमिताभ कुमार शर्मा, कोषाधी, नई दिल्ली-110006  
[www.ceodelhi.gov.in](http://www.ceodelhi.gov.in)

For detail log on to our website [www.bsesdelhi.com](http://www.bsesdelhi.com). Alternatively, you can visit our Customer Care Center or simply call at 19123 (24x7 Toll Free)  
Reqd. Office: BSES Rajdhani Power Limited (A joint venture of Reliance Infrastructure Limited. and Govt. of NCT of Delhi) BSES Bhawan, Nehru Place New Delhi 110 019.

Bill Print Date 10.05.2024\_00\_02\_20\_RKC(W:in Ammixture) 4851699



### Meter Details Annexure

Name : SRI BALAJI ACTION MEDICAL INSTITUTE .  
 Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063  
 Sanctioned Load : 1391.00 (kVA)  
 Contract Demand : 1391.00 (kVA)  
 M D I : 1200.00 (kVA)  
 Power Factor : 0.996  
 Pole No. : NA  
 Meter Reading Status : DL  
 Cycle No. : KC  
 Tariff Category : Large Industrial Power  
 CA No. : 100012528  
 Energisation Date : 04-06-2004  
 Meter Type : 3PSK  
 Supply Type : HT(11KV)  
 Bill No. : 100158877649  
 Bill Basis : Actual

**Supply Address :** FC-34 PASCHIM VIHAR NEAR BALAJI  
 Mobile / Tel. No. : 9560972288  
 Email ID : maintenance@actionhospital.com  
 District / Division : Punjabi Bagh  
 Walking Sequence : PSVKC0035A0AA  
 Bill Month : MAY-24  
 Bill Date : 09-05-2024

### Net Meter Consumption Details (Date Of Reading : )

Total Solar Generation Units	For the Billing Period	Cumulative Generation in FY	Solar Installation Details			Date of Installation			Capacity kWp							
			Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak					

(Consumption in the above table are in kWh/kVah, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading(24:00Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
XD446812	KWH	02-05-2024	16237.92	04-04-2024	15996.16	2000.00	28	483520.00
XD446812	KW	02-05-2024	0.59			2000.00		1180.00
XD446812	KVAH	02-05-2024	16370.12	04-04-2024	16127.29	2000.00	28	485660.00
XD446812	KVA	02-05-2024	0.60			2000.00		1200.00
XD446812	KVAHP	02-05-2024	4350.93	04-04-2024	4288.85	2000.00	28	124160.00
XD446812	KVAHO	02-05-2024	3943.95	04-04-2024	3885.32	2000.00	28	117260.00

Due Date(देय तिथि):

24-06-2024

EBILL Customer

10 JUN 2024

## Bill of Supply for Electricity

Name : SRI BALAJI ACTION MEDICAL INSTITUTE  
 Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063

Supply Address : FC-34 PASCHIM VIHAR NEAR BALAJI  
 Mobile / Tel. No. : 9560972288  
 Email ID : maintenance@actionhospital.com  
 District / Division : Punjabi Bagh  
 Walking Sequence : PSVKC0035A0AA  
 Bill Month : JUN-24  
 Bill Date : 08-06-2024

Sanctioned Load : 1391.00 (kVA)  
 Contract Demand : 1391.00 (kVA)  
 M D I : 1320.00 (kVA)  
 Power Factor : 0.996  
 Pole No. : NA  
 Meter Reading Status : DL  
 Cycle No. : KC  
 Tariff Category : Large Industrial Power

CA No. : 100012528  
 Energisation Date : 04-06-2004  
 Meter Type : 3PSK  
 Supply Type : HT(11KV)  
 Bill No. : 100069371446  
 Bill Basis : Actual  
 O.D. No. : R/24/10426453696  
 CCTV Tagged : No  
 Street Light Tagged : No  
 Wi Fi Tagged : No

Customer Care Centre No. (ग्राहक सेवा केन्द्र का नंबर) 19123 (24x7 Toll Free)

Meter No. (मीटर सं.)	Unit (यूनिट)	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor (गुणांक)	Current Consumption(वर्तमान खपत)	
		Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)		Days (दिन)	Unit (यूनिट)
			Meter	Details in Annexure				

### Billing Details (बिल का विवरण)

Current Period Charges (वर्तमान अवधि का शुल्क) (03-05-2024 to 05-06-2024)

Adopt e-bill, Save trees. Provide email details to us through website/call/email.

Fixed Charge="A" ₹ (स्थायी शुल्क)	Consumption Measured During (खपत अवधि माप)	Energy Units Consumed / Billed (खपत / बिल में शामिल विद्युत यूनिट)	Slabwise Energy Charge (स्लेब आधारित विद्युत शुल्क)		Slab-wise Power Purchase Adjustment Charge (स्लेब ब्यासित विद्युत खपत समायोजन शुल्क)		Time of Day (TOD) Charge (दिवस और डे (टैकोडी) शुल्क)		Surcharge @ 8% on (Energy Charge + Fixed Charge - Rebate) = "E" ₹ (विद्युत शुल्क + स्थायी शुल्क - छूट पर 8% अतिव्यय)	Electricity Tax @ 5% on Energy Charge, PPAC amount & TOD Surcharge/Rebate amount = "H" ₹ (विद्युत शुल्क, विद्युत शुल्क के अतिव्यय, पीपीएसी राशि, एच. टैकोडी अतिव्यय/ छूट पर 5% विद्युत कर)	Total Amount (K = A+B+C+D+E+ F+G+H+I+J) ₹ (कुल राशि)
			Units Rate ₹ (यूनिट दर)	Amount = "B" ₹ (राशि)	PPAC % on B (B पर पीपीएसी प्रतिशत)	PPAC Amount = "C" ₹ (पीपीएसी राशि)	TOD % on "B" (B पर टैकोडी प्रतिशत)	TOD Surcharge/Rebate Amount = "D" ₹ (टैकोडी अतिव्यय/ छूट राशि)			
383272.85 1.11 Mth(s)	NORMAL(S)	363300.00	7.75	2815575.00	35.83	008820.52			464071.57	389608.26	9366687.87
	OFFPEAK(S)	172420.00	7.75	1336255.00	35.83	383024.14	20.00	(267251.00)			
	PEAK(S)	182860.00	7.75	1417165.00	35.83	609324.26	20.00	283433.00			
PPAC on Fixed Charge = "G" ₹									406062.62		
137326.66									TCS Amount ₹ "I"		
CCTV Units									Base Amt. Surcharge		
0.00									Other Charges "J"		
Street Light Units									CCTV Bill Amount		
Wi-Fi Units											
Total Units = 718580			Total (B) = 5568995.00		Total (C) = 2001168.90		Total (D) = 16182.00		0.00		



Scan & Pay SHARATOR

### Past Dues / Refunds / Subsidy (पिछला बकाया / वापसी / सब्सिडी)

Consumer registered under GST may submit it's GSTIN at concerned division

Provisional Bill Refunds(वापसी)	Arrears (बकाया)		Late Payment Surcharge (LPSC)	Total Charges Payable	Net Amount Payable	
Refund Unit	Refund Amount	Amount (राशि)	Period to which it relates (जिस अवधि से संबद्ध है)	(देरी से मुगतान पर अतिव्यय)	(कुल देय शुल्क)	(कुल देय राशि)
0		(3988.63)		9362699.24	(227590.38)/	9135108.86

Amount not immediately payable, if any. (राशि जो तुरंत देय नहीं है, यदि हो तो)		BG Security Deposit	₹
		BG Expiry Date	
Service line cum Development Charges paid (मुगतान किया गया सर्विसलाइन एवं डेवलपमेंट शुल्क)	₹ 0.00	Cash Security Deposit	₹ 2212500.00
Interest accrued for FY 2023-24, already adjusted in bill No. 100517969648 (generated for the period 05-03-2024 to 04-04-2024)			₹ (183263.80)
Interest for FY 2024-25 will be adjusted in your first bill to be generated in FY 2025-26			

### Bill Amount Payable (बिल देय राशि)

₹ 9135110.00
<b>Due Date of Payment (मुगतान देय तिथि) 24-06-2024</b>
If payment is made after the due date, LPSC for the delay, shall be charged in the next bill. (नियत तिथि के बाद मुगतान करने पर इस बिलब हेतु अगले बिल में एलपीएससी जोड़ दिया जाएगा.)

Last payment ₹ 6262829.00 received on 21-05-2024. Payment accounted upto 05-06-2024. The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection - Single phase ₹ 200, Three phase ₹ 500. "LET'S MOVE TO ELECTRIC VEHICLES FOR BETTER TOMORROW (अच्छे भविष्य के लिए विद्युत वाहन की तरफ बढ़नाव करें)"

### IMPORTANT MESSAGE (महत्वपूर्ण सूचना)

Power Purchase Adjustment Charge (PPAC) @ 35.83% been levied on energy & fixed charge w.e.f.01.05.2024. CCTV Bill amount include Energy,RA,PPAC,PTC and Electricity Tax on CCTV consumption. In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 7.00% has been levied on energy & fixed charge w.e.f. 01.10.2021. The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division office. Anyone treating Electricity Bill as conclusive proof of Residence is advised to verify the particulars. Switch off lights and appliances from mains when not in use. This will conserve energy and reduce your electricity bill.ELCB is a safeguard against faulty internal wiring and prevents shock, fire and el

(This bill is computer generated, hence does not require any signature.)

**BSES** Powered by **BHARAT BILLPAY** BSES Rajdhani Power Limited

#### Payment slip

- Make your digital payment to BRPL CA No. 100012528
- Cheque should not be post dated.
- Write your telephone number on backside of the cheque.

*[Handwritten Signature]*  
11/6/24

Cheque should be account payee and payable at Delhi. Do not staple, only clip the cheque to payment slip.



Bill amount payable : ₹ 9135110.00  
 Cheque/DD No.:  
 Bill month: JUN-24.....  
 Date: .....

"Dear Consumer, Get coloured electricity bills directly in your mail box. Switch to e-bills to save trees. Please call 19123 or email: brpl.customercare@relianceada.com - Team BRPL"

KCC 3601527





### Meter Details Annexure

Name : SRI BALAJI ACTION MEDICAL INSTITUTE

Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063

Supply Address : FC-34 PASCHIM VIHAR NEAR BALAJI  
Mobile / Tel. No. : 9560972288  
Email ID : maintenance@actionhospital.com  
District / Division : Punjabi Bagh  
Walking Sequence : PSVKC0035A0AA  
Bill Month : JUN-24  
Bill Date : 08-06-2024

Sanctioned Load : 1391.00 (kVA)  
Contract Demand : 1391.00 (kVA)  
M D I : 1320.00 (kVA)  
Power Factor : 0.996  
Pole No. : NA  
Meter Reading Status : DL  
Cycle No. : KC  
Tariff Category : Large Industrial Power

CA No. : 100012528  
Energisation Date : 04-06-2004  
Meter Type : 3PSK  
Supply Type : HT(11KV)  
Bill No. : 100069371446  
Bill Basis : Actual

#### Net Meter Consumption Details (Date Of Reading : )

Total Solar Generation Units	For the Billing Period			Cumulative Generation in FY			Solar Installation Details			Date of Installation			Capacity kWp		
	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Excess Gen Unit	Shared by Prim	C/F Unit (If any)

(Consumption in the above table are in kWh/kVah, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading(24:00Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
XD446812	KWH	05-06-2024	16595.87	02-05-2024	16237.92	2000.00	34	715900.00
XD446812	KW	05-06-2024	0.65			2000.00		1300.00
XD446812	KVAH	05-06-2024	16729.41	02-05-2024	16370.12	2000.00	34	718580.00
XD446812	KVA	05-06-2024	0.66			2000.00		1320.00
XD446812	KVAHP	05-06-2024	4442.36	02-05-2024	4350.93	2000.00	34	182860.00
XD446812	KVAHO	05-06-2024	4030.16	02-05-2024	3943.95	2000.00	34	172420.00

EBILL Customer

10 JUL 2024

## Bill of Supply for Electricity

Due Date(देय तिथि):

24-07-2024

Name : SRI BALAJI ACTION MEDICAL INSTITUTE  
 Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063

Sanctioned Load : 1391.00 (kVA)  
 Contract Demand : 1391.00 (kVA)  
 M D I : 1520.00 (kVA)  
 Power Factor : 0.997  
 Pole No. : NA  
 Meter Reading Status : DL  
 Cycle No. : KC  
 Tariff Category : Large Industrial Power

CA No. : 100012528  
 Energisation Date : 04-06-2004  
 Meter Type : 3PSK  
 Supply Type : HT(11KV)  
 Bill No. : 100039576526  
 Bill Basis : Actual  
 O.D. No. : R/24/10429548052  
 CCTV Tagged : No  
 Street Light Tagged : No  
 Wi Fi Tagged : No

Supply Address : FC-34 PASCHIM VIHAR NEAR BALAJI  
 Mobile / Tel. No. : 9560972288  
 Email ID : maintenance@actionhospital.com  
 District / Division : Punjabi Bagh  
 Walking Sequence : PSVKC0035A0AA  
 Bill Month : JUL-24  
 Bill Date : 09-07-2024

Customer Care Centre No.(ग्राहक सेवा केंद्र का नंबर) 19123 (24x7 Toll Free)

Meter No. (मीटर सं.)	Unit (यूनिट)	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor (गुणांक)	Current Consumption(वर्तमान खपत)	
		Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)		Days (दिन)	Unit (यूनिट)
			Meter	Details in Annexure				

### Billing Details (बिल का विवरण)

Current Period Charges (वर्तमान अवधि का शुल्क) (06-06-2024 to 03-07-2024 )

Adopt e-bill, Save trees. Provide email details to us through website/call/email.

Fixed Charge="A" (स्थायी शुल्क)	Consumption Measured During Consumed / Billed (खपत अवधि माप)	Energy Units Consumed / Billed (खपत / बिल में शामिल विद्युत यूनिट)	Slabwise Energy Charge (स्लेब आधारित विद्युत शुल्क)		Slab-wise Power Purchase Adjustment Charge (स्लेब आधारित बिजुत खपत फॉर्मेशन शुल्क)		Time of Day (TOD) Charge दोहन ऑफ़ वे (दैनिकी) शुल्क		Surcharge @ 8% on Energy Charge + Fixed Charge - Rebate = "E" शुल्क + स्थायी शुल्क - रूट, या 8% बचत	Electricity Tax @ 5% on Energy Charge, Surcharge on Energy Charge, PPAC amount & TOD Surcharge/Rebate amount="H" शुल्क + स्थायी शुल्क के बराबर, पीएपीएसी राशि एवं दैनिकी आधारित/रूट पर, 5% विद्युत कर	Total Amount (K=A+B+C+D+E+F+G+H+I+J) (कुल राशि)
			Units Rate (यूनिट दर)	Amount = "B" (राशि)	PPAC % on B (B पर पीपीएसी प्रतिशत)	PPAC Amount = "C" (पीपीएसी राशि)	TOD % on "B" (B पर दैनिकी प्रतिशत)	TOD Surcharge/Rebate Amount = "D" (दैनिकी आधारित/रूट राशि)			
353440.86 0.93 Mth(s)	NORMAL(S)	318680.00	7.75	2469770.00	35.83	884918.59			410606.90	343692.24	8294939.32
	OFFPEAK(S)	153080.00	7.75	1186370.00	35.83	340061.10	(20.00)	(237274.00)			
	PEAK(S)	162160.00	7.75	1256740.00	35.83	540347.93	20.00	251348.00			
PPAC on Fixed Charge = "G"									359281.04		
126637.86									TCS Amount ₹ "I"		
CCTV Units									Base Amt. Surcharge		
0.00									Other Charges "J"		
Street Light Units									8998.79		
Wi-Fi Units									CCTV Bill Amount		
									0.00		
Total Units =		633920		Total (B)=	4912880.00	Total (C)=	1765327.68	Total (D)=	14074.00		



Scan & Pay QR code Powered by BOB

### Past Dues / Refunds / Subsidy (पिछला बकाया/वापसी/सब्सिडी)

Consumer registered under GST may submit it's GSTIN at concerned division

Provisional Bill Refunds(वापसी)		Arrears (बकाया)		Late Payment Surcharge (LPSC)	Total Charges Payable	Net Amount Payable
Refund Unit	Refund Amount	Amount (राशि)	Period to which it relates (जिस अवधि से संबद्ध है)	(देरी से भुगतान पर अधिभार)	(कुल देय शुल्क)	(कुल देय राशि)
0		(5951.14)			8288988.18	(200768.45)/ 8088219.73

Amount not immediately payable, if any. (राशि जो तुरंत देय नहीं है, यदि हो तो)		BG Security Deposit	₹
		BG Expiry Date	
Service line cum Development Charges paid (भुगतान किया गया सर्विसलाइन एवं डेवलपमेंट शुल्क)	₹ 0.00	Cash Security Deposit	₹ 2212500.00
Interest accrued for FY 2023-24, already adjusted in bill No. 100517969648 (generated for the period 05-03-2024 to 04-04-2024)			₹ (183263.80)
Interest for FY 2024-25 will be adjusted in your first bill to be generated in FY 2025-26			

### Bill Amount Payable (बिल देय राशि)

<b>₹ 8088220.00</b>
<b>Due Date of Payment (भुगतान देय तिथि) 24-07-2024</b>
If payment is made after the due date, LPSC for the delay, shall be charged in the next bill. (नियत तिथि के बाद भुगतान करने पर इस विलंब हेतु अगले बिल में एलपीएससी जोड़ दिया जाएगा.)

Last payment ₹ 9125975.00 received on 20-06-2024. Payment accounted upto 06-07-2024. The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection - Single phase ₹ 200, Three phase ₹ 500. "LET'S MOVE TO ELECTRIC VEHICLES FOR BETTER TOMORROW (अच्छे भविष्य के लिए विद्युत वाहन का तरफ बढ़ावा करें)"

### IMPORTANT MESSAGE (महत्वपूर्ण सूचना)

\*Other charges includes -Load violation Surcharge:8998.79 Power Purchase Adjustment Charge (PPAC) @ 35.83% been levied on energy & fixed charge w.e.f 01.05.2024. CCTV Bill amount include Energy,RA,PPAC,PTC and Electricity Tax on CCTV consumption. In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 7.00% has been levied on energy & fixed charge w.e.f. 01.10.2021. The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division office. Anyone treating Electricity Bill as conclusive proof of Residence is advised to verify the particulars. Switch off lights and appliances from mains when not in use. This will conserve energy and reduce your electricity bill.ELCB is a safeguard again

(This bill is computer generated, hence does not require any signature.)

#### Payment slip

- Make your digital payment to BRPL CA No. 100012528
- Cheque should not be post dated.
- Write your telephone number on backside of the cheque.

*[Handwritten Signature]*  
 Cheque should be account payee and payable at Delhi. Do not staple, only clip the cheque to payment slip.



Bill amount payable : ₹ 8088220.00 Bill month: JUL-24  
 Cheque/DD No.: Date: .....

Dear Consumer, Get coloured electricity bills directly in your mail box. Switch to e-bills to save trees. Please call 19123 or email: brpl.customercare@relianceada.com - Team BRPL

KCC 4281610

The revised tariff schedule is effective from 1st October 2021

Categories	Description	Fixed/Demand Charge		Energy Charge					Categories	Description	Fixed/Demand Charge	Energy Charge	Temporary			
		Load(kW)	₹/month	0-200 Units	201-400 Units	401-800 Units	801-1200 Units	Above 1200 Units					Categories	Fixed Charge	Energy Charge	
Domestic	Individual connections:	Upto 2kW	20/kW/mth						Agriculture	Agriculture	125/kW/mth	₹ 1.50/kWh	Domestic including GHS	Same as relevant category	Same as relevant category	
	Domestic Light / Mixed Domestic Power, Farm House upto 21kW	>2kW to 5kW	50/kW/mth	₹ 3.00	₹ 4.50	₹ 6.50	₹ 7.00	₹ 8.00		Mushroom	Mushroom Cultivation upto 100 kW	200/kW/mth		₹ 3.50/kWh	Same as relevant category	Same as relevant category
		>5kW to 15kW	100/kW/mth							Public Utility	Delhi Jal Board, DMRC, Public Lighting etc.	250/kVA/mth		₹ 6.25/kVAh	Threshers during the threshing season	MCD E-Tax of ₹ 270 / conn/mth
	Single point supply at 11kV for GHS- Domestic Lighting / Fan and Power	>15kW to 25kW	200/kW/mth						Delhi International Airport Limited (DIAL)	250/kVA/mth	₹ 7.75/kVAh					
		>25kW	250/kW/mth						Advertisements and Hoardings	250/kVA/mth	₹ 8.50/kVAh					
Non-Domestic	Shopkeepers	Upto 3kVA							Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery	LT	₹ 4.50/kWh		All other including construction	Same as relevant category	1.30 times of relevant category of tariff	
	Other Non-Domestic	>3kVA	250 kVA/mth							HT	₹ 4.00/kVAh					
Industrial	Industrial															

Schedule of Time of Day (TOD) Tariff

Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
May-September	1400-1700 hrs and 2200-0100 hrs	20% (*waived for Sep 2020)	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for >10kW / 11kVA other than Domestic. Optional for 3 Phase Domestic Consumers.

Consumption History (खपत का विवरण) :

From	Period	To	No. of Days	Units (kwh/kvah)	Total Bill Payable	Bill Basis
03-05-2024	05-06-2024		34	718580	9135110.00	Actual
05-04-2024	02-05-2024		28	485660	6264900.00	Actual
05-03-2024	04-04-2024		31	461120	5844970.00	Actual
03-02-2024	04-03-2024		31	405180	5374050.00	Actual
03-01-2024	02-02-2024		31	381480	4788400.00	Actual
03-12-2023	02-01-2024		31	388660	4799540.00	Actual

Paying your electricity bill (Bill payment information)

- Payment Options**
- You can pay your bill by cash / cheque /DD /Pay Order up to Rs 4000/- and for amount more than Rs 4000/- by cheque /DD/Pay Order.
  - According to DERC's recent tariff order, it is mandatory for all consumers (except Domestic, Agriculture & Mushroom Cultivation) to pay their monthly electricity bills exceeding Rs 20,000/- through digital modes w.e.f 1 October 1, 2021\*
  - Drop your cheque in our drop boxes at various RWA offices and at BRPL Counters. The list of drop boxes is available on the website.
  - Bill payment counters are open from 0900 hrs. to 1600 hrs. from Monday to Saturday.
  - Bill payment upto Rs 50,000/- can be paid in cash at Bank branches of PNB and Bank of Baroda.
- Points to remember while paying your bill**
- Please pay your electricity bill only on obtaining computer generated bill.
  - Do not make payment to unauthorized agencies /outs.
  - In case your cheque is returned unpaid /dishonored by bank, cheque return charges (presently Rs. 200 + GST, as applicable) will be imposed and action will be taken under Section 136 of the Negotiable Instruments Act 1881.
  - Convenience fee on card swipe and online payments applicable on payment amount above Rs 5000/- is to be borne by the consumer. For charge details, kindly visit our website www.bsedelhi.com.

Customer Complaint Management:

For any query / complaint, you may contact us using any of the following options:

- Call Center No. 19123 (24x7 Toll Free)
- Customer Care Centers (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat: 9:30 AM to 1:00 PM)
- Email - [brpl.customercare@relianceada.com](mailto:brpl.customercare@relianceada.com)
- [www.bsedelhi.com](http://www.bsedelhi.com)

Escalation matrix for complaints:

- In case you are not satisfied with the resolution of your query / complaint, you may contact the below listed BRPL officials-
  - Customer Care Officer (Timing 09:15AM to 3:15 PM)
  - Business Manager (between 10AM to 11AM on any working day)
  - Circle Head (with prior appointment)
- Head-Customer Care,**  
BSES Rajdhani Power Limited,  
BSES Bhawan, Nehru Place, New Delhi-110019  
Email - [brplhead.customercare@relianceada.com](mailto:brplhead.customercare@relianceada.com)
- Consumer Grievance Redressal Forum (CGRF):** In case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017.  
Email: [cgrfbrpl@gmail.com](mailto:cgrfbrpl@gmail.com)
- Electricity Ombudsman:** An appeal against the CGRF order may be filed with Electricity Ombudsman. B-53, Paschimi Marg, Vasant Vihar, New Delhi-110057.

उपभोक्ता शिकायत प्रबंध :

किसी तरह के पृष्ठताछ / शिकायत के लिए कृपया आप हमें निम्नवत् विकल्पों के जरिए संपर्क कर सकते हैं:

- कॉल सेंटर नंबर 19123 (24x7 टोल फ्री)
- करंटमर केयर सेंटर समय (सोमवार से शुक्रवार सुबह 9:30 बजे से अपराह्न 5:30 बजे और शनिवार सुबह 9:30 से अपराह्न 1:00 बजे तक)
- [brpl.customercare@relianceada.com](mailto:brpl.customercare@relianceada.com) पर ईमेल करें
- [www.bsedelhi.com](http://www.bsedelhi.com)

शिकायतों के लिए यहाँ भी संपर्क करें :

- अगर आप अपने पृष्ठताछ / शिकायत के निवारण से संतुष्ट नहीं हैं तो आप निम्नवत् बीआरपीएल अधिकारियों से संपर्क कर सकते हैं-
  - करंटमर केयर ऑफिसर (सुबह 9:15 बजे से अपराह्न 3:15 बजे)
  - बिजनेस मैनेजर (किसी भी कार्यालय के दिन सुबह 10 बजे से 11 बजे तक)
  - सर्किल हेड (पूर्व निश्चित समय लेकर)
- हेड करंटमर केयर,**  
बीएसईएस राजधानी पावर लिमिटेड,  
बीएसईएस भवन, नेहरु प्लेस, नई दिल्ली 110019  
ईमेल: [brplhead.customercare@relianceada.com](mailto:brplhead.customercare@relianceada.com)
- कंज्यूमर ग्रीवांस रिड्रेसल फोरम (सीजीआरएफ) :** यदि आप अपनी शिकायत पर सेवा प्रदाता के जवाब से संतुष्ट नहीं हैं तो आप सीजीआरएफ-बीआरपीएल, सब स्टेशन बिल्डिंग, सेक्टर - V, पुष्पविहार, नई दिल्ली 110017, ईमेल [cgrfbrpl@gmail.com](mailto:cgrfbrpl@gmail.com) में अपनी शिकायत दर्ज कर सकते हैं।
- इलेक्ट्रिसिटी ऑम्बुड्समैन :** सीजीआरएफ के आदेश के खिलाफ अपील इलेक्ट्रिसिटी ऑम्बुड्समैन, बी-53, पश्चिमी मार्ग, वसंत विहार, नई दिल्ली-110057, में दायर कर सकते हैं।

**Disclaimer-** This electricity bill is only for electricity supply to the premises occupied by the consumer and should not be construed as having bearing on the rights or titles over the premises.

**अस्वीकरण:** यह बिजली का बिल उपभोक्ता के निवास/कार्यालय पर बिजली की आपूर्ति के लिए है, और इसे उस स्थान पर उपभोक्ता के अधिकार या स्वामित्व समान न समझा जाए।

"GoNCTD vide Order No. F.6/85/Power/2024/447-459 dated 14.03.2024 has extended subsidy to Domestic Consumers for Financial Year 2024-2025 of entire bill amount upto 200 Units/month. Slab 201-400 Units/month will get subsidy upto Rs 800/month. No subsidy consumption above 400 Units/month"

दिल्ली सरकार की आदेश संख्या F.6/85/Power/2024/447-459 दिनांक 14.03.2024 के अनुसार घरेलू उपभोक्ताओं के लिए सब्सिडी वित्तीय वर्ष 2024-25 तक बढ़ा दी है, 200 यूनिट / माह तक के संपूर्ण बिल राशि, स्लैब 201-400 यूनिट्स / माह पर ₹ 800 सब्सिडी मिलेगी। 400 यूनिट प्रति माह से ऊपर खपत के लिए कोई सब्सिडी नहीं है।

**मुफ्त कानूनी सहायता (Free Legal Aid)**

मुक्त कानूनी सहायता के लिए आप दिल्ली राज्य विधिक सेवा प्राधिकरण (DLSA) से संपर्क करें:

दिल्ली राज्य विधिक सेवा प्राधिकरण, परिचालन इकाय न्यायालय परिसर, नई दिल्ली।  
 हल्पलाइन: 1516 (24x7) टोल फ्री, ईमेल: [help@dlsla.org](mailto:help@dlsla.org), वेबसाइट: [www.dlsla.org](http://www.dlsla.org) <https://www.facebook.com/dlsla>  
 अथवा आप किसी भी विद्या न्यायालय परिसर में विगत विद्या विधिक सेवा प्राधिकरण (DLSA) के कार्यालय में भी संपर्क कर सकते हैं।

विद्यार्थी के संबंधित विचार के विपरीत / समाधान के लिए सर्वोत्तम हैं।

- स्वाजी लोक अदालत - 14 1/2 (P.L.A.) (बीएसईएस आरपीएल, बीएसईएस कार्डीफ, और टीपीडीएल के लिए) आवाज बुलंदी सेन, आरडीओ के पास, नई दिल्ली-110022
- स्वाजी लोक अदालत - 11 (P.L.A.) (केएच बीएसईएस आरपीएल) जीवाजी रोड, बी-ब्लॉक, जीवाजी रोड के पास, विश्व प्रदीप नई दिल्ली-110018

आपका बिल भुगतान

**बिल भुगतान सूचना**

**भुगतान विकल्प**

- आप 4000 रुपये तक के अपने बिल का भुगतान नकद / चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं। 4000 रुपये से अधिक की रकम का भुगतान चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं।
- डीडीआरपीएल के हाथिया टैरिफ ऑर्डर के मुताबिक, सभी उपभोक्ताओं (घरेलू, कृषि और नगरपालिका क्षेत्रों के छात्रों) के लिए यह आवश्यक है कि वे 20,000 रुपये से अधिक के बिलों का भुगतान 1 अक्टूबर, 2021 से डिजिटल माध्यमों से करें।
- आरडब्ल्यू ऑफिसियल और विभिन्न बैंक/आरपीएल कार्डवॉल पर हमारे प्रोप्रीएटरी कॉलेज में आप अपना चेक डालें। ऑप ऑफिसियल की लिस्ट हमारी वेबसाइट पर उपलब्ध है।
- बिल भुगतान केंद्र सुबह 9 बजे से शाम 3 बजे तक खुले रहेंगे।
- पंजाब नेशनल बैंक ऑफ इंडिया के शाखाओं में 50000 रुपये तक बिजली का भुगतान नकद में कर सकते हैं।

**बिल भुगतान करते समय ये बातें याद रखें**

- कंप्यूटरीकृत बिल माने के बाद ही अपने बिजली बिल का भुगतान करें।
- अनाधिकृत एजेंसियों / दलालों को भुगतान न करें
- अगर आपका चेक बैंक द्वारा कैंसिल/रिफंड भुगतान के / अस्वीकृत होकर वापस आ जाता है तो चेक वापसी शुल्क (मौजूदा 200 रुपये + जीएसटी) जमा लागू हो) वसूल जाएगा और निगोशिएटल इस्टिमेट एक्ट 1981 की धारा 138 के तहत कार्यावाही की जाएगी।
- कार्ड स्टाइप और ऑनलाइन को द्वारा 5000 रुपये से अधिक के भुगतान पर लगने वाले सुविधा शुल्क को उपभोक्ता को वहन करना होगा। शुल्क के विस्तृत ब्यौरा के लिए कृपया हमारे वेबसाइट [www.bsedelhi.com](http://www.bsedelhi.com) पर जाएं।

**Contact details: (संपर्क संबंधी विवरण):**

**Nearest Payment Centre**  
 1ST FLOOR, A-BLOCK, BSES BHAWAN NEHRU PLACE NEW DELHI 110019 (Tel No: 49209489)

Business Manager : MR NISHANT SRIVASTAVA (49209489)  
 Commercial Officer : MR BHUPESH DHASMANA (49209485)

Pay your electricity bills conveniently by any of the following options:

Payment Options	Timings
<ul style="list-style-type: none"> <li>Bharat BillPay (BBPS) - Pay option at all BBPS enabled Payments App (Paytm etc.) (Zero Charges)</li> <li>QR code on bill - Powered by BOB</li> <li>BSES Mobile App / Website - UPI, IMPS, Internet Banking, Credit / Debit Cards, Mobile Wallets, QR Code</li> <li>RTGS / NEFT / ECS</li> </ul>	24x7
<p><b>BRPL Cash Counters:</b></p> <ul style="list-style-type: none"> <li>Cash- Upto Rs. 4000/-</li> <li>Cheque &amp; Demand Draft- No amount limit for Domestic, Agriculture &amp; Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-.</li> <li>Credit / Debit Cards</li> <li>UPI</li> </ul>	9AM - 3PM
24*7 self payment Kiosk	24x7
<p><b>Bank of Baroda and PNB</b></p> <ul style="list-style-type: none"> <li>Cash- Upto Rs. 50,000/- only for Domestic, Agriculture &amp; Mushroom Cultivation category consumers and for other category consumers maximum permissible limit is upto Rs. 20,000/-.</li> <li>Cheque &amp; Demand Draft- No amount limit for Domestic, Agriculture &amp; Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-.</li> <li>Transfer by account holders</li> </ul>	Bank Timings
<p>Select RWA locations</p> <p><b>Cheque &amp; Demand Draft-</b> No amount limit for Domestic, Agriculture &amp; Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-.</p>	24x7
BRPL owned drop boxes at counters	9AM - 5PM
To BRPL division offices- Cheque & Demand Draft- No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-.	24x7

Details	For payment of energy bill	
	SBI Bank	Axis Bank
Beneficiary Name	BSES Rajdhani Power Limited	BSES Rajdhani Power Limited
Beneficiary A/C No.	SBIBRE (Fixed) + 9 Digit Customer Account Number (Variable)	VBRE(Fixed) + 9 digit customer account number (Variable) (For eg. VBRE123456789)
IFSC Code	SBIN0004266	UTIB0CCCH274
Bank Name	State Bank of India	Axis Bank Ltd
Branch Address	State Bank of India, CMP Centre	9th floor, Solaris C wing, Opp L&T gate no. 6, Sakhi Vihar Road, Powai, Mumbai-400072

4281610 Bill Print Date 10.07.2024\_00\_22\_35\_RKC(With Annexure)



### Meter Details Annexure

Name : SRI BALAJI ACTION MEDICAL INSTITUTE .  
 Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063  
 Sanctioned Load : 1391.00 (kVA)  
 Contract Demand : 1391.00 (kVA)  
 M D I : 1520.00 (kVA)  
 Power Factor : 0.997  
 Pole No. : NA  
 Meter Reading Status : DL  
 Cycle No. : KÇ  
 Tariff Category : Large Industrial Power  
 CA No. : 100012528  
 Energisation Date : 04-06-2004  
 Meter Type : 3PSK  
 Supply Type : HT(11KV)  
 Bill No. : 100039576526  
 Bill Basis : Actual

**Supply Address :** FC-34 PASCHIM VIHAR NEAR BALAJI  
 Mobile / Tel. No. : 9560972288  
 Email ID : maintenance@actionhospital.com  
 District / Division : Punjabi Bagh  
 Walking Sequence : PSVKC0035A0AA  
 Bill Month : JUL-24  
 Bill Date : 09-07-2024

### Net Meter Consumption Details (Date Of Reading: )

Total Solar Generation Units	For the Billing Period			Cumulative Generation in FY			Solar Installation Details			Date of Installation		Capacity kWp			
	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Excess Gen Unit	Shared by Prim	C/F Unit (If any)

(Consumption in the above table are in kWh/kVah, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading(24:00Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
XD446812	KWH	03-07-2024	16911.75	05-06-2024	16595.87	2000.00	28	631760.00
XD446812	KW	03-07-2024	0.76			2000.00		1520.00
XD446812	KVAH	03-07-2024	17046.37	05-06-2024	16729.41	2000.00	28	633920.00
XD446812	KVA	03-07-2024	0.76			2000.00		1520.00
XD446812	KVAHP	03-07-2024	4523.44	05-06-2024	4442.36	2000.00	28	162160.00
XD446812	KVAHO	03-07-2024	4106.70	05-06-2024	4030.16	2000.00	28	153080.00

EBILL Customer

09 AUG 2024

## Bill of Supply for Electricity

Due Date(देय तिथि):

23-08-2024

Name : SRI BALAJI ACTION MEDICAL INSTITUTE .  
 Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063  
 Supply Address : FC-34 PASCHIM VIHAR NEAR BALAJI  
 Mobile / Tel. No. : 9560972288  
 Email ID : maintenance@actionhospital.com  
 District / Division : Punjabi Bagh  
 Walking Sequence : PSVKC0035A0AA  
 Bill Month : AUG-24  
 Bill Date : 08-08-2024

Sanctioned Load : 1391.00 (kVA)  
 Contract Demand : 1391.00 (kVA)  
 M D I : 1580.00 (kVA)  
 Power Factor : 0.997  
 Pole No. : NA  
 Meter Reading Status : DL  
 Cycle No. : KC  
 Tariff Category : Large Industrial Power

CA No. : 100012528  
 Energisation Date : 04-06-2004  
 Meter Type : 3PSK  
 Supply Type : HT(11KV)  
 Bill No. : 100039651554  
 Bill Basis : Actual  
 O.D. No. : R/24/10432652916  
 CCTV Tagged : No  
 Street Light Tagged : No  
 Wi Fi Tagged : No

Customer Care Centre No. (ग्राहक सेवा केन्द्र का नंबर) 19123 (24x7 Toll Free)

Meter No. (मीटर सं.)	Unit (यूनिट)	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor (गुणांक)	Current Consumption(वर्तमान खपत)		
		Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)		Days (दिन)	Unit (यूनिट)	
		Meter Details in Annexure							

### Billing Details (बिल का विवरण)

Current Period Charges (वर्तमान अवधि का शुल्क) (04-07-2024 to 02-08-2024)

Adopt e-bill. Save trees. Provide email details to us through website/call/email.

Fixed Charge="A" (स्थायी शुल्क)	Consumption Measured During (खपत अवधि माप)	Energy Units Consumed / Billed (खपत / बिल में शामिल विद्युत यूनिट)	Slabwise Energy Charge (स्लेब आधारित विद्युत शुल्क)		Slab-wise Power Purchase Adjustment Charge (स्लेब आधारित विद्युत ऊर्जा खर्चन शुल्क)		Time of Day (TOD) Charge दोपहर गॉज वे (टीओडी) शुल्क		Surcharge @ 8% on (Energy Charge + Fixed Charge - Rebate) = "E" रु. विद्युत शुल्क + स्थायी शुल्क - छूट पर 8% अधिभार	Electricity Tax @ 5% on Energy Charge, Surcharge on Energy Charge, PPAC amount & TOD Surcharge/Rebate amount = "H" रु. विद्युत शुल्क, विद्युत शुल्क के अधिभार, रीपीएससी राशि, एन.टी.ओ.डी. राशिमात्र/ छूट पर 5% विद्युत कर	Total Amount (K = A+B+C+D+E+ F+G+H+I+J) रु. (कुल राशि)
			Units Rate (यूनिट दर)	Amount = "B" (राशि)	PPAC % on B (B पर रीपीएससी प्रतिशत)	PPAC Amount = "C" (रीपीएससी राशि)	TOD % on "B" (B पर टाइमो वे प्रशिक्षण)	TOD Surcharge/ Rebate Amount = "D" रु. टैमोडी अधिभार/ छूट राशि			
382258.06	NORMAL(S)	367280.00	7.75	2846420.00	35.83	119872.29			469852.82	394878.24	9497752.54
0.96 Mth(s)	OFFPEAK(S)	176900.00	7.75	1370975.00	35.83	392976.28	20.00	(274195.00)			
PPAC on Fixed Charge = "G"	PEAK(S)	184680.00	7.75	1431270.00	35.83	615388.84	20.00	286254.00			
136963.06									411121.22		
CCTV Units									TCS Amount ₹ "I"		
0.00									Base Amt.	Surcharge	
Street Light Units									Other Charges "J"		
Wi-Fi Units									13717.74		
									CCTV Bill Amount		
									0.00		
Total Units = 728860		Total (B) = 5648665.00		Total (C) = 2028237.40		Total (D) = 12059.00					

### Past Dues / Refunds / Subsidy (पिछला बकाया/वापसी/सब्सिडी)

Consumer registered under GST may submit it's GSTIN at concerned division

Provisional Bill Refunds(वापसी)		Arrears (बकाया)		Late Payment Surcharge (LPSC)	Total Charges Payable	Net Amount Payable
Refund Unit	Refund Amount	Amount (राशि)	Period to which it relates (जिस अवधि से संबद्ध है)	(दोरी से मुगतान पर अधिभार)	(कुल देय शुल्क)	(कुल देय राशि)
0		8814.73	Since JUL-24		9506567.27	(230668.84)/ 9275898.43

Amount not immediately payable, if any. (राशि जो पुरत देय नहीं है, यदि हो तो)		BG Security Deposit	रु.
		BG Expiry Date	
Service line cum Development Charges paid (सुगतान किया गया सर्विसलाइन एवं डेवलपमेंट शुल्क)		Cash Security Deposit	रु. 2212500.00
Interest accrued for FY 2023-24, already adjusted in bill No. 100517969648 (generated for the period 05-03-2024 to 04-04-2024)			रु. (183263.80)
Interest for FY 2024-25 will be adjusted in your first bill to be generated in FY 2025-26			

### Bill Amount Payable (बिल देय राशि)

<b>₹ 9275900.00</b>
<b>Due Date of Payment (मुगतान देय तिथि) 23-08-2024</b>
If payment is made after the due date, LPSC for the delay, shall be charged in the next bill. (नियत तिथि के बाद मुगतान करने पर इस विलंब हेतु अगले विल में एलपीएससी जोड़ दिया जाएगा.)

Last payment ₹ 8080132.00 received on 20-07-2024. Payment accounted upto 05-08-2024. The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection - Single phase ₹ 200, Three phase ₹ 500. "LET'S MOVE TO ELECTRIC VEHICLES FOR BETTER TOMORROW (अच्छे भविष्य के लिए विद्युत वाहन की तरफ बढ़ावा करें)"

### IMPORTANT MESSAGE (महत्वपूर्ण सूचना)

\*Other charges includes -Load violation Surcharge:13717.74 Power Purchase Adjustment Charge (PPAC) @ 35.83% been levied on energy & fixed charge w.e.f 01.05.2024. CCTV Bill amount include Energy,RA,PPAC,PTC and Electricity Tax on CCTV consumption. In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 7.00% has been levied on energy & fixed charge w.e.f. 01.10.2021. The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division office. Anyone treating Electricity Bill as conclusive proof of Residence is advised to verify the particulars. Switch off lights and appliances from mains when not in use. This will conserve energy and reduce your electricity bill.ELCB is a safeguard agai

(This bill is computer generated, hence does not require any signature.)

**BSES** Powered by **BHARAT BILLPAY** BSES Rajdhani Power Limited

#### Payment slip

- Make your digital payment to BRPL CA No. 100012528
- Cheque should not be post dated.
- Write your telephone number on backside of the cheque.

Cheque should be account payee and payable at Delhi.  
 Not staple, only clip the cheque to payment slip.



Bill amount payable : ₹ 9275900.00 Bill month: AUG-24.....  
 Cheque/DD No.: Date: .....

Dear Consumer. Get coloured electricity bills directly in your mail box. Switch to e-bills to save trees. Please call 19123 or email: brpl.customercare@relianceada.com - Team BRPL

Scan & Pay QR code Powered by BOB

KCC 415396

The revised tariff schedule is effective from 1st October 2021

Categories	Description	Fixed/Demand Charge		Energy Charge					Categories	Description	Fixed/Demand Charge	Energy Charge	Temporary		
		Load(kW)	(₹/month)	0-200 Units	201-400 Units	401-800 Units	801-1200 Units	Above 1200 Units					Categories	Fixed Charge	Energy Charge
Domestic	Individual connections:	Upto 2kW	20/kW/mth						Agriculture	Agriculture	125/kW/mth	₹ 1.50/kWh	Domestic including GHS	Same as relevant category	Same as relevant category
	Domestic Light / Mixed Domestic Power, Farm House upto 21kW	>2kW to 5kW	50/kW/mth	₹ 3.00	₹ 4.50	₹ 6.50	₹ 7.00	₹ 8.00	Mushroom	Mushroom Cultivation upto 100 kW	200/kW/mth	₹ 3.50/kWh	Threshers during the threshing season	MCD E.Tax of ₹ 270 / conn/mth	Flat Rate - ₹ 5400/mth
	Single point supply at 11kV for GHS- Domestic Lighting / Fan and Power	>5kW to 15kW	100/kW/mth						Public Utility	Delhi Jal Board, DMRC, Public Lighting etc.	250/kVA/mth	₹ 6.25/kVAh			
		>15kW to 25kW	200/kW/mth							Delhi International Airport Limited (DIAL)	250/kVA/mth	₹ 7.75/kVAh			
		>25kW	250/kW/mth							Advertisements and Hoardings	250/kVA/mth	₹ 8.50/kVAh			
Non-Domestic	Shopkeepers	Upto 3kVA							Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery	LT	₹ 4.50/kWh	All other including construction	Same as relevant category	1.30 times of relevant category of tariff	
	Other Non-Domestic	>3kVA	250 kVA/mth							HT	₹ 4.00/kVAh				
Industrial	Industrial														

Schedule of Time of Day (TOD) Tariff

Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
May-September	1400-1700 hrs and 2200-0100 hrs	20% (*waived for Sep 2020)	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for >10kW / 11kVA other than Domestic. Optional for 3 Phase Domestic Consumers.

Consumption History (खपत का विवरण) :

From	Period	To	No. of Days	Units (kwh/kVAh)	Total Bill Payable	Bill Basis
06-06-2024		03-07-2024	28	633920	8088220.00	Actual
03-05-2024		05-06-2024	34	718580	9135110.00	Actual
05-04-2024		02-05-2024	28	485660	6264900.00	Actual
05-03-2024		04-04-2024	31	461120	5844970.00	Actual
03-02-2024		04-03-2024	31	405180	5374050.00	Actual
03-01-2024		02-02-2024	31	381480	4788400.00	Actual

Paying your electricity bill (Bill payment information)

**Payment Options**

- You can pay your bill by cash / cheque /DD /Pay Order up to Rs 4000/- and for amount more than Rs 4000/- by cheque /DD/Pay Order.
- According to DERC's recent tariff order, it is mandatory for all consumers (except Domestic, Agriculture & Mushroom Cultivation) to pay their monthly electricity bills exceeding Rs.20,000/- through digital modes w.e 1 October 1, 2021\*
- Drop your cheque in our drop boxes at various RWA offices and at BRPL Counters. The list of drop boxes is available on the website.
- Bill payment counters are open from 0900 hrs. to 1500 hrs. from Monday to Saturday.
- Bill payment upto Rs 50,000/- can be paid in cash at Bank branches of PNB and Bank of Baroda.

**Points to remember while paying your bill**

- Please pay your electricity bill only on obtaining computer generated bill.
- Do not make payment to unauthorized agencies / touts.
- In case your cheque is returned unpaid / dishonored by bank, cheque return charges (presently Rs. 200 + GST, as applicable) will be imposed and action will be taken under Section 138 of the Negotiable Instruments Act 1881.
- Convenience fee on card swipe and online payments applicable on payment amount above Rs 5000/- is to be borne by the consumer. For charge details, kindly visit our website www.bsedelhi.com

Customer Complaint Management:

For any query / complaint, you may contact us using any of the following options:

- Call Center No. 19123 (24x7 Toll Free)
- Customer Care Centers (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat: 9:30 AM to 1:00 PM)
- Email - brpl.customercare@relianceada.com
- www.bsedelhi.com

Escalation matrix for complaints:

- In case you are not satisfied with the resolution of your query / complaint, you may contact the below listed BRPL officials-
  - Customer Care Officer (Timing 09:15 AM to 3:15 PM)
  - Business Manager (between 10AM to 11AM on any working day)
  - Circle Head (with prior appointment)
- Head-Customer Care,
  - BSES Rajdhani Power Limited,
  - BSES Bhawan, Nehru Place, New Delhi-110019
  - Email - brplhead\_customercare@relianceada.com
- Consumer Grievance Redressal Forum (CGRF): In case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017. Email: cgrfbrpl@gmail.com
- Electricity Ombudsman: An appeal against the CGRF order may be filed with Electricity Ombudsman. B-53, Paschim Marg, Vasant Vihar, New Delhi-110057.

उपभोक्ता शिकायत प्रबंध :

किसी तरह के पृष्ठताछ / शिकायत के लिए कृपया आप हमें निम्नवत विकल्पों के जरिए संपर्क कर सकते हैं:

- कॉल सेंटर नंबर 19123 (24x7 टोल फ्री)
- कस्टमर केयर सेंटर समय (सोमवार से शुक्रवार सुबह 9:30 बजे से अपराह्न 5:30 बजे और शनिवार सुबह 9:30 से अपराह्न 1:00 बजे तक)
- brpl.customercare@relianceada.com पर ईमेल करें
- www.bsedelhi.com

शिकायतों के लिए यहां भी संपर्क करें :

- अगर आप अपने पृष्ठताछ / शिकायत के निवारण से संतुष्ट नहीं हैं तो आप निम्नवत ब्यौआरपीएल अधिकारियों से संपर्क कर सकते हैं-
  - कस्टमर केयर ऑफिसर (सुबह 9:15 बजे से अपराह्न 3:15 बजे)
  - बिजनेस मैनेजर (किसी भी कार्यदिवस के दिन सुबह 10 बजे से 11 बजे तक)
  - सर्किल हेड (पूर्व निश्चित समय लेकर)
- हेड कस्टमर केयर,
  - बीएसईएस राजधानी पावर लिमिटेड,
  - बीएसईएस भवन, नेहरू प्लेस, नई दिल्ली 110019
  - ईमेल: brplhead\_customercare@relianceada.com
- कंज्यूमर ग्रीवांस रिड्रेसल फोरम (सीजीआरएफ) : यदि आप अपनी शिकायत पर सेवा प्रदाता के जवाब से संतुष्ट नहीं हैं तो आप सीजीआरएफ-बीआरपीएल, सब स्टेशन बिल्डिंग, सेक्टर - V, पुष्पविहार, नई दिल्ली 110017, ईमेल cgrfbrpl@gmail.com में अपनी शिकायत दर्ज कर सकते हैं।
- इलैक्ट्रिसिटी ऑम्बुड्समैन : सीजीआरएफ के आदेश के खिलाफ अपील इलैक्ट्रिसिटी ऑम्बुड्समैन, बी-53, पश्चिमी मार्ग, वसंत विहार, नई दिल्ली-110057, में दायर कर सकते हैं।

**Disclaimer-** This electricity bill is only for electricity supply to the premises occupied by the consumer and should not be construed as having bearing on the rights or titles over the premises.

**अस्वीकरण:** यह बिजली का बिल उपभोक्ता के निवास/कार्यालय पर बिजली की आपूर्ति के लिए है, और इसे उस स्थान पर उपभोक्ता के अधिकार या स्वामित्व समान न समझा जाए।

"GoNCT vide Order No. F.6/85/Power/2024/447-459 dated 14.03.2024 has extended subsidy to Domestic Consumers for Financial Year 2024-2025 of entire bill amount upto 200 Units/month, Slab 201-400 Units/month will get subsidy upto Rs 800/month. No subsidy consumption above 400 Units/month"

दिल्ली सरकार की आदेश संख्या F.6/85/Power/2024/447-459 दिनांक 14.03.2024 के अनुसार घरेलू उपभोक्ताओं के लिए सब्सिडी वित्तीय वर्ष 2024-25 तक बढ़ा दी है, 200 यूनिट / माह तक के संपूर्ण बिल राशि, स्लैब 201-400 यूनिट / माह पर ₹ 800 सब्सिडी मिलेगी। 400 यूनिट प्रति माह से ऊपर खपत के लिए कोई सब्सिडी नहीं है।

**मुफ्त कानूनी सहायता (Free Legal Aid)**

मुक्त कानूनी सहायता है कि आप किसी तरह के विवाद/समस्या को निपटारे में मदद करे। दिल्ली राज्य विधिक सेवा प्राधिकरण, परिवारक हस्त कायादा पत्र, नई दिल्ली।

हस्ताक्षर: 1515 (24x7) टोल फ्री, ईमेल: delhi@delhi.gov.in, वेबसाइट: www.delhi.gov.in, Facebook: delhi.gov.in

अपना आप किसी भी विवाद/समस्या पर विचार विना विधिक सेवा प्राधिकरण (DLSA) के कार्यालय में भी संपर्क कर सकते हैं।

बिजली के संबंधित विवाद के निपटारे / समाधान के लिए संपर्क करें।

- स्वामी लोक अदालत - I & II (PLA-I&II) (बीएसईएस आरपीएल, बीएसईएस वाईपीएल, और टीपीडीपीएल के लिए) जगत नुरी स्ट्रीट, आरपीएल के पास, नई दिल्ली - 110002.
- स्वामी लोक अदालत - III (PLA-III) (केएसबीएसईएस आरपीएल) पीवीआर रोड, सी-स्कॉक पीवीआर के पास, विक्टर पुरी नई दिल्ली - 110014.

आपका बिल भुगतान

बिल भुगतान सूचना

भुगतान विकल्प

- आप 4000 रुपये तक के अपने बिल का भुगतान नकद / चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं। 4000 रुपये से अधिक की रकम का भुगतान चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं।
- बीईआरपीएल के ऑफिसर के मुलाखत, सभी उपभोक्ताओं (घरेलू, कृषि और मशरूम की खेती को छोड़कर) के लिए यह आवश्यक है कि वे 20,000 रुपये से अधिक के बिलों का भुगतान 1 अक्टूबर, 2021 से डिजिटल माध्यम से करें।
- आरडब्ल्यू ऑफिसर और विभिन्न बीआरपीएल कार्टर्स पर लग हमारे जॉब पोस्टर में आप अपना चेक डालें। ऑन बांसोज की लिस्ट हमारी वेबसाइट पर उपलब्ध है।
- बिल भुगतान केंद्र सुबह 9 बजे से शाम 3 बजे तक खुले रहेंगे।
- पंजाब नेशनल बैंक और बैंक ऑफ इंडिया की शाखाओं में 50000 रुपये तक बिजली का भुगतान नकद में करा सकते हैं।

बिल भुगतान करते समय ये बातें याद रखें

- कंप्यूटरीकृत बिल पाने के बाद ही अपने बिजली बिल का भुगतान करें।
- अनाधिकृत एजेंसियों / दलालों को भुगतान न करें
- अगर आपका चेक बैंक द्वारा बयोर भुगतान के / अस्वीकृत होकर वापस आ जाता है तो चेक वापसी शुल्क (मौजूदा 200 रुपये + जीएसटी, जैसा लागू हो) वसूल जाएगा और निगाईएल इस्टिमेट एक्ट 1981 की धारा 138 के तहत कार्यवाही की जाएगी।
- कार्ड स्टाइप और ऑनलाइन के द्वारा 5000 रुपये से अधिक के भुगतान पर लगने वाले सुविधा शुल्क को उपभोक्ता को वहन करना होगा। शुल्क के विस्तृत ब्यौआर के लिए कृपया हमारे वेबसाइट www.bsedelhi.com पर जाएं।

**Contact details: (संपर्क संबंधी विवरण):**

**Nearest Payment Centre**  
1ST FLOOR, A-BLOCK, BSES BHAWAN NEHRU PLACE NEW DELHI 110019 (Tel No: 49209489)

Business Manager : MR NISHANT SRIVASTAVA (49209489)  
Commercial Officer : MR BHUPESH DHAMANA (49209485)

Pay your electricity bills conveniently by any of the following options:

Payment Options	Timings	For payment of energy bill		
		Details	SBI Bank	Axis Bank
Digital Online Payments	24x7	Beneficiary Name	BSES Rajdhani Power Limited	BSES Rajdhani Power Limited
Cash Counters	9AM - 3PM	Beneficiary A/C No.	SBIBRE (Fixed) + 9 Digit Customer Account Number (Variable)	VBRE(Fixed) + 9 digit customer account number (Variable) (For eg. VBRE123456789)
24*7 self payment Kiosk	24x7	IFSC Code	SBIN0004266	UTIB0CC274
Bank Branches	Bank Timings	Bank Name	State Bank of India	Axis Bank Ltd
Cheque Drop boxes	24x7	Branch Address	State Bank of India, CMP Centre	9th floor, Solaris C wing, Opp L&T gate no. 6, Sakhi Vihar Road, Powai, Mumbai-400072
Cheque by Post	24x7			



### Meter Details Annexure

Name : SRI BALAJI ACTION MEDICAL INSTITUTE .  
 Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063  
 Sanctioned Load : 1391.00 (kVA)  
 Contract Demand : 1391.00 (kVA)  
 M D I : 1580.00 (kVA)  
 Power Factor : 0.997  
 Pole No. : NA  
 Meter Reading Status : DL  
 Cycle No. : KC  
 Tariff Category : Large Industrial Power  
 CA No. : 100012528  
 Energisation Date : 04-06-2004  
 Meter Type : 3PSK  
 Supply Type : HT(11KV)  
 Bill No. : 100039651554  
 Bill Basis : Actual

**Supply Address :** FC-34 PASCHIM VIHAR NEAR BALAJI  
 Mobile / Tel. No. : 9560972288  
 Email ID : maintenance@actionhospital.com  
 District / Division : Punjabi Bagh  
 Walking Sequence : PSVKC0035A0AA  
 Bill Month : AUG-24  
 Bill Date : 08-08-2024

### Net Meter Consumption Details (Date Of Reading: )

Total Solar Generation Units	For the Billing Period			Cumulative Generation in FY			Solar Installation Details			Date of Installation	Capacity kWp				
	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Excess Gen Unit	Shared by Prim	C/F Unit (If any)

(Consumption in the above table are in kWh/kVah, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading(24:00Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
XD446812	KWH	02-08-2024	17274.91	03-07-2024	16911.75	2000.00	30	726320.00
XD446812	KW	02-08-2024	0.78			2000.00		1560.00
XD446812	KVAH	02-08-2024	17410.80	03-07-2024	17046.37	2000.00	30	728860.00
XD446812	KVA	02-08-2024	0.79			2000.00		1580.00
XD446812	KVAHP	02-08-2024	4615.78	03-07-2024	4523.44	2000.00	30	184680.00
XD446812	KVAHO	02-08-2024	4195.15	03-07-2024	4106.70	2000.00	30	176900.00

Call Us **19123** (TOLL FREE)

## Bill of Supply for Electricity

**Due Date (देय तिथि) :**  
**24-09-2024**

Name : **SRI BALAJI ACTION MEDICAL INSTITUTE** . Sanctioned Load : 1391.00 (kVA)  
Billing Address: FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063 Contract Demand : 1391.00 (kVA)  
Supply Address: FC-34 PASCHIM VIHAR NEAR BALAJI HOSPITAL NEW DELHI 110063 M D I : 1380.00 (kVA)  
Mobile / Tel. No. : 9560972288 Power Factor : 0.996  
Email ID : maintenance@actionhospital.com Pole No : NA  
District / Division : Punjabi Bagh Meter Reading Status : DL  
Walking Sequence : PSVKC0035A0AA Cycle No. : KC  
Bill Month : SEP-24 Tariff Category : Large Industrial Power  
Bill Date : 09-09-2024

CA No. : **100012528**  
Energisation Date : 04-06-2004  
Meter Type : 3PSK  
Supply Type : HT(11KV)  
Bill No. : 100039731930  
Bill Basis : Actual  
O.D. No. : R/24/10435835637  
CCTV Tagged : No  
Street Light Tagged : No  
Wi-Fi Tagged : No

BRPL Customer

Meter No. (मीटर सं.)	Unit (यूनिट)	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor (गुणांक)	Current Consumption (वर्तमान खपत)	
		Date Of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	Date Of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)		Days (दिन)	Unit (यूनिट)
<b>Meter Details in Annexure</b>								

**Billing Details (बिल का विवरण)** **"LET'S MOVE TO ELECTRIC VEHICLES FOR BETTER TOMORROW"**  
(अच्छे भविष्य के लिए विद्युत वाहन की तरफ बढ़ाव करें)

Fixed Charge= "A" ₹ (स्थायी शुल्क)	Consumption Measured During (खपत अवधि माप)	Energy Units Consumed/Billed (खपत / बिल में शामिल विद्युत यूनिट)	Slabwise Energy Charge (स्लेब आधारित विद्युत शुल्क)		Slab-wise Power Purchase Adjustment Charge (स्लेब आधारित विद्युत क्रय समायोजन शुल्क)		Time of Day (TOD) Charge दोहन ऑफ दे (टैकोडी) शुल्क		Surcharge @ 8% on (Energy Charge + Fixed Charge - Rebate) = "E" (विद्युत शुल्क + स्थायी शुल्क - छूट, पर 8% अधिभार)	Electricity Tax @ 5% on Energy Charge, Surcharge on Energy Charge, PPAC amount & TOD Surcharge/Rebate amount = "F" (विद्युत शुल्क, विद्युत शुल्क के अधिभार, पीपीएसी संशोधन एवं टैकोडी अधिभार / छूट पर, 5% विद्युत कर)	Total Amount (K=A+B+C+D+E+F+G+H+I+J) ₹ (कुल राशि)
			Units Rate ₹ (यूनिट दर)	Amount = "B" ₹ (राशि)	PPAC % on B (B पर पीपीएसी प्रतिशत)	PPAC Amount = "C" ₹ (पीपीएसी राशि)	TOD % on "B" (B पर टैकोडी प्रतिशत)	TOD Surcharge/Rebate Amount = "D" ₹ (टैकोडी अधिभार / छूट राशि)			
371681.19	NORMAL(S)	375480.00	7.75	2909970.00	35.83	1042642.25			482771.53	407251.97	9747202.53
	OFFPEAK(S)	183320.00	7.75	1420730.00	35.83	407238.05	20.00	(284146.00)			
	PEAK(S)	192640.00	7.75	1492960.00	35.83	641913.08	20.00	298592.00			
133173.37									Pension Surcharge @ 7% on (Energy Charges+Fixed Charge-Rebate) = "G" ₹ 422425.08		
									TCS Amount ₹ "I"		
									Base Amt. Surcharge		
									Other Charges ₹ "H"		
									CCTV Bill Amt		
	<b>Total Units =</b>	<b>751440</b>	<b>Total (B) =</b>	<b>5823660.00</b>	<b>Total (C) =</b>	<b>2091793.39</b>	<b>Total (D) =</b>	<b>14446.00</b>			

**Past Dues / Refunds / Subsidy (पिछला बकाया/वापसी/सब्सिडी)** Consumer registered under GST may submit it's GSTIN at concerned division

Provisional Bill Refunds (वापसी)	Arrears (बकाया)		Late Payment Surcharge (LPSC)	Total Charges Payable	Rebate / Subsidy*	Net Amount Payable	
Refund Unit	Refund Amount	Amount (राशि)	Period to which it relates (जिस अवधि से संबंध है)	(कुल देय शुल्क)	(₹ / राशि/दि)	(कुल देय राशि)	
		9274.43	Since JUL-24	5.31	9756482.27	(237896.98)	9518585.29

Amount not immediately payable, if any. (राशि जो तुरंत देय नहीं है, यदि हो तो)		BG Security Deposit	₹
		BG Expiry Date	
Service line cum Development Charges paid (भुगतान किया गया सर्विसलाइन एवं डेवलपमेंट शुल्क)	₹	Cash Security Deposit	₹ 2212500.00
Interest accrued for FY 2023-24 already adjusted in bill no. 100517969648 (generated for the period 05-03-2024 to 04-04-2024).			₹ (183263.80)
Interest for FY 2024-25 will be adjusted in your first bill to be generated in FY 2025-26			

Last payment ₹ 9266624.00 received on 20-08-2024. Payment accounted upto 06-09-2024.

**Consumption History (खपत का विवरण)**

Period	No. of Days	Units (kWh/kVAh)	Total Bill Payable	Bill Basis
04-07-2024 To 02-08-2024	30	728860	9275900.00	Actual
06-06-2024 To 03-07-2024	28	633920	8088220.00	Actual
03-05-2024 To 05-06-2024	34	718580	9135110.00	Actual
05-04-2024 To 02-05-2024	28	485660	6264900.00	Actual
05-03-2024 To 04-04-2024	31	461120	5844970.00	Actual
03-02-2024 To 04-03-2024	31	405180	5374050.00	Actual

**Bill Amount Payable**  
(बिल देय राशि)

**₹ 9518590.00**

**Due Date of Payment**  
(भुगतान देय तिथि) **24-09-2024**

If payment is made after the due date, LPSC for the delay, shall be charged in the next bill. (नियत तिथि के बाद भुगतान करने पर इस विलंब हेतु अगले बिल में एलपीएससी जोड़ दिया जाएगा)

**Contact Details: (संपर्क संबंधी विवरण):**

Nearest Customer Care & Payment Centre  
1ST FLOOR, A-BLOCK, BSES BHAWAN NEHRU PLACE  
NEW DELHI 110019 (Tel No. 49209489)

Business Manager : MR NISHANT SRIVASTAVA (49209489)  
Commercial Officer : MR BHUPESH DHASMANA (49209485)

(This bill is computer generated, hence does not require any signature.)

**IMPORTANT MESSAGE (महत्वपूर्ण सूचना)**

Power Purchase Adjustment Charge (PPAC) @ 35.83% been levied on energy & fixed charge w.e.f 01.05.2024. CCTV Bill amount include Energy, RA, PPAC, PTC and Electricity Tax on CCTV consumption. In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 7.00% has been levied on energy & fixed charge w.e.f 01.10.2021. The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division office. Anyone treating Electricity Bill as conclusive proof of Residence is advised to verify the particulars. Switch off lights and appliances from mains when not in use. This will conserve energy and reduce your electricity bill. ELCB is a safeguard against faulty internal wiring and prevents shock, fire and el

**Payment Slip**

• Make your Cheque/DD payable to BRPL CA No. 100012528 Bill Month : SEP-24

Bill Amount payable : ₹ 9518590.00 Cheque DD No. : Date : .....



ELECTRICITY BILL

Scan & Pay QR code  
Powered by BOB

KCOXR100012528000951859000202409240000000000

# Tariff structure

Categories	Description	Fixed/Demand Charge		Energy Charge					Categories	Description	Fixed/Demand Charge	Energy Charge	Temporary		
		Load(kW)	(₹/month)	0-200 Units	201-400 Units	401-800 Units	801-1200 Units	Above 1200 Units					Categories	Fixed Charge	Energy Charge
Domestic	Individual connections: Domestic Light / Mixed Domestic Power, Farm House upto 21kW	Upto 2kW	20/kW/mth	₹3.00	₹4.50	₹6.50	₹7.00	₹8.00	Agriculture	Agriculture	125/kW/mth	₹1.50/kWh	Domestic Including GHS	Same as relevant category	Same as relevant category
		>2kW to 5kW	50/kW/mth						Mushroom	Mushroom Cultivation upto 100 kW	200/kW/mth	₹3.50/kWh	Thresholds during the threshing Season	MCD E. Tax of ₹ 270/conn/mth	Flat Rate ₹5400/mth
		>5kW to 15kW	100/kW/mth						Public Utility	Delhi Jal Board, DMRC, Public Lighting etc.	250/kVA/mth	₹6.25/kVAh			
	>15kW to 25kW	200/kW/mth							Delhi International Airport Limited (DIAL)	250/kVA/mth	₹7.75/kVAh				
	Single point supply at 11kV for GHS - Domestic Lighting / Fan and Power	150/kW/mth							Advertisements and Hoardings	250/kVA/mth	₹8.50/kVAh				
Non-Domestic	Shopkeepers	Upto 3kVA							Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery	LT	₹4.50/kWh	All other including construction	Same as relevant category	1.30 times of relevant category of tariff	
	Other Non-Domestic	>3kVA	250 kVA/mth							HT	₹4.00/kVAh				
Industrial	Industrial														

## Schedule of Time of Day (TOD) Tariff

Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
May-September	1400-1700 hrs and 2200-0100 hrs	20% (*waived for Sep 2020)	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for >10kW / 11kVA other than Domestic. Optional for 3 Phase Domestic Consumers.

Disclaimer- This electricity bill is only for electricity supply to the premises occupied by the consumer and should not be construed as having bearing on the rights or titles over the premises.

अस्वीकरण: यह बिजली का बिल उपभोक्ता के निवास/ कार्यालय पर बिजली की आपूर्ति के लिए है, और इसे उस स्थान पर उपभोक्ता के अधिकार या स्वामित्व समान न समझा जाए।

\*GoNCTD vide Order No. F.6/85/Power/2024/447-459 dated 14.03.2024 has extended subsidy to Domestic Consumers for Financial Year 2024-2025 of entire bill amount upto 200 Units/month. Slab 201-400 Units/month will get subsidy upto Rs 800/month. No subsidy consumption above 400 Units/month\*

दिल्ली सरकार की आदेश संख्या F.6/85/Power/2024/447-459 दिनांक 14.03.2024 के अनुसार घरेलू उपभोक्ताओं के लिए सब्सिडी वित्तीय वर्ष 2024-2025 तक बढ़ा दी है, 200 यूनिट/माह तक के संपूर्ण बिल राशि, स्लैब 201-400 यूनिट/माह पर ₹ 800 सब्सिडी मिलेगी। 400 यूनिट प्रतिमाह से ऊपर खपत के लिए कोई सब्सिडी नहीं है।

## Customer Complaint Management:

For any query/complaint, you may contact us using any of the following options:

- Call Center No. 19123 (24x7 Toll Free)
- Customer Care Centers (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat: 9:30 AM to 1:00 PM)
- Email-brpl.customercare@relianceada.com
- www.bsedelhi.com

## Escalation matrix for complaints:

- In care you are not satisfied with the resolution of your query/complaint, you may contact the below listed BRPL officials-
  - Customer Care officer (Timing 09:15 AM to 3:15 PM)
  - Business Manager (between 10AM to 11AM on any working day)
  - Circle Head (with prior appointment)
- Head-Customer Care.**  
BSES Rajdhani Power Limited,  
BSES Bhawan, Nehru Place, New Delhi-110019  
Email - brplhead.customercare@relianceada.com
- Consumer Grievance Redressal Forum (CGRF):** In Case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017.  
Email cgrfbrpl@gmail.com
- Electricity ombudsman:** An appeal against the CGRF order may be filled with Electricity Ombudsman, B-53, Paschim Marg, Vasant Vihar, New Delhi-110057

## उपभोक्ता शिकायत प्रबंध

किसी तरह के पृष्ठताछ / शिकायत के लिए कृपया आप हमें निम्नवत् विकल्पों के जरिए संपर्क कर सकते हैं:

- कॉल सेंटर नंबर 19123 (24x7 टोल फ्री)
- कस्टमर केयर सेंटर समय (सोमवार से शुक्रवार सुबह 9:30 बजे से अपराह्न 5:30 बजे और शनिवार सुबह 9:30 से अपराह्न 1:00 बजे तक)
- brpl.customercare@relianceada.com पर ईमेल करें
- www.bsedelhi.com

## शिकायतों के लिए यहां भी संपर्क करें:

- अगर आप अपने पृष्ठताछ/शिकायत के निवारण से संतुष्ट नहीं है तो आप निम्नवत् वीआरपीएल अधिकारियों से संपर्क कर सकते हैं-
  - कस्टमर केयर ऑफिसर (सुबह 9:15 बजे से अपराह्न 3:15 बजे)
  - बिजनेस मैनेजर (किसी भी कार्यदिवस के दिन सुबह 10 बजे से 11 बजे तक)
  - सर्किल हेड (पूर्व निश्चित समय लेकर)
- हेड कस्टमर केयर,  
वीएसईएस राजधानी पावर लिमिटेड,  
वीएसईएस भवन, नेहरू प्लेस, नई दिल्ली 110019  
ईमेल brplhead.customercare@relianceada.com
- कंज्यूमर ग्रीवांस रेड्रेसल फोरम (सीजीआरएफ) : यदि आप अपनी शिकायत पर सेवा प्रदाता के जवाब से संतुष्ट नहीं है तो आप सीजीआरएफ-वीआरपीएल, सब स्टेशन बिल्डिंग, सेक्टर - V, पुष्पविहार, नई दिल्ली 110017, ईमेल cgrfbrpl@gmail.com में अपनी शिकायत दर्ज कर सकते हैं।
- इलेक्ट्रिसिटी ऑम्बुड्समैन : सीजीआरएफ के आदेश के खिलाफ अपील इलेक्ट्रिसिटी ऑम्बुड्समैन, बी-53, पश्चिमी मार्ग, वसंत विहार, नई दिल्ली-110057, में दायर कर सकते हैं।

**मुफ्त कानूनी सहायता (Free Legal Aid)**

यूएन संसदीय सत्रों के लिए अथवा दिल्ली राज्य विधिक सेवाएं प्राधिकरण (DLSA) के तहत यह दिल्ली राज्य विधिक सेवाएं प्राधिकरण, पटनाला हॉल न्यायालय परिसर, नई दिल्ली।

दस्तावेज: 1516 (24x7) हेतु फ्री ईमेल: lae-dlsa@gov.in, website: www.dlsa.org, #3-facebook.com/dlsa

अथवा आप किसी भी विल का मुद्दा न्यायालय परिसर में विल का मुद्दा विधिक सेवाएं प्राधिकरण(DLSA) के कार्यालय में भी संपर्क कर सकते हैं।

विलों से संबंधित विचार के लिए/समाधान के लिए संपर्क करें।

- स्वामी लोक अदालत - I&II (PLA-I&II) (वीएसईएस आरपीएल, वीएसईएस वाशिंगटन, और टीपीसीईएल के लिए) मुद्रा मुद्रा लेन, आर्डीओ के पास, नई दिल्ली - 110002.
- स्वामी लोक अदालत - III (PLA-III) (केवल वीएसईएस आरपीएल) वीसीआर टोर, वी-सीके, पीवीआर के पास, विलवत मुद्रा नई दिल्ली - 110018.

## आपका बिल भुगतान

### बिल भुगतान सूचना

#### भुगतान विकल्प

- आप 4000 रुपये तक के अपने बिल का भुगतान नकद / चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं। 4000 रुपये से अधिक की रकम का भुगतान चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं।
- डीडीआरसी के हाथिया टैरिफ ऑर्डर के मुताबिक, सभी उपभोक्ताओं (घरेलू कृषि और मरुभूमि की खेती को छोड़कर) के लिए आग्रहक है कि वे 20,000 रुपये से अधिक के बिल का भुगतान 1 अक्टूबर, 2021 से डिजिटल माध्यमों से करें।
- आरडब्ल्यू ऑफिसर और विभिन्न वीआरपीएल काउंटर पर हमें हमारे ड्रॉप बॉक्स में आप अपना चेक डालें। ड्रॉप बॉक्सों की लिस्ट हमारी वेबसाइट पर उपलब्ध है।
- बिल भुगतान केंद्र सुबह 9 बजे से शाम 3 बजे तक खुले रहेंगे।
- पंजाब नेशनल बैंक और बैंक ऑफ बॉम्बे की शाखाओं में 50000 रुपये तक बिजली का भुगतान नकद में करा सकते हैं।

#### बिल भुगतान करते समय ये बातें याद रखें

- कंप्यूटरीकृत बिल पाने के बाद ही अपने बिजली बिल का भुगतान करें।
- अनाधिकृत एंजोसियों/पत्तालों को भुगतान न करें।
- अगर आपका चेक बैंक द्वारा वापस भुगतान के /अस्वीकृत होकर वापस आ जाता है तो चेक वापसी शुल्क (सीजूटा 200 रुपये + जीएसटी, जैसा लागू हो) वसूल जाएगा और निमोशियल इन्स्ट्रुमेंट्स एक्ट 1881 की धारा 138 के तहत कार्यवाही की जाएगी।
- काई स्वाइच और ऑनलाइन के द्वारा 5000 रुपये से अधिक के भुगतान पर लगने वाले सुविधा शुल्क की उपभोक्ता को बहन करना होगा। शुल्क की विस्तृत थ्योरी के लिए कृपया हमारे वेबसाइट [www.bsedelhi.com](http://www.bsedelhi.com) पर जाएं।

## Paying your electricity bill (Bill payment information)

**Payment Options**

- You can pay your bill by cash/cheque/DD/Pay Order up to Rs 4000/- and for amount more than Rs 4000/- by cheque/DD/Pay Order
- According to DERC's recent tariff order, it is mandatory for all consumers (except Domestic, Agriculture & Mushroom Cultivation) to pay their monthly electricity bills exceeding Rs 20,000/- through digital modes w.e.f October 1, 2021\*
- Drop your cheque in our drop boxes at various RWA offices and at BRPL Counters. The list of drop boxes is available on the website
- Bill payment counters are open from 0900 hrs to 1500 hrs, from Monday to Saturday.
- Bill payment upto Rs 50,000/- can be paid in cash at Bank branches of PNB and Bank of Baroda.

**Points to remember while paying your bill**

- Please pay your electricity bill only on obtaining computer generated bill
- Do not make payment to unauthorised agencies/bouts.
- In case your cheque is returned unpaid/dishonored by bank, cheque return charges (presently Rs. 200+ GST, as applicable) will be imposed and action will be taken under Section 138 of the Negotiable Instruments Act 1881.
- Convenience fee on card swipe and online payments applicable on payment amount above Rs 5000/- is to be borne by the consumer. For charge details, kindly visit our website [www.bsedelhi.com](http://www.bsedelhi.com).

## Pay your electricity bills conveniently by any of the following options:

Payment Options		Timings	For payment of energy bill		
			Details	SBI Bank	Axis Bank
Digital Online Payments	• Bharat Bill Pay (BBPS) - Pay option at all BBPS enabled Payments App (Paytm etc.) (Zero Charges) • QR code on bill - Powered by BOB • BSES Mobile App/Website - UPI, IMPS, Internet Banking, Credit/Debit Cards, Mobile Wallets, QR Code • RTGS/NEFT/ECS	24x7	Beneficiary Name	BSES Rajdhani Power Limited	BSES Rajdhani Power Limited
Cash Counters	<b>BRPL Cash Counters:</b> • Cash-Upto Rs. 4000/- • Cheque & Demand Draft- No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/- • Credit/Debit Cards • UPI	9AM - 3PM	Beneficiary A/C No.	SBIBRE (Fixed) + 9 Digit Customer Account Number (Variable)	VBRE(Fixed) + 9 Digit customer account number (Variable) (For eg. VBRE123456789)
24*7 self payment Kiosk	24*7 self payment Kiosks by cards, each division office	24x7	IFSC Code	SBIN0004266	UTIBOCC274
Bank Branches	Bank of Baroda and PNB • Cash-Upto Rs. 50,000/- only for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum permissible limit is upto Rs. 20,000/- • Cheque & Demand Draft- No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/- • Transfer by account holders.	Bank Timings	Bank Name	State Bank of India	Axis Bank Ltd
Cheque Drop boxes	Select RWA locations <b>Cheque &amp; Demand Draft</b> - No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/- BRPL owned drop boxes at counters	24x7 9AM - 5PM	Branch Address	State Bank of India, CMP Centre	9th floor, Solaris C wing, Opp L&T gate no. 6, Sakhi Vihar Road, Powai, Mumbai-400072
Cheque by Post	To BRPL division offices- Cheque & Demand Draft- No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-	24x7			

The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection - Single phase ₹200, Three phase ₹500.)

**BSES** Powered by

BSES Rajdhani Power Limited

**BHARAT BILLPAY**

- Cheque should not be post dated.
- Write your telephone number on backside of the cheque.
- Cheque should be account payee and payable at Delhi.
- Do not staple. Only clip the cheque to payment slip.

For detail log on to our website [www.bsedelhi.com](http://www.bsedelhi.com). Alternatively, you can visit our Customer Care Center or simply call at 19123 (24x7 Toll Free)  
**Regd. Office:** BSES Rajdhani Power Limited (A joint venture of Reliance Infrastructure Ltd. and Govt. of NCT of Delhi) BSES Bhawan, Nehru Place New Delhi 110 019.  
 CIN No. : U40109DL2001PLC111527, GSTIN.: 07AAGCS3187H223, Tel. No. 19123 (24x7 Toll Free), Fax No. : 011 39999890, Website : [www.bsedelhi.com](http://www.bsedelhi.com)

## Meter Details Annexure

Name	: SRI BALAJI ACTION MEDICAL INSTITUTE	Sanctioned Load	: 1391.00 (kVA)	CA No.	: <b>100012528</b>
Billing Address	: FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063	Contract Demand	: 1391.00 (kVA)	Energisation Date	: 04-06-2004
Supply Address	: FC-34 PASCHIM VIHAR NEAR BALAJI HOSPITAL NEW DELHI 110063	M D I	: 1380.00 (kVA)	Meter Type	: 3PSK
Mobile / Tel. No.	: 9560972288	Power Factor	: 0.996	Supply Type	: HT(11KV)
Email ID	: maintenance@actionhospital.com	Pole No	: NA	Bill No.	: 100039731930
District / Division	: Punjabi Bagh	Meter Reading Status	: DL	Bill Basis	: Actual
Walking Sequence	: <b>PSVKC0035A0AA</b>	Cycle No.	: KC	O.D. No.	: R/24/10435835637
Bill Month	: SEP-24	Tariff Category	: Large Industrial Power	CCTV Tagged	: No
Bill Date	: 09-09-2024			Street Light Tagged	: No
				WI-FI Tagged	: No

Net Meter Consumption Details (Date of Reading : )															
Total Solar Generation Units	For the Billing Period			Cumulative Generation in FY			Solar Installation Details			Date of Installation			Capacity kWp		
B/F Units (if any)	Export Reading			Import Reading			Net Difference			Moderate Units			Excess Gen Units	Shared by Prim.	C/F Units (If any)
	Normal	Peak	OffPeak	Normal	Peak	OffPeak	Normal	Peak	OffPeak	Normal	Peak	OffPeak			

(Consumption in the above table are in kWh/kVah, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading (24:00 Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
XD446812	kWh	04-09-2024	17648.95	02-08-2024	17274.91	2000.00	33	748080.00
XD446812	kW	04-09-2024	0.67			2000.00		1340.00
XD446812	kVAh	04-09-2024	17786.52	02-08-2024	17410.80	2000.00	33	751440.00
XD446812	kVA	04-09-2024	0.69			2000.00		1380.00
XD446812	kVAHP	04-09-2024	4712.10	02-08-2024	4615.78	2000.00	33	192640.00
XD446812	kVAHO	04-09-2024	4286.81	02-08-2024	4195.15	2000.00	33	183320.00



# Tariff structure

Categories	Description	Fixed/Demand Charge		Energy Charge					Categories	Description	Fixed/Demand Charge	Energy Charge	Temporary		
		Load(kW)	(₹/month)	0 - 200 Units	201 - 400 Units	401-800 Units	801-1200 Units	Above 1200 Units					Categories	Fixed Charge	Energy Charge
Domestic	Individual connections: Domestic Light / Mixed Domestic Power: Farm House upto 21kW	Upto 2kW	20kW/mth						Agriculture	Agriculture	125/kW/mth	₹1.50/kWh	Domestic Including GHS	Same as relevant category	Same as relevant category
		>2kW to 5kW	50kW/mth	₹3.00	₹4.50	₹6.50	₹7.00	₹8.00	Mushroom	Mushroom Cultivation upto 100 kW	200kWh/mth	₹3.50/kWh	Thresholds during the threshing Season	MCD E. Tax of ₹ 2700/annum	Flat Rate ₹5400/mth
		>5kW to 15kW	100kW/mth						Public Utility	Delhi Jal Board, DMRC, Public Lighting etc	250kVA/mth	₹6.25kVAh			
	>15kW to 25kW	200kW/mth							Delhi International Airport Limited (DIAL)	250kVA/mth	₹7.75kVAh				
	>25kW	250kW/mth							Advertisements and Hoardings	250kVA/mth	₹8.50kVAh				
	Single point supply at 11kV for GHS - Domestic Lighting / Fan and Power	150kW/mth							Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery	LT	₹4.50/kWh	All other including construction	Same as relevant category	1.30 times of relevant category of tariff	
Non-Domestic	Shopkeepers	Upto 3kVA	250 kVA mth							HT	₹4.00/kVAh				
	Other Non-Domestic	>3kVA													
Industrial	Industrial	250kVA/mth													

## Schedule of Time of Day (TOD) Tariff

Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
May-September	1400-1700 hrs and 2200-0100 hrs	20% (*waived for Sep 2020)	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for >10kW / 11kVA other than Domestic. Optional for 3 Phase Domestic Consumers.

Disclaimer- This electricity bill is only for electricity supply to the premises occupied by the consumer and should not be construed as having bearing on the rights or titles over the premises.

असवीकरण यह बिजली का बिल संगमाला को निकास/कागानस पर बिजली की आपूर्ति के लिए है और इसी उरा स्थान पर उपभोक्ता के अधिकार या हस्तान्तरण समान रा संस्था जाए।

\*GoNCTD vide Order No. F.6/85/Power/2024/447-459 dated 14.03.2024 has extended subsidy to Domestic Consumers for Financial Year 2024-2025 of entire bill amount upto 200 Units/month. Slab 201- 400 Units/month will get subsidy upto Rs 800/month. No subsidy consumption above 400 Units/month\*

दिल्ली सरकार की आदेश संख्या F.6/85/Power/2024/447-459 दिनांक 14.03.2024 के अनुसार घरेलू उपभोक्ताओं के लिए सब्सिडी वित्तीय वर्ष 2024-2025 तक बढ़ा दी है, 200 यूनिट/माह तक के संगमाला बिल राशि स्लैब 201-400 यूनिट/माह पर ₹ 800 सब्सिडी मिलेगी। 400 यूनिट प्रतिमाह से ऊपर खपत के लिए कोई सब्सिडी नहीं है।

## Customer Complaint Management:

For any query/complaint, you may contact us using any of the following options:

- Call Center No. 19123 (24x7 Toll Free)
- Customer Care Centers (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat: 9:30 AM to 1:00 PM)
- Email-brpl.customercare@reliancecda.com
- www.bsedelhi.com

## Escalation matrix for complaints:

- In care you are not satisfied with the resolution of your query/complaint, you may contact the below listed BRPL officials-
  - Customer Care officer (Timing 09:15AM to 3:15 PM)
  - Business Manager (between 10AM to 11AM on any working day)
  - Circle Head (with prior appointment)
- Head-Customer Care.**
  - BSES Rajdhani Power Limited,
  - BSES Bhawan, Nehru Place, New Delhi-110019
  - Email - brplhead.customercare@reliancecda.com
- Consumer Grievance Redressal Forum (CGRF):** In Case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017. Email cgfrbrpl@gmail.com
- Electricity ombudsman:** An appeal against the CGRF order may be filled with Electricity Ombudsman. B-53, Paschimi Marg, Vasant Vihar, New Delhi-110057

## उपभोक्ता शिकायत प्रबंध

किसी तरह के परेशान/ शिकायत के लिए कृपया आप हम निम्नवत विकल्पों के जरिए संपर्क कर सकते हैं:

- कॉल सेंटर नंबर 19123 (24x7 टोल फ्री)
- कस्टमर केयर सेंटर समय (सोमवार से शुक्रवार सुबह 9:30 बजे से अपराह्न 5:30 बजे और शनिवार सुबह 9:30 से अपराह्न 1:00 बजे तक)
- brpl.customercare@reliancecda.com पर ईमेल करें
- www.bsedelhi.com

## शिकायतों के लिए यहां भी संपर्क करें:

- अगर आप अपने परेशान/ शिकायत के निवारण से संतुष्ट नहीं है तो आप निम्नवत बीआरपीएल अधिकारियों को संपर्क कर सकते हैं-
  - कस्टमर केयर ऑफिसर (सुबह 9:15 बजे से अपराह्न 3:15 बजे)
  - बिजनेस मैनेजर (किसी भी कामदिनस के दिन सुबह 10 बजे से 11 बजे तक)
  - सर्किल हेड (पूर्व निश्चित समय लेकर)
- हेड कस्टमर केयर,**
  - बीएसईएस राजधानी पावर लिमिटेड,
  - बीएसईएस भवन, नेहरु प्लेस, नई दिल्ली 110019
  - ईमेल - brplhead.customercare@reliancecda.com
- कन्ज्यूमर ग्रीवेंस रिड्रसल फोरम (सीजीआरएफ):** यदि आप अपनी शिकायत पर सेवा प्रदाता के जवाब से सतुष्ट नहीं है तो आप सीजीआरएफ-बीआरपीएल, सब स्टेशन बिल्डिंग, सेक्टर - V, पुष्पविहार, नई दिल्ली 110017, ईमेल cgfrbrpl@gmail.com में अपनी शिकायत दर्ज कर सकते हैं।
- इलैक्ट्रिसिटी ऑम्बुड्समैन:** सीजीआरएफ के आदेश के खिलाफ अपील इलैक्ट्रिसिटी ऑम्बुड्समैन, बी-53 पश्चिमी मार्ग, वसंत विहार, नई दिल्ली-110057, में दायर कर सकते हैं।

**मुफ्त कानूनी सहायता (Free Legal Aid)**

मुक्त कानूनी सहायता के लिए आप दिल्ली राज्य विधिक सेवा प्राधिकरण (DLSA) से अपील कर सकते हैं। दिल्ली राज्य विधिक सेवा प्राधिकरण, परिवार हल सहायक परिषद, नई दिल्ली।

द्वेषांक: 1516 (24x7) टोल फ्री ईमेल: bs-dsls@delhi.org, www.dlsa.org, www.facebook.com/dlsa

अथवा आप दिल्ली की विधिक सेवा परिषद वरिष्ठ से विधिक विना विधिक सेवा प्राधिकरण (DLSA) के कार्यालय में भी संपर्क कर सकते हैं।

बिजली से संबंधित विवाद के लिए संपर्क करें:

- राष्ट्रीय लोक अदालत - I (PLA-I) (वीएईएस आरपीएल, बीएसईएस वरिष्ठ, और टीपीडीएस के लिए) जगत सुबेरी रोड, आरडीओ के पास, नई दिल्ली - 110002.
- राष्ट्रीय लोक अदालत - II (PLA-II) (शिवत बीएसईएस आरपीएल) पीएमडी रोड, सी-ब्लॉक, पीएमडी के पास, विगत सुबेरी रोड - 110018.

## आपका बिल भुगतान

### भुगतान विकल्प

- आप 4000 रुपये तक के अपने बिल का भुगतान नकद / चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं। 4000 रुपये से अधिक की रकम का भुगतान चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं।
- डीडीआरसी के हाथिया टैरिफ ऑर्डर के मुताबिक, सभी उपभोक्ताओं (घरेलू, कृषि और मशरूम को छोड़कर) के लिए मासिक बिल भुगतान के लिए 20,000 रुपये से अधिक के बिल का भुगतान 1 अक्टूबर, 2021 से डिजिटल माध्यम से करें।
- आरक्षक ऑफिसर और विभिन्न बीआरपीएल कार्यालयों पर लगे हमारे ड्राप बॉक्स में आप अपना बिल डालें। ड्राप बॉक्सों की विवरण हमारी वेबसाइट पर उपलब्ध है।
- बिल भुगतान कद सुबह 9 बजे से शाम 3 बजे तक सुरू रहेंगे।
- पंजाब नेशनल बैंक और बैंक ऑफ बड़ोदा की शाखाओं में 50000 रुपये तक बिजली का भुगतान नकद से करा सकते हैं।

### बिल भुगतान करते समय ये बातें याद रखें

- कंप्यूटरीकृत बिल पाने के बाद ही अपने बिजली बिल का भुगतान करें।
- अनाधिकृत एंजिनियरों/दलालों को भुगतान न करें।
- अगर आपका बैंक बैंक द्वारा बगैर भुगतान के / अस्वीकृत होकर वापस आ जाता है तो बैंक वापसी शुल्क (सिजूटा 200 रुपये + चोस्टी, जैसा लागू हो) भरना जाएगा और निगोशिएशन इस्टिमेटस एक्ट 1881 की धारा 138 के तहत कार्रवाई की जाएगी।
- कार्ड स्वाइप और ऑनलाइन के द्वारा 5000 रुपये से अधिक की भुगतान पर लगने वाले सुविधा शुल्क की उपभोक्ता को बताना होगा। शुल्क की विवरण बिल के लिए कृपया हमारे वेबसाइट [www.bsedelhi.com](http://www.bsedelhi.com) पर जाए।

## Paying your electricity bill (Bill payment information)

### Payment Options

- You can pay your bill by cash cheque/DD/Pay Order up to Rs 4000/- and for amount more than Rs 4000/- by cheque/DD/Pay Order
- According to DERC's recent tariff order, it is mandatory for all consumers (except Domestic, Agriculture & Mushroom Cultivation) to pay their monthly electricity bills exceeding Rs 20,000/- through digital modes w.e 1 October 1, 2021\*
- Drop your cheque in our drop boxes at various RWA offices and at BRPL Counters. The list of drop boxes is available on the website.
- Bill payment counters are open from 9:30 hrs to 15:00 hrs, from Monday to Saturday.
- Bill payment upto Rs 50,000/- can be paid in cash at Bank branches of PNB and Bank of Baroda.

### Points to remember while paying your bill

- Please pay your electricity bill only on obtaining computer generated bill
- Do not make payment to unauthorized agencies/outs.
- In case your cheque is returned unpaid/dishonored by bank, cheque return charges (presently Rs. 200+ GST, as applicable) will be imposed and action will be taken under Section 138 of the Negotiable Instruments Act 1881.
- Convenience fee on card swipe and online payments applicable on payment amount above Rs 5000/- is to be borne by the consumer. For charge details, kindly visit our website [www.bsedelhi.com](http://www.bsedelhi.com).

## Pay your electricity bills conveniently by any of the following options:

Payment Options	Timings
<ul style="list-style-type: none"> <li>• Bharat Bill Pay (BBPS) - Pay option at all BBPS enabled Payments App (Paytm etc.) (Zero Charges)</li> <li>• QR code on bill - Powered by SOB</li> <li>• BSES Mobile App/Website - UPI, IMPS, Internet Banking, Credit/Debit Cards, Mobile Wallets, QR Code</li> <li>• RTGS/NEFT/ECSS</li> </ul>	24x7
<ul style="list-style-type: none"> <li>• BRPL Cash Counters.</li> <li>• Cash-Upto Rs. 4000/-</li> <li>• Cheque &amp; Demand Draft- No amount limit for Domestic, Agriculture &amp; Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-</li> <li>• Credit/Debit Cards</li> <li>• UPI</li> </ul>	9AM - 3PM
24*7 self payment Kiosk	24*7 self payment Kiosks by cards, each division office
Bank Branches	Bank Timings
<ul style="list-style-type: none"> <li>• Bank of Baroda and PNB</li> <li>• Cash-Upto Rs. 50,000/- only for Domestic, Agriculture &amp; Mushroom Cultivation category consumers and for other category consumers maximum permissible limit is upto Rs. 20,000/-</li> <li>• Cheque &amp; Demand Draft- No amount limit for Domestic, Agriculture &amp; Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-</li> <li>• Transfer by account holders</li> </ul>	
Cheque Drop boxes	Select RWA locations
	Cheque & Demand Draft - No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-
	BRPL owned drop boxes at counters
	Cheque & Demand Draft- No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-
Cheque by Post	To BRPL division offices- Cheque & Demand Draft- No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-

For payment of energy bill		
Details	SBI Bank	Axis Bank
Beneficiary Name	BSES Rajdhani Power Limited	BSES Rajdhani Power Limited
Beneficiary A/C No.	SBIBRE (Fixed) + 9 Digit Customer Account Number (Variable)	VBRE(Fixed) + 9 Digit customer account number (Variable) (For eg. VBRE123456789)
IFSC Code	SBIN0004266	UTIBOCC274
Bank Name	State Bank of India	Axis Bank Ltd
Branch Address	State Bank of India, CMP Centre	9th floor, Solaris C wing, Opp L&T gate no. 6, Sakhi Vihar Road, Powai, Mumbai-400072

The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection - Single phase ₹200, Three phase ₹500.)

- Cheque should not be post dated.
- Cheque should be account payee and payable at Delhi.
- Write your telephone number on backside of the cheque.
- Do not staple. Only clip the cheque to payment slip.

For detail log on to our website [www.bsedelhi.com](http://www.bsedelhi.com). Alternatively, you can visit our Customer Care Center or simply call at 19123 (24x7 Toll Free)  
**Regd. Office:** BSES Rajdhani Power Limited (A joint venture of Reliance Infrastructure Ltd. and Govt. of NCT of Delhi) BSES Bhawan, Nehru Place New Delhi 110 019.  
 CIN No. U40109DL2001PLC111527, GSTIN.: 07AAGCS3187H223, Tel. No. 19123 (24x7 Toll Free), Fax No. 011 39998890, Website : [www.bsedelhi.com](http://www.bsedelhi.com)

## Meter Details Annexure

Name	: SRI BALAJI ACTION MEDICAL INSTITUTE	Sanctioned Load	: 1391.00 (kVA)	CA No.	: <b>100012528</b>
Billing Address	: FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063	Contract Demand	: 1391.00 (kVA)	Energisation Date	: 04-06-2004
Supply Address	: FC-34 PASCHIM VIHAR NEAR BALAJI HOSPITAL NEW DELHI 110063	M D I	: 1380.00 (kVA)	Meter Type	: 3PSK
Mobile / Tel. No.	: 9560972288	Power Factor	: 0.995	Supply Type	: HT(11KV)
Email ID	: maintenance@actionhospital.com	Pole No	: NA	Bill No.	: 100010426680
District / Division	: Punjabi Bagh	Meter Reading Status	: DL	Bill Basis	: Actual
Walking Sequence	: <b>PSVKC0035A0AA</b>	Cycle No.	: KC	O.D. No.	: R/24/10438878583
Bill Month	: OCT-24	Tariff Category	: Large Industrial Power	CCTV Tagged	: No
Bill Date	: 09-10-2024			Street Light Tagged	: No
				WI-FI Tagged	: No

Net Meter Consumption Details (Date of Reading : )															
Total Solar Generation Units	For the Billing Period			Cumulative Generation in FY			Solar Installation Details			Date of Installation			Capacity kWp		
B/F Units (if any)	Export Reading			Import Reading			Net Difference			Moderate Units			Excess Gen Units	Shared by Prim.	C/F Units (If any)
	Normal	Peak	OffPeak	Normal	Peak	OffPeak	Normal	Peak	OffPeak	Normal	Peak	OffPeak			

(Consumption in the above table are in kWh/kVAh, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading (24:00 Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
XD446812	kWh	03-10-2024	17967.04	04-09-2024	17648.95	2000.00	29	636180.00
XD446812	kW	03-10-2024	0.68			2000.00		1360.00
XD446812	kVAh	03-10-2024	18106.16	04-09-2024	17786.52	2000.00	29	639280.00
XD446812	kVA	03-10-2024	0.69			2000.00		1380.00
XD446812	kVAHP	03-10-2024	4793.85	04-09-2024	4712.10	2000.00	29	163500.00
XD446812	kVAHO	03-10-2024	4362.86	04-09-2024	4286.81	2000.00	29	152100.00

**Annexure-XVII**  
**Photographs of PM10 and PM2.5**  
**Sensor**



**Annexure-XVIII**  
**Photographs of DG Sets**

## Photographs of DG Sets



**Annexure-XIX**  
**Photographs of Anti Smog Gun**



## **Annexure-XX**

# **Photographs of building material cover under green net**



## **Annexure-XXI**

# **Photographs of Wind Breaking Wall**





**Annexure-XXII**  
**Site Photographs**





**Annexure-XXIII**  
**Copy of RMC Bill**

IRN: 0f17ee5f8c8ba051441a8edfbd1c98bd1025d838ed9eb29cc07b503961acbb

Ack. No & Date: 172415324111299 2024-07-04 08:46:00

EWB No: 771440595192

EWB Date: 2024-07-04 08:47:00

Valid Till: 2024-07-05 23:59:00

### TAX INVOICE

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



## RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C ANDY Wagon Site, Ballunroly, Meerut, Dist. Meerut, U.P. Pin: 201001

Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU

PAN : AAHCR7291J

CIN : U26999HR2016PTC064027

Invoice No : 24-25/DELHI/2564

Invoice Date : 04-Jul-2024

Name of Transport: Transit Mixer

Vehicle No: HR73B2644

Driver Name: RAJESH

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: FC-34, A4 PASCHIM VIHAR

Address: PROJECT STORE PASCHIM VIHAR

Pincode: 110017

Pincode: 110063

State Code: 07

State Code: 07

GSTIN No: 07AAAHL0238M1ZL

GSTIN No: 07AAAHL0238M1ZL



S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-25	Ready Mix Concrete	38245010	PUMP	Cubic Meter	4.5	5076	22842.00
TAXABLE AMOUNT:							22842.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. A/C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhulela branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.
5. All rate and amounts are in Indian Rupees

Add. CGST @ 9%	2055.78
Add. SGST @ 9%	2055.78
Add. IGST @ 0%	0
Add. Tes @ 0.0%	0
Round Off	-0.4
<b>GRAND TOTAL(Rs.):26954.00</b>	

Tax is Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Twenty Six Thousand Nine Hundred And Fifty Four Only

Received by:  
 Name:   
 Date: 04/07/24  
 Time: 11:00 AM  
 No:

Name:   
 Date: 04/07/24  
 Time: 11:00 AM  
 No:

For Rise Eleven Readymix Pvt Ltd  
 Authorized Signatory:   
 In Time: 04/07/24  
 Out Time: 11:00 AM

IRN: 727cc966fa7c6a26146086a57a114974fac1cb086d454fc6ebfdb1a898173a8

Ack. No & Date: 172415530811570 2024-08-05 10:52:00

EWB No: 751448478828

EWB Date: 2024-08-05 10:54:00

Valid Till: 2024-08-06 23:59:00

### TAX INVOICE

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



## RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add3: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015

Contact: 9315906088/9680070216

GSTIN :07AAHCR7291J1ZU  
PAN :AAHCR7291J  
CIN :U26999HR2016PTC064027

Invoice No :24-25/DELHI/2989  
Invoice Date :05-Aug-2024

Name of Transport: Transit Mixer

Vehicle No: HR75B6582 / Driver Name: ANIL

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: FC-34,A4 PASCHIM VIHAR

Address: PROJECT STORE PASCHIM VIHAR

Pincode: 110017

Pincode: 110063

State Code: 07

State Code: 07

GSTIN No: 07AAATL0238M1ZL

GSTIN No: 07AAATL0238M1ZL



S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-15	Ready Mix Concrete	38245010	PUMP	Cubic Meter	9	4593	41337.00
TAXABLE AMOUNT:							41337.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. A/C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.
5. All rate and amounts are in Indian Rupees


Add: CGST @9%	3720.33
Add: SGST @9%	3720.33
Add: IGST @0%	0
Add: Tes @0.0%	0
Round Off	+ 0.3

GRAND TOTAL(Rs.):48778.00

Tax is Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Forty Eight Thousands Seven Hundred And Seventy Eight Only

Received by:



Sign & Stamp:



For Rise Eleven Readymix Pvt Ltd  
 Authorized Signatory: [Signature]  
 Date: 05/08/24  
 In Time: 12:28 PM  
 Out Time: 1:25 PM

AS-1  
23/08/24

Ack. No & Date: 172415530343653 2024-08-05 08:38:00

EWB Date: 2024-08-05 08:40:00

EWB No: 791448463813

Valid Till: 2024-08-06 23:59:00

TAX INVOICE

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add3: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015  
Contact: 9315906088/9680070216

GSTIN :07AAHCR7291J1ZU

PAN :AAHCR7291J

CIN :U26999HR2016PTC064027

Invoice No :24-25/DELHI/2988

Invoice Date :05-Aug-2024

Name of Transport: Transit Mixer

Vehicle No: HR73B6663

Driver Name: RAJU

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: FC-34,A4 PASCHIM VIHAR

Address: PROJECT STORE PASCHIM VIHAR

Pincode: 110017

Pincode: 110063

State Code: 07

State Code: 07

GSTIN No: 07AAATL0238M1ZL

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-15	Ready Mix Concrete	38245010	PUMP	Cubic Meter	9	4593	41337.00
<b>TAXABLE AMOUNT:</b>								41337.00

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"

2. A/C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhumela branch

3. Goods once sold will not be taken back

4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.

5. All rate and amounts are in Indian Rupees

Tax is Payable under Reverse Charges : No

GRAND TOTAL(Rs.):48778.00

TOTAL AMOUNT IN WORDS: Forty Eight Thousands Seven Hundred And Seventy Eight Only

Received by:

Name:

Date:

Time:



Sign & Stamp:



Signature: [Handwritten Signature]

For Rise Eleven Readymix Pvt Ltd

Authorized Signatory

Date: 05/08/24  
Reason Time: 9:55 AM  
In Time: 11:15 AM  
Out Time: 12:28 PM

IRN: 2020/0124000277/14009245ccfc810f006b2c5bb87454aff5b3224719ae9b647

Ack. No & Date: 172415341755577 2024-07-06 13:00:00

EWB Date: 2024-07-06 13:01:00

EWB No: 721441197314

Valid Till: 2024-07-07 23:59:00

### TAX INVOICE

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)

ORIGINAL FOR BUYER



## RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add3: C AND D Waste Site, Bakkarwala Nazaifgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015  
Contact: 9315906088/9680070216

GSTIN	:07AAHCR7291J1ZU	Invoice No	:24-25/DELHI/2570
PAN	:AAHCR7291J	Invoice Date	:06-Jul-2024
CIN	:U26999HR2016PTC064027		

Name of Transport	: Transit Mixer	Vehicle No:	: HR73B1506	Driver Name:	: SUNIL
-------------------	-----------------	-------------	-------------	--------------	---------

**BILLED TO:** SRI BALAJI ACTION MEDICAL INSTITUTE  
**Address:** FC-34,A4 PASCHIM VIHAR  
**Pincode:** 110017  
**State Code:** 07

**SHIPPED TO:** SRI BALAJI ACTION MEDICAL INSTITUTE  
**Address:** PROJECT STORE PASCHIM VIHAR  
**Pincode:** 110063  
**State Code:** 07

**GSTIN No:** 07AAATL0238M1ZL



S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-25	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4	5076	20304.00
<b>TAXABLE AMOUNT:</b>								20304.00

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"

2. A/C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhuneda branch

3. Goods once sold will not be taken back

4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.

5. All rate and amounts are in Indian Rupees

Tax is Payable under Reverse Charges : No

**TOTAL AMOUNT IN WORDS:** Twenty Three Thousand Nine Hundred and Fifty Nine Only



Received by: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Time: \_\_\_\_\_

*Signature*

For Rise Eleven Readymix Pvt Ltd ... *Signature*  
 Authorized Signatory, Date: 06/07/24  
 In Time: \_\_\_\_\_  
 Out Time: \_\_\_\_\_

## **Annexure-XXIV**

# **Photographs of Rain water harvesting pits**



**Annexure-XXV**  
**Copy of PUC Certificate**

Form 59

[See rules 115 (2)]

**Pollution Under Control Certificate**

Authorised By :  
Government of Haryana

Date : 10/04/2024  
Time : 17:33:31 PM  
Validity upto : 09/04/2025



Certificate SL. No. : HR07300180006969  
Registration No. : HR73B6582  
Date of Registration : 09/Apr/2024  
Month & Year of Manufacturing : January-2024  
Valid Mobile Number : \*\*\*\*\*6355  
Emission Norms : BHARAT STAGE VI  
Fuel : DIESEL  
PUC Code : HR0730018  
GSTIN :  
Fees :  
MIL observation : No

Vehicle Photo with Registration plate  
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	0.7	0.22

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC operator  
60mm x 20 mm

Form 59

[See rules 115 (2)]

**Pollution Under Control Certificate**

Authorised By :  
Government of Haryana

Date : 10/04/2024  
Time : 17:39:28 PM  
Validity upto : 09/04/2025



Certificate SL. No. : HR07300180006970  
Registration No. : HR73B1655  
Date of Registration : 07/Mar/2024  
Month & Year of Manufacturing : January-2024  
Valid Mobile Number : \*\*\*\*\*6355  
Emission Norms : BHARAT STAGE VI  
Fuel : DIESEL  
PUC Code : HR0730018  
GSTIN :  
Fees :  
MIL observation : No

Vehicle Photo with Registration plate  
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High Idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	0.7	0.23

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC operator  
60mm x 20 mm

## Form 59

[See rules 115 (2)]

**Pollution Under Control Certificate**


Authorised By :  
Government of Haryana

Date : 10/04/2024  
Time : 17:28:54 PM  
Validity upto : 09/04/2025



Certificate SL. No. : HR07300180006968  
Registration No. : HR73B9350  
Date of Registration : 28/Mar/2024  
Month & Year of Manufacturing : January-2024  
Valid Mobile Number : \*\*\*\*\*6355  
Emission Norms : BHARAT STAGE VI  
Fuel : DIESEL  
PUC Code : HR0730018  
GSTIN :  
Fees :  
MIL observation : No

Vehicle Photo with Registration plate  
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	0.7	0.26

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC operator  
60mm x 20 mm



## Form 59

[See rules 115 (2)]

**Pollution Under Control Certificate**


Authorised By :  
Government of Haryana

Date : 10/04/2024  
Time : 17:21:23 PM  
Validity upto : 09/04/2025



Certificate SL. No. : HR07300180006967  
Registration No. : HR73B1288  
Date of Registration : 07/Mar/2024  
Month & Year of Manufacturing : January-2024  
Valid Mobile Number : \*\*\*\*\*6355  
Emission Norms : BHARAT STAGE VI  
Fuel : DIESEL  
PUC Code : HR0730018  
GSTIN :  
Fees :  
MIL observation : No

Vehicle Photo with Registration plate  
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High Idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	0.7	0.35

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC operator  
60mm x 20 mm



## **Annexure-XXVI**

# **Receiving of Previous Compliance Report**

Your (**Environment Clearance**) application has been **Submitted** with following details

<b>Proposal No</b>	IA/DL/MIS/91906/2019.
<b>Compliance ID</b>	70417680
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/70417680/2024
<b>Reporting Year</b>	2024
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)
<b>Submission Date</b>	23-05-2024
<b>IRO Name</b>	
<b>IRO Email</b>	
<b>State</b>	
<b>IRO Office Address</b>	

**Note:-** SMS and E-Mail has been sent to , with Notification to Project Proponent.