

LALA MUNNI LAL MANGE RAM CHARITABLE TRUST



FC-34, A-4, PASCHIM VIHAR, NEW DELHI - 110 063
Tel. : 011- 42888888, 45666666 Fax : 91-11-25270725

Date: 18/04/2023

To,
The Director
Integrated Regional Office
Ministry of Environment & Forest
A-209&218, Aranya Bhawan, Mahatma Gandhi Road,
Jhalana Institutional Area, Jaipur-304002

Subject: Submission of six-monthly Compliance report of June 2023 for Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust.

Reference: EC Lr No.: F.No.21-7/2019-IA-III ; **Dated:** 18/10/2019

Dear Sir,

This is with reference to the above-mentioned subject. We are herewith submitting six-monthly compliance Report for **June 2023** for the period of **October 2022 – March 2023** for Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust the along with the necessary annexure for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change.

Thanking You,

Yours Sincerely,

For M/s Lala Munni Lal Mange Ram Charitable Trust

(Authorized Signatory)



Enclosure: Compliance Report * Soft copy of Report in C.D.

- Copy to:**
1. Member Secretary, Delhi Pollution Control Board (DPCC), ISBT Building
Kashmere Gate, Delhi, 110006
 2. Member Secretary, SEIAA, Delhi, 5th Floor, ISBT Building Kashmere Gate,
Delhi, 110006

**M/s Lala Munni Lal Mange Ram
Charitable Trust**

**COMPLIANCE REPORT
of
Expansion of "Sri Balaji Action
Medical Institute" at Facility Centre
No.34, Paschim Puri, New Delhi**

SUBMITTED BY

**M/s Lala Munni Lal Mange Ram
Charitable Trust**

June 2023

TABLE OF CONTENT

S. No	Description
Compliance of Specific and General Conditions	

LIST OF ANNEXURES

Annexure	Description
Annexure-I	Environment Clearance letter for Expansion
Annexure-II	Copy of Fire NOC
Annexure-III	Copy of water bills
Annexure IV	Photographs of STP
Annexure-V	Environmental Monitoring Report
Annexure-VI	Copy of CTE for Expansion
Annexure-VII	Photographs of Rain Water Harvesting Pits
Annexure-VIII	Photographs of Waste Collection Bins
Annexure IX	Copy of the Agreement for BMW Management
Annexure-X	Copy of Green Belt Development Plan
Annexure-XI	Photographs of Existing Greenbelt
Annexure-XII	Detailed CER Budget with activities
Annexure-XIII	Copy of Electric Bills
Annexure-XIV	Copy of RMC Bill
Annexure-XV	Photographs of DG sets
Annexure-XVI	Receiving of EC compliance submission for December 2022
Annexure-XVII	Logbook of STP
Annexure-XVIII	Copy of PUC Certificate
Annexure-XIX	Copy of CTO
Annexure-XX	Photographs of building material cover under green net

LIST OF TABLES

Tables	Description	Page No
Table-1	Schedule of Ambient Air Quality Monitoring	01
Table-1(a)	Monitoring Result of SO ₂	01
Table-1(b)	Monitoring Result of NO ₂	02
Table-1(c)	Monitoring Result of PM ₁₀	03
Table-1(d)	Monitoring Result of PM _{2.5}	03
Table-1(e)	Monitoring Result of CO	04
Table-2	Schedule of Noise Monitoring	05
Table-2(a)	Day time Monitoring result for Ambient Noise	06
Table-2(b)	Night time Monitoring result for Ambient Noise	06
Table- 3	Schedule for Raw water sample collection	07
Table- 3(a)	Raw Water Monitoring Results	07
Table- 4	Schedule for Drinking water Monitoring	09
Table-4(a)	Drinking Water Monitoring Results (17/02/2023)	09
Table-4(b)	Drinking Water Monitoring Results (24/04//2023)	11
Table-5	Schedule for DG Noise sample collection	12
Table-5(a)	D.G. Set-1 Noise Monitoring Result (17/02/2023)	13
Table-5(b)	D.G. Set-2 Noise Monitoring Result (17/02/2023)	13
Table-5(c)	D.G. Set-3 Noise Monitoring Result (17/02/2023)	13
Table-5(d)	D.G. Set-1 Noise Monitoring Result (24/04//2023)	13
Table-5(e)	D.G. Set-2 Noise Monitoring Result (24/04//2023)	14
Table-5(f)	D.G. Set-3 Noise Monitoring Result (24/04//2023)	14
Table-6	Schedule for DG Stack sample collection	14
Table-6(a)	D.G. Set-1 Stack Monitoring Result (17/02/2023)	15
Table-6(b)	D.G. Set-2 Stack Monitoring Result (17/02/2023)	15
Table-6(c)	D.G. Set-3 Stack Monitoring Result (17/02/2023)	15
Table-6(d)	D.G. Set-1 Stack Monitoring Result (24/04//2023)	16
Table-6(e)	D.G. Set-2 Stack Monitoring Result (24/04//2023)	16
Table-6(f)	D.G. Set-3 Stack Monitoring Result (24/04//2023)	16
Table 7	Schedule for Soil sample collection	17
Table 7(a)	Soil Monitoring Result (17/02/2023)	17
Table 7(b)	Soil Monitoring Result (24/04//2023)	17
Table-8	Schedule for STP Inlet Water sample collection	18
Table 8(a)	Results of STP Inlet Water Monitoring (17/02/2023)	18
Table 8(b)	Results of STP Inlet Water Monitoring (24/04//2023)	18
Table-9	Schedule for STP Outlet Water sample collection	18
Table-9(a)	Results of STP Outlet Water Monitoring (17/02/2023)	18

Table-9(b)	Results of STP Outlet Water Monitoring (24/04//2023)	19
------------	--	----

LIST OF FIGURES

Figure Nos.	Description	Page No
Figure-1(a)	SO ₂ Concentration	01
Figure-1(b)	NO ₂ Concentration	02
Figure-1(c)	PM ₁₀ Concentration	03
Figure-1(d)	PM _{2.5} Concentration	04
Figure-1(e)	CO Concentration	05
Figure-2(a)	Graph showing day time noise monitoring result	06
Figure-2(b)	Graph showing night time noise monitoring result	07

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

COMPLIANCE REPORT JUNE 2023

For Compliance of environmental clearance conditions as mentioned in the Environmental Clearance Letter Issue F.No.21-7/2019-IA-III, dated 18th October, 2019, for Construction and Operation phases of the Project (Annexure - I).

PART A- SPECIFIC CONDITIONS		
S. No.	CONDITIONS	COMPLIANCE
i	Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.	Consent to Establish certificate for Expansion has been obtained from DPCC. A copy of "Consent to Establish" vide Lr. No.: DPCC/CMC/2022/7817249 dated 22.06.2022. Copy of CTE is enclosed at Annexure-VI . Consent to Operate certificate for 250 Beds has been obtained from DPCC. A copy of "Consent to Operate" vide Lr. No.: DPCC/WMC/2019/48081 dated: 19.04.2019 Copy of CTO is enclosed at Annexure-XIX .
ii	The project proponent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from Competent Authority as required.	Adequate fire safety measures and equipment will be provided as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Copy of Fire NOC is enclosed as Annexure-II .
iii	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Noted. Environmental clearance has been granted to the project vide ministry letter No. F. No. 21-7/2019-IA-III; dated 18/10/2019 (Annexure-I).
iv	As proposed, fresh water requirement from Delhi Jal Board shall not exceed 117.85 KLD for which project proponent has already connection for the existing Hospital. Existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.	Project proponent has already connection for the existing Hospital. Existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project. Copy of water bills from Delhi Jal Board is enclosed as Annexure-III .
v	Sewage shall be treated in the STP based on MBBR Technology with tertiary treatment i.e. Ultra-Filtration. The treated effluent from STP	Noted. This condition will be compiled. Photographs of STP are enclosed as Annexure-IV .

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

	shall be recycled/re-used for flushing, gardening, & HVAC cooling purposes. No excess treated water from STP shall be discharged to municipal drain.	Copy of STP Logbook is attached as Annexure-XVII .
vi	The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.	Noted & Agreed. Water quality monitoring report of STP is enclosed as Annexure-V .
vii	The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.	Noted & Agreed. Water quality of treated water was monitored & found within the prescribed standards of SPCB/CPCB. Water quality monitoring report is enclosed as Annexure-V .
viii	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed 2 nos. of rain water harvesting recharge pits shall be provided for rain water harvesting after filtration as per CGWB guidelines.	Agreed. Rain water harvesting pits will be provided per the Ministry of Urban Development Model Building Byelaws, 2016. Photographs of existing rain water harvesting pits are enclosed as Annexure-VII .
ix	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site.	Separate wet and dry bins will be provided and solid waste generated shall be disposed as per Solid waste management rules, 2016. Photographs of waste collection bins for existing project site are enclosed as Annexure-VIII .
x	Laboratory wastes shall be managed in accordance to the BMW Rules, 2016 and the atomic Energy Commission regulations as	Agreed. Laboratory wastes will be managed in accordance to the BMW Rules, 2016.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

	applicable.	Agreement has been made with M/s SMS Water Grace BMW Pvt. Ltd. for proper disposal of BMW. Copy of the authorization & agreement for BMW management is enclosed as Annexure-IX.
xi	Traffic Management Plan as submitted shall be implemented in letter and spirit. Further, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	Noted. This condition will be complied.
xii	No tree cutting/transplantation of existing trees has been proposed in the instant project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 2,255.879 sqm (22.60% of total area) area shall be provided for green area development.	Agreed. Copy of green belt development plan is enclosed as Annexure-X. Photographs of existing greenbelt are attached as Annexure-XI.
xiii	As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1 st May 2018, and proposed by the project proponent, an amount of Rs. 0.5 Crores (1.0% of the project	Detailed CER Budget with activities is enclosed as Annexure-XII.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

	cost) shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as clean drinking water, skill development etc. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.	
PART B- STANDARD CONDITIONS		
I. Statutory Compliance		
i	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Agreed. Environmental clearance has been granted to project vide ministry letter No. F. No. 21-7/2019-IA-III; dated 18/10/2019 (Annexure-I). Consent to Operate certificate for 250 Beds has been obtained from DPCC. A copy of "Consent to Operate" vide Lr. No.: DPCC/WMC/2019/48081 dated: 19.04.2019 Copy of CTO is enclosed at Annexure-XIX . Consent to Establish certificate for Expansion has been obtained from DPCC. A copy of "Consent to Establish" vide Lr. No.: DPCC/CMC/2022/7817249 dated 22.06.2022. Copy of CTE is enclosed at Annexure-VI .
ii	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.	Agreed & Noted This condition. Copy of Fire NOC is attached as Annexure-II .
iii	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.	No ground water is used for the project. Water connection has been taken from Delhi Jal Board. Copy of water bills are enclosed at Annexure-III . STP treated water is being used for construction purpose.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

iv	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	The Approval from power department has been obtained for power usage with applicable load. Copies of electricity bills are enclosed at Annexure-XIII .
v	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	Agreed. Permission for storage of HSD has been taken from PESO vide License No. P/NC/DL/15/334 (P101935) .
vi	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.	Agreed. Solid waste is being managed as per Solid Waste Management Rules, 2016. E-Waste is being managed as per e-Waste (Management) Rules, 2016. Plastic Waste is being managed as per Plastics Waste Management Rules, 2016.
vii	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.	Noted. This condition will be complied.
II. Air quality monitoring and preservation		
i	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	Agreed. This condition is being complied. We have also registered our project on Dust Pollution Control Self-Assessment, DPCC.
ii	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	Agreed.
iii	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.	Copy of Ambient air monitoring report has been attached as Annexure-V .

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

iv	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	Agreed. DG sets are installed in an acoustically treated room at rear side in the premises. Stack height (common stack) of DG sets (3*750 KVA) has been provided as per the norms for existing project and same shall be followed after expansion. Photographs of DG sets are enclosed as Annexure-XV . DG Stack monitoring results are enclosed at Annexure-V .
v	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site	In order to control dust pollution, water sprinkling happen at the construction site.
vi	Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	Noted the condition. The Building material to be used for construction activity is being kept under covered. Photographs of building material cover under green net is attached as Annexure-XX .
vii	Wet jet shall be provided for grinding and stone cutting.	Noted the condition.
viii	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Dust is being suppressed through water sprinkling.
ix	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.	All construction and demolition waste will be disposed as per the provisions of the Construction and Demolition Waste Management Rules, 2016.
x	The diesel generator sets to be used during construction phase shall be low sulphur diesel	Noted. The low sulphur diesel type DG sets used.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

	type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	DG stack monitoring results are within the Environmental (Protection) prescribed for air and noise emission standards. DG Noise and stack emission monitoring result are enclosed at Annexure-V .
xi	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	DG sets used are operated on low Sulphur diesel and conform to the Environment Protection Rules prescribed for air and noise emission standards. DG Noise and stack emission monitoring result are enclosed at Annexure-V .
xii	For indoor air quality the ventilation provisions as per National Building Code of India.	Ventilation provisions will be provided as per National Building Code of India.
III. Water Quality Monitoring and Preservation		
i	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	Agreed.
ii	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	Noted the condition. The Natural Topography of the project site will not disturb.
iii	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Agreed and Noted. Drinking water monitoring report is attached at Annexure-V .

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

iv	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	Noted.
v	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Noted.
vi	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Noted and Agreed
vii	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	Noted and Agreed
viii	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Provision of dual plumbing shall be provided.
ix	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Agreed and Noted.
x	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	Rain water harvesting pits will be constructed as per approved plan. Photographs of existing rain water harvesting pits are enclosed as Annexure-VII .

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

xi	All recharge should be limited to shallow aquifer.	Noted.
xii	No ground water shall be used during construction phase of the project.	No ground water is being used for the construction of project. Private Tanker water (STP Treated) is used for construction.
xiii	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Agreed.
xiv	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoFEF&CC along with six monthly Monitoring reports.	Agreed and noted the condition.
xv	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.	Agreed. Treated water will be used for plantation/gardening purpose. Copy of STP Logbook are enclosed as Annexure-XVII.
xvi	No sewage or untreated effluent water would be discharged through storm water drains.	Noted the condition.
xvii	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.	Agreed. Treated waste water will be reused for landscape, flushing, cooling tower and other purposes.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

xviii	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	Noted the condition. Periodical monitoring of drinking water quality and water quality of treated sewage from existing STP is being conducted monitoring report enclosed as Annexure-V .
xix	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	Agreed.
IV. Noise Monitoring and Prevention		
i	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.	Ambient air and noise quality has been monitored by an accredited lab and monitoring report of ambient air and noise has been attached as Annexure-V .
ii	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noise monitoring report has been attached as Annexure-V .
iii	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Noted the condition.
V. Energy Conservation Measures		
i	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	Building design and construction is in compliance with ECBC.
ii	Outdoor and common area lighting shall be LED.	This condition is being complied.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

iii	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.	Noted the condition.
iv	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning	Agreed & Noted the condition.
v	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-law's requirement, whichever is higher.	Solar, wind or other renewable energy will be installed to reduce the electricity demand once the project comes under the full operation phase of the project.
vi	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	As this is medical institute so this condition is not applicable.
VI. Waste Management		
i	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	Noted the condition.
ii	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Muck generated during construction phase is being disposed as per the C&D rules.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

iii	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.	Organic waste compost/ Vermiculture pit/ Organic Waste Converter will be installed as per requirement.
iv	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	Agreed.
v	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Hazardous waste generated during construction phase, will be disposed off as per hazardous waste management rule, 2016.
vi	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.	Noted the Condition the environment friendly building materials will be used for construction purpose.
vii	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27 th August, 2003 and 25 th January, 2016. Ready mixed concrete must be used in building construction.	Fly Ash material is being used as per requirement. RMC is being used in construction of building. Copy of RMC Bill is attached as Annexure – XIV .
viii	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.	Construction and Demolition waste will be handled as per Construction and Demolition Waste Management Rules, 2016.
ix	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.	Noted the condition. Used CFLs and TFLs will be properly collected and disposed off as per Solid waste Management Rules, 2016.
VII. Green Cover		
i	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Noted the condition.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

VIII. Transport		
i	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.	Noted the condition.
ii	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during nonpeak hours.	Noted the condition. All the Vehicles hired for bringing construction material to the site are in good condition and have a pollution check certificate (PUC) has been attached as Annexure-XVIII .
IX. Human Health Issues		
i	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Noted the Condition.
ii	For indoor air quality the ventilation provisions as per National Building Code of India.	Ventilation provisions will be provided as per National Building Code of India.
iii	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted the Condition.
iv	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Local laborers have been procured for construction & Mobile toilets have been provided to laborers.
v	Occupational health surveillance of the workers shall be done on a regular basis.	Agreed.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

vi	A First Aid Room shall be provided in the project both during construction and operations of the project.	Noted the Condition.
X. Corporate Environment Responsibility		
i	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest /wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Noted the condition.
ii	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	A separate Environmental Cell as required will be made during the operational phase of the project.
iii	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	Noted the Condition. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company will be prepared and will be duly approved by competent authority.
XI. Miscellaneous		

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

i	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.	This condition has been already complied. Copy of newspaper advertisement is submitted in previous compliance.
ii	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Copy of Environmental Clearance had been submitted to concerned authorities by project proponent.
iii	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted the condition.
iv	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted the condition. We are regularly submitting the six monthly compliance report to the regional office of MoEF&CC, Receiving of EC compliance submission for December 2022 is attached as Annexure-XVI .
v	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Yes, agreed. The project proponent will submit environmental statement for each financial year in Form-V to the concerned authority and as well put on the website of the company.
vi	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted the condition.
vii	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Agreed.

**Expansion of "Shri Balaji Action Medical Institute" at Facility Centre No.34, Paschim Puri,
New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust**

viii	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during their presentation to the Expert Appraisal Committee.	Project proponent is abiding by all the commitments and recommendations as suggested by concerned authority.
ix	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	Noted the condition.
x	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed and understood.
xi	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed.
xii	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed.
xiii	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data /information/monitoring reports.	Agreed.
xiv	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Noted the condition.
xv	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted the condition.

Annexure-I
Environmental Clearance
Letter for Expansion

F.No.21-7/2019-IA-III
Government of India
Ministry of Environment, Forest and Climate Change
(IA.III Section)

Indira Paryavaran Bhawan,
Jor Bagh Road, New Delhi - 3

Date: 18th October, 2019

To,

Shri Rajkumar Gupta, Trustee

M/s Lala Munni Lal Mange Ram Charitable Trust,
15/17, East Punjabi Bagh, New Delhi-110026
E-mail: sp.khanpuria@gmail.com

Subject: Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust - Environmental Clearance - reg.

Sir,

This has reference to your online proposal No. IA/DL/MIS/91906/2019 dated 24th January, 2019, submitted to this Ministry for grant of Environmental Clearance (EC) in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986.

2. The proposal for grant of environmental clearance to the project Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust, was considered by the Expert Appraisal Committee (Infra-2) in its 39th meeting held during 26-28 March, 2019. The details of the project, as per the documents submitted by the project proponent, and also as informed during the above meeting are as under:-

- (i) The project will be located at Latitude: 28°40'25.42"N and Longitude: 77°06'37.93"E.
- (ii) The proposed project is an Expansion project. Total plot area is 23,400 sqm and existing built-up area is 23,272.17 sqm. The existing hospital was constructed in April, 2004. Completion certificate was issued by MCD, West Zone on 25.05.2004. Since, the hospital was constructed before the EIA Notification, 2006, hence, the existing hospital does not attract any environmental statute at the point of time.
- (iii) Due to increase in the capacity of handling of patients and increase in beds, in the existing complex a new tower with multi level car parking (MLCP) will be constructed and vertical addition to existing tower will be done. Hence, 60,182.64 sqm built-up area will be added to existing built-up area of 23,272.17 sqm which will result in total Built-up area of 83,454.810 sqm after expansion. Total beds after expansion shall be increased to 500 beds from existing 250 beds & there will be addition of one new Tower (Hospital Block), Multi-level car parking, vertical expansion in existing towers, two no. of basements, atrium & Non-FAR area as well. Maximum height of the building will be 39.5 m. Project details are as follows:

Particulars	Unit	Existing	Total after Expansion
Plot Area	sqm	23,400	23,400
Ground coverage permissible (40% of plot area)	sqm	9,360	9,360
Ground coverage achieved (for Hospital)	sqm	5,514.260	8,999.6

S. K. Patel

Permissible FAR (@ 250% of plot area)	sqm	58,500	58,500
Achieved FAR	sqm	19,806.35	49,859.79
Non- FAR Area	sqm	4,462.66	33,595.02
Basement -1	sqm	4,059.06	8,619.83
Basement -2	sqm	-	4,106.63
Basement - 3	sqm	-	4,061.75
Total	sqm	4,059.06	16,788.21
MLCP Area	sqm	-	5,822.70
Built-up area (FAR + Non-FAR+ Basement area)	sqm	23,272.17	83,454.81
Total green area	sqm	5,287.61	5,287.61
Total open & road area	sqm	9,312.76	9,312.76
No of towers	No.	2	3
Number of basements	No.	1	4
Maximum No. of floors	No.	1B+G+4	3B+G+9
MLCP	No.	-	5
Max. height of building (up to terrace level)	m	19.1	39.5

- (iv) During construction phase, total water requirement is expected to be 5 KLD for construction purpose which will be met by treated water nearby STP. During the construction phase, soak pits and septic tanks will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labour force.
- (v) During operational phase, total water demand of the project is expected to be 455 KLD out of which fresh water demand is 133 KLD will be met through 117.85 KLD from Delhi Jal Board and 15.15 KLD from tanker supply. The total waste water generation will be 282 KLD and will be reused in flushing, gardening & DG & HVAC Cooling. The waste water shall be treated in Sewage Treatment Plant (STP) of capacity 600 KLD and 1 KLD Laboratory waste water will be treated in ETP of 3 KLD and after waste water treatment in ETP shall be discharge to sewer line.
- (vi) After expansion, 213.5 Tons/annum out of which 128.1 Tons/annum will be biodegradable waste and shall be treated in Organic Waste Converter within the complex, non-biodegradable waste generated will be 42.7 Tons/annum and Plastic waste will be 42.7 Tons/annum shall be handed over to authorized recycler and Used Oil of 0.129 kL/annum shall be collected in leak proof containers at isolated place and then it will be given to approved recycler. Bio medical waste of capacity 68.4 Tons/annum will be handed over to state approved biomedical waste vendor for final disposal.
- (vii) The total power requirement will be 1639 kW which will be met by BSES. The DG sets of capacity 3 x 750 kVA are located in a separate acoustically enclosed DG set room in the hospital and the same shall be followed after expansion. Hence, to avoid the emissions, stack height of 6 m above roof level for each D.G. sets shall be installed to reduce the air emissions, meeting all the norms prescribed by CPCB. Total 6 nos. of RWH pits will be constructed to recharge the ground water (out of which 1 no. of pit already in the hospital).
- (viii) Total Parking Requirement for the project is 872 ECS & 886 ECS parking shall be provided within the Basement, Surface & Multi-level car parking.
- (ix) No Eco Sensitive area lies within the 10 km radius of the project site. Hence, NBWL Clearance is not required.
- (x) Forest Clearance is not required.

J. Rose

- (xi) There is no Court case pending against the project.
- (xii) Cost of the project is Rs. 150 Crores
- (xiii) Employment potential: Labourers during construction phase 150 no. and about 720 personnel as hospital staff during operation phase.
- (xiv) Benefits of the project: Employment opportunities provided due to the project will lead to better quality of life and will also set a standard for future developments in the area. The project will led to increase in the infrastructure of the area and encouraged others for further development of the area. The Hospital will boast some of the best medical care infrastructure in the country. It will render tertiary and specialised treatment to general population. It will provide healthy, green & safe premises for living. People have more open and green spaces, bringing them closer to nature. People live, stay and recreate; and have immediate access to entertainment facilities in a single, spacious and secured area. Corporate Environment Responsibility will also be considered for the social benefits of the society.

3. The project/activity is covered under category 'B' of item 8(a) 'Building and Construction projects' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level by sectoral EAC. However, due to absence of SEIAA/SEAC in Delhi, the proposal has been appraised at Central Level.

4. The Committee was informed that the land has been allotted by Delhi Development Authority vide deed no. 13525 dated 15.01.1996 to Lala Munni Lal Mange Ram Charitable Trust for development of Hospital and hospital related infrastructures. Since, the hospital complex was constructed before 2006, Environmental Clearance was not applicable for the present operational complex. Existing no. of beds are 250 and the Project Proponent proposed to expand to a total of 500 Beds therefore a new block shall be constructed within the project premises. Consent to Operate for existing hospital was renewed by DPCC vide Consent Order No. DPCC/WMC/2019/48081 dated 19.04.2019 and valid up to 25.07.2023. The project proponent confirmed before the Committee that the present water requirement is being fulfilled by water supply connection from Delhi Jal Board and existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.

5. The EAC in its 39th meeting held on 26-28 March, 2019, based on the information submitted and clarifications provided by the Project Proponent and detailed discussions held on all the issues, recommended the project for grant of environmental clearance with stipulated specific conditions along with other Standard EC Conditions as specified by the Ministry vide OM dated 4th January, 2019 for the said project/activity, while considering for accord of environmental clearance. As per recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the specific and general conditions as under:-

A. Specific Conditions:

- (i) Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of

S. Bose

Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.

- (ii) The project proponent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from Competent Authority as required.
- (iii) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- (iv) As proposed, fresh water requirement from Delhi Jal Board shall not exceed 117.85 KLD for which project proponent has already connection for the existing Hospital. Existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.
- (v) Sewage shall be treated in the STP based on MBBR Technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled/re-used for flushing, gardening, DG & HVAC cooling purposes. No excess treated water from STP shall be discharged to municipal drain.
- (vi) The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.
- (vii) The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
- (viii) The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed 6 nos. of rain water harvesting recharge pits shall be provided for rain water harvesting after filtration as per CGWB guidelines.
- (ix) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site.
- (x) Laboratory wastes shall be managed in accordance to the BMW Rules, 2016 and the atomic Energy Commission regulations as applicable.
- (xi) Traffic Management Plan as submitted shall be implemented in letter and spirit. Further, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to

be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

- (xii) No tree cutting/transplantation of existing trees has been proposed in the instant project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 5,287.610 sqm (22.60% of total area) area shall be provided for green area development.
- (xiii) As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1st May 2018, and proposed by the project proponent, an amount of Rs. 1.125 Crores (0.75% of the project cost) shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as skill development, waste management, education and medical check-up etc. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.

B. Standard Conditions:

I. Statutory compliance:

- i. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- ii. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightning etc.
- iii. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- iv. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- v. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- vi. The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
- vii. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

S. Rose

II. Air quality monitoring and preservation:

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM_{2.5}) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
- x. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

III. Water quality monitoring and preservation:

- i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage

- through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
 - iii. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
 - iv. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
 - v. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
 - vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
 - vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
 - viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
 - ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
 - x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
 - xi. All recharge should be limited to shallow aquifer.
 - xii. No ground water shall be used during construction phase of the project.
 - xiii. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
 - xiv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
 - xv. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water

and gardening. As proposed, no treated water shall be disposed in to municipal drain.

- xvi. No sewage or untreated effluent water would be discharged through storm water drains.
- xvii. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xviii. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xix. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

IV. Noise monitoring and prevention:

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

V. Energy Conservation measures:

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.

S. Bose

- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

VI. Waste Management:

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
- iv. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- v. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vi. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- vii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- viii. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- ix. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VII. Green Cover:

- i. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

VIII. Transport

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and

private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.

- a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

IX. Human health issues:

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

X. Corporate Environment Responsibility:


- i. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- ii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iii. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

XI. Miscellaneous:

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and that during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
- x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xi. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986,

Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- xv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
6. This issues with the approval of the Competent Authority.


(Dr. Subrata Bose)
Scientist F

Copy to:

- 1) The Secretary, Department of Environment, Government of Delhi, New Delhi.
- 2) The Addl. Principal Chief Conservator of Forests (C), Ministry of Environment, Forests and Climate Change, Kendriya Bhavan, 5th Floor, Sector-H, Aliganj, Lucknow - 226024.
- 3) The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
- 4) The Member Secretary, Delhi Pollution Control Committee, Department of Environment, Government of N.C.T. Delhi, 4th Floor, ISBT Building, Kashmere Gate, Delhi.
- 5) Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- 6) Guard File/ Record File/ Notice Board.
- 7) MoEFCC website.


(Dr. Subrata Bose)
Scientist F

Annexure-II
Copy of Fire NOC

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110 001


No. F.6/DFS/MS/Hospital/2021/WZ/ 413

Dated: 26/08/2021

FIRE SAFETY CERTIFICATE

Certified that Sri Balaji Action Medical Institute located at FC-34, A-4 Block, Paschim Vihar, New Delhi-110063, comprised of Basement, Ground, 1st floor, 2nd floor, 3rd floor & 4th floor owned/occupied by Lala Mummi Lal Mange Ram Charitable Trust was issued FSC by this department vide letter no. F.6/DFS/MS/Hospital/2018/2383 dated 23/10/2018. The premise/hospital was re-inspected by the officers concerned of this department on 06/08/2021 in the presence of Mr. Satyapal and observed that the said building have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the building fit for **Occupancy Group "C" Institutional (Hospital)** with effect from 26/8/21.. for a period of **three years** in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued on 26/08/2021.. at New Delhi by


(Signature)
Director
Delhi Fire Service

Copy to:-

1. Dr. Sunil Sumbli (Medical Superintendent), Sri Balaji Action Medical Institute located at FC-34, A-4 Block, Paschim Vihar, New Delhi-110063.
2. The Executive Engineer (Building), SIDMC, 8th Floor, Civic Center, Minto Road, New Delhi.

Conditions for the validity of fire safety certificate is as under

1. All the means of escape shall be kept free of all type of obstruction all the time.
2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
4. Any deviation, with regards to construction, ventilation, occupancy, electric installation etc. may be got verified from the concerned authorities.
5. This Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
6. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in.
7. The owner/occupier shall apply for renewal of this Fire Safety Certificate in form J, six month prior to its expiry.

Annexure-III
Copy of water bills



STOP CORONA:

- I. Wear Mask.
- II. Follow Physical Distancing.
- III. Maintain Hand Hygiene.

Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)

www.djb.gov.in

Regular Water Bill



Name(नाम): M/S.BALAJI HOSPITAL (CHARITABLE TRUST)
Address(पता): A-4/(FC-34), PASCHIM VIHAR, Delhi
Mobile No. . (मोबाइल): 9288877015
Zone/Loc (क्षेत्र / स्थान): NW3 / Kanhaiya Nagar
Area Code (एरिया कोड): A-1
MR Code (एमआर कोड): 296/BULK

KNO(केएनओ): 6056471000

Consumer Category(उपभोक्ता श्रेणी): CAT II
Premise Detail (परिसर विवरण): (No of floors-1)
Meter No. (मीटर संख्या): NA
Meter Type (मीटर का प्रकार) (DJB/Pvt): PVT
Bill No. (बिल संख्या): 605467060440
Bill Cycle(बिल चक्र): ZALL(B12-2022)
Bill Basis(बिल आधार): REGULAR

Bill Date(बिल की तिथि)
14-MAR-2023

Bill Amount (Rs.) (बिल राशि (₹))
201008

Bill Amount Payable (Rs.) (देय बिल राशि (₹))
(Nearest up to Rs. 10) (लगभग 10 ₹ तक)
201010

Bill Due Date(बिल देय तिथि)
31-MAR-2023

Amount Payable After Due Date(Rs.)
(देय तिथि के बाद देय राशि (₹))
211059



Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (यूनिट)
NA	KL	14-MAR-2023	9992 / OK	16-FEB-2023	9171 / OK	26	821

Bill Details: Current Period Charges (बिल विवरण: वर्तमान अवधि शुल्क) (16-FEB-2023 to 14-MAR-2023)

Applicable Rate Period	Description	Amount(Rs.)
17-FEB-2023 to 14-MAR-2023	Total Consumption Charges	137610.69
17-FEB-2023 to 14-MAR-2023	Sewerage Charge (60 % of Water Consumption Charge)	82566.41
17-FEB-2023 to 14-MAR-2023	Service Charge - Consumption > 100 KL	1142.00
17-FEB-2023 to 14-MAR-2023	Additional Sewerage Maintenance Charge for Hospitals/NH	15166.67
17-FEB-2023 to 14-MAR-2023	Sub Total Bill Amount without Meter Rent	236485.77
17-FEB-2023 to 14-MAR-2023	Discount for WH or WWR(10% of Total Water Bill)	-23648.58
17-FEB-2023 to 14-MAR-2023	Discount for both WH & WWR(5% of Total Water Bill)	-11824.29
17-FEB-2023 to 14-MAR-2023	Subtotal Bill Amount	201012.90
Adjustment Details Are Listed Below		
*****REBATE SCHEME*****		
Avail 75% LPSC Rebate till 31-03-2023		0
Payable Amount upto 31-03-2023		201008

Arrear, If any (Rs.) (बकाया, यदि कोई (₹)) -4.95

Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (₹)) 201008

Late Payment Surcharge (Rs.) (देर से भुगतान पर अधिभार) 1005
 (5% surcharge will be applicable after due date)(देय तिथि के बाद 5% अधिभार लागू होगा) 0.4
Amount with LPSC after due date (Rs.) 211059
 (देय तिथि के बाद अधिभार के साथ राशि (₹))

PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) (छूट योजना के लिए देय राशि (₹))

Bill History (पिछला बिल)							Payment History (पिछला भुगतान)		
Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date
21-JAN-2023	16-FEB-2023	26	9171	OK	769	188586	605375848725	188590.00	06-MAR-2023
14-DEC-2022	21-JAN-2023	38	8402	OK	983	241957	605046745446	241960.00	03-FEB-2023
15-NOV-2022	14-DEC-2022	29	7419	OK	869	380975	605507903843	213041.00	02-JAN-2023
18-OCT-2022	15-NOV-2022	28	6550	OK	681	167934	605613379916	167933.00	23-DEC-2022
15-SEP-2022	18-OCT-2022	33	5869	OK	800	197299	605708990249	197300.00	11-NOV-2022

Important Message

Rebate Scheme will be applicable till 31-Mar-2023

If bill is not paid till Bill Due Date- connection may be disconnected (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)

For any assistance / query : Please call 1916 or www.djb.gov.in (किसी भी सहायता / जानकारी के लिए: 1916 पर कॉल करें या www.djb.gov.in पर जाएं)



Delhi Jal Board Bill Payment Counter Foil

Cheque / DD should be drawn in favour of DJB in the following format

(चैक / डिमांड ड्राफ्ट द्वारा भुगतान करने के लिए निम्न फॉर्मेट का उपयोग करें) DJB KNO

KNO(केएनओ)	6056471000	Name(नाम)	M/S.BALAJI HOSPITAL (CHARITABLE TRUST)	Bill No. (बिल संख्या)	605467060440
Bill Date(बिल की तिथि)	14-MAR-2023	Bill Due Date (बिल देय तिथि)	31-MAR-2023	Bill Amount (Rs.) (बिल राशि (₹))	201008



STOP CORONA:

- I. Wear Mask.
- II. Follow Physical Distancing.
- III. Maintain Hand Hygiene.

Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)

www.djb.gov.in

Regular Water Bill



Name(नाम): M/S.BALAJI HOSPITAL (CHARITABLE TRUST)
Address(पता): A-4/(FC-34), PASCHIM VIHAR, Delhi
Mobile No. . (मोबाइल): 9288877015
Zone/Loc (क्षेत्र / स्थान): NW3 / Kanhaiya Nagar
Area Code (एरिया कोड): A-1
MR Code (एमआर कोड): 296/BULK

KNO(केएनओ): 6056471000

Consumer Category(उपभोक्ता श्रेणी): CAT II
Premise Detail (परिसर विवरण): (No of floors-1)
Meter No. (मीटर संख्या): NA
Meter Type (मीटर का प्रकार) (DJB/Pvt): PVT
Bill No. (बिल संख्या): 605783418588
Bill Cycle(बिल चक्र): ZALL(B10-2022)
Bill Basis(बिल आधार): REGULAR

Bill Date(बिल की तिथि)

24-JAN-2023

Bill Amount (Rs.) (बिल राशि (₹))

241957

Bill Amount Payable (Rs.)(देय बिल राशि (₹))

(Nearest up to Rs. 10) (लगभग 10 ₹ तक)

241960

Bill Due Date(बिल देय तिथि)

10-FEB-2023

Amount Payable After Due Date(Rs.)

(देय तिथि के बाद देय राशि (₹))

254055



Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (यूनिट)
NA	KL	21-JAN-2023	8402 / OK	14-DEC-2022	7419 / OK	38	983

Bill Details: Current Period Charges (बिल विवरण: वर्तमान अवधि शुल्क) (14-DEC-2022 to 21-JAN-2023)

Applicable Rate Period	Description	Amount(Rs.)
15-DEC-2022 to 21-JAN-2023	Total Consumption Charges	163012.16
15-DEC-2022 to 21-JAN-2023	Sewerage Charge (60 % of Water Consumption Charge)	97807.30
15-DEC-2022 to 21-JAN-2023	Service Charge - Consumption > 100 KL	1669.07
15-DEC-2022 to 21-JAN-2023	Additional Sewerage Maintenance Charge for Hospitals/NH	22166.67
15-DEC-2022 to 21-JAN-2023	Sub Total Bill Amount without Meter Rent	284655.20
15-DEC-2022 to 21-JAN-2023	Discount for WH or WWR(10% of Total Water Bill)	-28465.52
15-DEC-2022 to 21-JAN-2023	Discount for both WH & WWR(5% of Total Water Bill)	-14232.76
15-DEC-2022 to 21-JAN-2023	Subtotal Bill Amount	241956.92

Adjustment Details Are Listed Below

*****REBATE SCHEME*****

Avail 100% LPSC Rebate till 31-01-2023

0

Payable Amount upto 31-01-2023

241957

Arrear, If any (Rs.) (बकाया, यदि कोई (₹)) 0.02

Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (₹)) 241957

Late Payment Surcharge (Rs.)(देर से भुगतान पर अधिभार) (5% surcharge will be applicable after due date)(देय तिथि के बाद 5% अधिभार लागू होगा)	1209 7.85	Amount with LPSC after due date (Rs.) (देय तिथि के बाद अधिभार के साथ राशि (₹))	254055
---	--------------	--	--------

PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) (छूट योजना के लिए देय राशि (₹))

Bill History (पिछला बिल)							Payment History (पिछला भुगतान)			
Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date	
15-NOV-2022	14-DEC-2022	29	7419	OK	869	380975	605507903843	213041.00	02-JAN-2023	
18-OCT-2022	15-NOV-2022	28	6550	OK	681	167934	605613379916	167933.00	23-DEC-2022	
15-SEP-2022	18-OCT-2022	33	5869	OK	800	197299	605708990249	197300.00	11-NOV-2022	
24-AUG-2022	15-SEP-2022	22	5069	OK	509	125719	605466923258	125720.00	10-OCT-2022	
16-JUL-2022	24-AUG-2022	39	4560	OK	779	193400	605838460144	193400.00	08-SEP-2022	

Important Message

Rebate Scheme will be applicable till 31-Mar-2023

If bill is not paid till Bill Due Date- connection may be disconnected (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)

For any assistance / query : Please call 1916 or www.djb.gov.in (किसी भी सहायता / जानकारी के लिए: 1916 पर कॉल करें या www.djb.gov.in पर जाएं)



Delhi Jal Board Bill Payment Counter Foil

Cheque / DD should be drawn in favour of DJB in the following format


(चैक / डिमांड ड्राफ्ट द्वारा भुगतान करने के लिए निम्न फॉर्मेट का उपयोग करें) DJB KNO


KNO(केएनओ)	6056471000	Name(नाम)	M/S.BALAJI HOSPITAL (CHARITABLE TRUST)	Bill No. (बिल संख्या)	605783418588
Bill Date(बिल की तिथि)	24-JAN-2023	Bill Due Date (बिल देय तिथि)	10-FEB-2023	Bill Amount (Rs.) (बिल राशि (₹))	241957

Annexure-IV
Photographs of STP

Photographs of STP







Annexure-V
Environmental Monitoring Report

TEST REPORT

Issued to : M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
Amend. No. & Amend. Date : 02 & 17.02.2018
Lab Reference No. : 230217023 A
Issue Date : 22/02/2022
Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

(Page1 of 1)

Sample Particulars: Ambient Air Quality Monitoring was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 16/02/2023 to 17/02/2023.


Type of sample	: Ambient Air	Sample Registration Date	: 16/02/2023
Sampling Date	: 16/02/2023 to 17/02/2023	Analysis Starting Date	: 16/02/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 22/02/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Main Gate Near Ground Room	Sampling Method	: ELPL/III/SOP/21

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	µg/m ³	214	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	µg/m ³	133.1	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO ₂	µg/m ³	16.4	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO _x	µg/m ³	41.3	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.45	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****


Checked By
(VIKASH KUMAR)


Authorized Signatory
(SNEH SMITA)



TEST REPORT

Issued to

M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
 Amend. No. & Amend. Date : 02 & 17.02.2018
Lab Reference No. : 230217024 N
Issue Date : 22/02/2023
Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

(Page1of 1)

Sample Particulars: Ambient Noise level testing was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 16/02/2023 to 17/02/2023.

Type of sample : Ambient Noise	Sample Registration Date : 17/02/2023
Sampling Date : 16/02/2023 to 17/02/2023	Testing Starting Date : 17/02/2023
Sampling Done by : Lab representative	Testing Completion Date : 18/02/2023
Quantity received : 24 Hourly Sample	Tests Required : Mentioned below
Sample's Location : Main Gate-1	Sampling Method : ELPL/III/SOP/37

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm)	dB(A)	60.6	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	51.4	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution (Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

*****END OF REPORT*****

*Leq : It is energy mean of the noise level over a specified period.


Checked By
 (VIKASH KUMAR)


Authorized Signatory
 (SNEH SMITA)

TEST REPORT

Issued to	Doc No. : ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date : 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No. : 230217013 W
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date : 22/02/2023
	Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

Sample Particulars: Water sample was collected from Tap at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2023.

Type of sample : Drinking Water	Sample Registration Date : 17/02/2023
Sampling Date : 17/02/2023	Analysis Starting Date : 17/02/2023
Sampling Done by : Lab representative	Analysis Completion Date : 22/02/2023
Quantity received : 2 Ltr approx.	Tests Required : Mentioned below
Sample's Location : RO Plant Area	Sampling Method : ELPL/III/SOP/20

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	6.92	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	104	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	6.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	42.2	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.11	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL (DL1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	4.6	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	10	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	25	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)

Checked By
(VIKASH KUMAR)

Authorized Signatory
(SNEH SMITA)



TEST REPORT

Issued to

M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
 Amend. No. & Amend. Date : 02 & 17.02.2018
 Lab Reference No. : 230217013 W
 Issue Date : 22/02/2023
 Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

Sample Particulars: Water sample was collected from Tap at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2023.

Type of sample : Drinking Water	Sample Registration Date : 17/02/2023
Sampling Date : 17/02/2023	Analysis Starting Date : 17/02/2023
Sampling Done by : Lab representative	Analysis Completion Date : 22/02/2023
Quantity received : 2 Ltr approx.	Tests Required : Mentioned below
Sample's Location : RO Plant Area	Sampling Method : ELPL/III/SOP/20

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA 23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA 23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium as Mg	mg/l	2.43	30	100	APHA 23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL (DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.01)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL (D L0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

V. Kumar
Checked By
 (VIKASH KUMAR)

Sneha Smita
Authorized Signatory
 (SNEH SMITA)



TEST REPORT

Issued to

M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
Amend. No. & Amend. Date : 02 & 17.02.2018
Lab Reference No. : 230217018 DN
Issue Date : 22/02/2023
Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063. (Page1of 1)

Sample Particulars: DG Noise Level testing was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2023.

Type of sample	: DG Noise	Sample Registration Date	: 17/02/2023
Sampling Date	: 17/02/2023	Testing Starting Date	: 17/02/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 18/02/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 750 KVA DG Engine No - 25291912 Model- Cummins & KTA-2300-G		

Test Results

S.no.	Description	Unit	Result	Specification	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	96.1	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	70.1	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.0	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).


Checked By
 (VIKASH KUMAR)


Authorized Signatory
 (SNEH-SMITA)

TEST REPORT

Issued to : M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
Amend. No. & Amend. Date : 02 & 17.02.2018
Lab Reference No. : 230217020 DN
Issue Date : 22/02/2023
Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063. (Page1of 1)

Sample Particulars: DG Noise Level testing was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2023.

Type of sample	: DG Noise	Sample Registration Date	: 17/02/2023
Sampling Date	: 17/02/2023	Testing Starting Date	: 17/02/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 18/02/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 750 KVA DG Engine No – 25289398 Model- KTA-2300-G		

Test Results

S.no.	Description	Unit	Result	Specification	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	95.8	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	69.7	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.1	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).


Checked By
(VIKASH KUMAR)


Authorized Signatory
(SNEH SMITA)


TEST REPORT

Issued to : M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
Amend. No. & Amend. Date : 02 & 17.02.2018
Lab Reference No. : 230217022 DN
Issue Date : 22/02/2023
Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063 (Page1of 1)

Sample Particulars: DG Noise Level testing was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2023.

Type of sample	: DG Noise	Sample Registration Date	: 17/02/2023
Sampling Date	: 17/02/2023	Testing Starting Date	: 17/02/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 18/02/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 750 KVA DG Engine No - 25291912 Model- KTA-2300-G		

Test Results

S.no.	Description	Unit	Result	Specification	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	95.3	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	70.0	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	25.3	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).


Checked By
(VIKASH KUMAR)


Authorized Signatory
(SNEH-SMITA)

TEST REPORT

Issued to	Doc No.	: ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date	: 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No.	: 230217017 E
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date	: 22/02/2023
	Your Reference	: Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063 (Page 1 of 1)

Sample Particulars: DG Stack monitoring was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2022.

Type of sample	: DG Stack	Sample Registration Date	: 16/02/2022
Sampling Date	: 17/02/2023	Analysis Starting Date	: 17/02/2022
Sampling Done by	: Lab representative	Analysis Completion Date	: 22/02/2022
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/32

DG Capacity	: 600 KW (750 KVA)
Source of Emission	: Stack attached to DG Set
DG Engine No	: 25291912
Make & Model	: Cummins & KTA-2300-G
Type of fuel used	: HSD
Type of Stack	: Circular
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.15
Height of Stack from Ground level (m)	: 18
Height of Stack from roof level (m)	: --
Time of sampling (minutes)	: 35
Ambient Temperature (k)	: 296
Stack Temperature (k)	: 368
Average velocity of flue emission (m/s)	: 8.61
Isokinetic flow rate (l/m)	: 28.55
Flue gas flow rate (m ³ /hr.)	: 545.5
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.16	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.59	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.61	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.24	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.61	g/kw-hr	IS 13270:1992	≤ 3.5

*****END OF REPORT*****

Checked By
(VIKASH KUMAR)

Authorized Signatory
(SNEH SMITA)



TEST REPORT

Issued to

M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
 Amend. No. & Amend. Date : 02 & 17.02.2018
 Lab Reference No. : 230217019 E
 Issue Date : 22/02/2023
 Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

(Page 1 of 1)

Sample Particulars: DG Stack monitoring was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2023.

Type of sample	: DG Stack	Sample Registration Date	: 17/02/2023
Sampling Date	: 17/02/2023	Analysis Starting Date	: 17/02/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 22/02/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/32

DG Capacity : 600 KW (750 KVA)
 Source of Emission : Stack attached to DG Set
 DG Engine No : 25289398
 Make & Model : Cummins & KTA-2300-G
 Type of fuel used : HSD
 Type of Stack : Circular
 Operating Schedule : As per requirement
 Diameter of Stack (m) : 0.15
 Height of Stack from Ground level (m) : 18
 Height of Stack from roof level (m) : --
 Time of sampling (minutes) : 35
 Ambient Temperature (k) : 296
 Stack Temperature (k) : 355
 Average velocity of flue emission (m/s) : 8.32
 Isokinetic flow rate (l/m) : 28.60
 Flue gas flow rate (m³/hr.) : 527.1
 Control Measures (if any) : Nil
 Remark (If any) : Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.15	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.54	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.58	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.31	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.66	g/kw-hr	IS 13270:1992	≤ 3.5

*****END OF REPORT*****

V. Kumar
Checked By
 (VIKASH KUMAR)

Sneh Smita
Authorized Signatory
 (SNEH SMITA)



TEST REPORT

Issued to

M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
 Amend. No. & Amend. Date : 02 & 17.02.2018
 Lab Reference No. : 230217021 E
 Issue Date : 22/02/2023
 Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063. (Page1 of 1)

Sample Particulars: DG Stack monitoring was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2023.

Type of sample : DG Stack	Sample Registration Date : 17/02/2023
Sampling Date : 17/02/2023	Analysis Starting Date : 17/02/2023
Sampling Done by : Lab representative	Analysis Completion Date : 22/02/2023
Quantity received : 01 Sample	Tests Required : Mentioned below
Sample's Location : DG Room	Sampling Method : ELPL/III/SOP/32

DG Capacity : 600 KW (750 KVA)
 Source of Emission : Stack attached to DG Set
 DG Engine No : 25313579
 Make & Model : Cummins & KTA-38-G2-1
 Type of fuel used : HSD
 Type of Stack : Circular
 Operating Schedule : As per requirement
 Diameter of Stack (m) : 0.15
 Height of Stack from Ground level (m) : 18
 Height of Stack from roof level (m) : --
 Time of sampling (minutes) : 35
 Ambient Temperature (k) : 296
 Stack Temperature (k) : 372
 Average velocity of flue emission (m/s) : 8.74
 Isokinetic flow rate (l/m) : 28.67
 Flue gas flow rate (m³/hr.) : 553.7
 Control Measures (if any) : Nil
 Remark (If any) : Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.17	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.73	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.66	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.36	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.69	g/kw-hr	IS 13270:1992	≤ 3.5

*****END OF REPORT*****

Checked By
 (VIKASH KUMAR)

Authorized Signatory
 (SNEH SMITA)



TEST REPORT

Issued to

M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
 Amend. No. & Amend. Date : 02 & 17.02.2018
 Lab Reference No. : 220217016 S
 Issue Date : 22/02/2023
 Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063
 (Page1of 1)

Sample Particulars: Soil sample was collected from ground at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2023

Type of sample : Soil	Sample Registration Date : 17/02/2023
Sampling Date : 17/02/2023	Analysis Starting Date : 17/02/2023
Sampling Done by : Lab representative	Analysis Completion Date : 22/02/2023
Quantity received : 1 Kg approx.	Tests Required : Mentioned below
Sample's Location : Project Site Area	Sampling Method : Grab Method

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.33	IS 2720(P-26):1987
2	Conductivity (1:5)	µmhos/cm	346	IS 14767:2000
3	Bulk Density	gm/cc	1.26	ELPL/III/SOP/40
4	Chloride as Cl	mg/kg	206	ELPL/III/SOP/46
5	Calcium as Ca	mg/kg	7625	ELPL/III/SOP/42
6	Magnesium as Mg	mg/kg	271	ELPL/III/SOP/43
7	Organic matter	%	0.51	IS 2720(P-22):1972
8	Phosphorous	mg/kg	88.4	ELPL/III/SOP/47
9	Moisture	%	17.6	ELPL/III/SOP/53
10	Bicarbonate	mg/kg	212	IS:3025 (P-23)
11	Sulphate	mg/kg	146	IS:3025 (P-24)
12	Iron	mg/kg	18.2	USEPA 6010C:2000
13	Lead	mg/kg	BDL (DL-0.1)	USEPA 6010C:2000

*****END OF REPORT*****


Checked By
 (VIKASH KUMAR)


Authorized Signatory
 (SNEH SMITA)



TEST REPORT

Issued to : M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
Amend. No. & Amend. Date : 02 & 17.02.2018
Lab Reference No. : 230217014 W
Issue Date : 22/02/2023
Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

Sample Particulars: Waste water sample was collected from STP Inlet at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2023.

Type of sample	: STP Inlet	Sample Registration Date	: 17/02/2023
Sampling Date	: 17/02/2023	Analysis Starting Date	: 17/02/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 22/02/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: STP Plant Room	Sampling Method	: ELPL/III/SOP/20

Page 1 of 1

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	7.32	IS 3025 (P-11)
2	Oil and grease	mg/l	21	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27 ⁰ C for 3 days	mg/l	265	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	680	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	110	IS 3025 (P-17)

*****END OF REPORT*****


Checked By
(VIKASH KUMAR)


Authorized Signatory
(SNEHA SMITA)



TEST REPORT

Issued to

M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
 Amend. No. & Amend. Date : 02 & 17.02.2018
Lab Reference No. : 230217015 W
Issue Date : 22/02/2023
Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

Sample Particulars: Waste water sample was collected from STP Outlet at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 17/02/2023.

Type of sample : STP Outlet	Sample Registration Date : 17/02/2023
Sampling Date : 17/02/2023	Analysis Starting Date : 17/02/2023
Sampling Done by : Lab representative	Analysis Completion Date : 22/02/2023
Quantity received : 2 Ltr approx.	Tests Required : Mentioned below
Sample's Location : STP Plant Room	Sampling Method : ELPL/III/SOP/20

Page 1 of 1

S.No.	Test Parameters	Units	Results	As Per CPCB Norm	Test Method
1	pH	-	7.64	5.0-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	BDL(DL-2.0)	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	5.4	30	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	32	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	14	100	IS 3025 (P-17)

*****END OF REPORT*****


Checked By
 (VIKASH KUMAR)


Authorized Signatory
 (SNEHA SMITA)


TEST REPORT

Issued to	Doc No.	: ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date	: 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No.	: 230425022 W
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date	: 03/05/2023
	Your Reference	: Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063


Sample Particulars: Water sample was collected from Tap at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample	: Drinking Water	Sample Registration Date	: 25/04/2023
Sampling Date	: 24/04/2023	Analysis Starting Date	: 25/04/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 03/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: Near By Plaster Room	Sampling Method	: ELPL/III/SOP/20

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.22	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	152	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	18	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	35	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.07	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL (DL1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	31.6	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	50	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	80	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)

Sneh Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No.	: ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date	: 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No.	: 230425022 W
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date	: 03/05/2023
	Your Reference	: Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

Sample Particulars: Water sample was collected from Tap at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample	: Drinking Water	Sample Registration Date	: 25/04/2023
Sampling Date	: 24/04/2023	Analysis Starting Date	: 25/04/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 03/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: Near By Plaster Room	Sampling Method	: ELPL/III/SOP/20

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA 23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA 23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	APHA 23 rd Ed.3120B
26	Magnesium as Mg	mg/l	8.5	30	100	APHA 23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL (DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.01)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL (D L0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

Sneha Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No.	: ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date	: 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No.	: 230425023 W
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date	: 03/05/2023
	Your Reference	: Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

Sample Particulars: Water sample was collected from Tap at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample	: Raw Water	Sample Registration Date	: 25/04/2023
Sampling Date	: 24/04/2023	Analysis Starting Date	: 25/04/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 03/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: WTP Plant	Sampling Method	: ELPL/III/SOP/20

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.52	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	1498	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	154.3	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	811.5	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.21	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	1.65	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	118.4	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	316	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	855	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)

Sneh Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No.	: ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date	: 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No.	: 230425023 W
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date	: 03/05/2023
	Your Reference	: Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

Sample Particulars: Water sample was collected from Tap at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample	: Raw Water	Sample Registration Date	: 25/04/2023
Sampling Date	: 24/04/2023	Analysis Starting Date	: 25/04/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 03/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: WTP Plant	Sampling Method	: ELPL/III/SOP/20

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA 23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA 23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed.3120B
25	Iron as Fe	mg/l	0.24	1.0	No relaxation	APHA 23 rd Ed.3120B
26	Magnesium as Mg	mg/l	110.5	30	100	APHA 23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL (DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.01)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL (D L0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

Sneh Smita
Checked By
 (SNEH SMITA)

Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No. : ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date : 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No. : 230425024 W
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date : 03/05/2023
	Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

Sample Particulars: Waste water sample was collected from STP Inlet at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample : STP Inlet	Sample Registration Date : 25/04/2023
Sampling Date : 24/04/2023	Analysis Starting Date : 25/04/2023
Sampling Done by : Lab representative	Analysis Completion Date : 03/05/2023
Quantity received : 2 Ltr approx.	Tests Required : Mentioned below
Sample's Location : STP Plant Room	Sampling Method : ELPL/III/SOP/20

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	7.36	IS 3025 (P-11)
2	Oil and grease	mg/l	18	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	195	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	492	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	46	IS 3025 (P-17)

*****END OF REPORT*****

Sneha Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No. : ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date : 02 & 17.02.2018
C/o M/s Lala Munnai Lal Mange Ram Charitable	Lab Reference No. : 230425025 W
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date : 03/05/2023
	Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

Sample Particulars: Waste water sample was collected from STP Outlet at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample : STP Outlet	Sample Registration Date : 25/04/2023
Sampling Date : 24/04/2023	Analysis Starting Date : 25/04/2023
Sampling Done by : Lab representative	Analysis Completion Date : 03/05/2023
Quantity received : 2 Ltr approx.	Tests Required : Mentioned below
Sample's Location : STP Plant Room	Sampling Method : ELPL/III/SOP/20

S.No.	Test Parameters	Units	Results	As Per CPCB Norm	Test Method
1	pH	-	7.76	5.0-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	BDL(DL-2.0)	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	6.8	30	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	42	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	16	100	IS 3025 (P-17)

*****END OF REPORT*****

Sneh Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No.	: ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date	: 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No.	: 230425026 S
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date	: 03/05/2023
	Your Reference	: Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063 (Page1 of 1)

Sample Particulars: Soil sample was collected from ground at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023

Type of sample	: Soil	Sample Registration Date	: 25/04/2023
Sampling Date	: 24/04/2023	Analysis Starting Date	: 25/04/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 03/05/2023
Quantity received	: 1 Kg approx.	Tests Required	: Mentioned below
Sample's Location	: Project Site Area	Sampling Method	: Grab Method

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.46	IS 2720(P-26):1987
2	Conductivity (1:5)	µmhos/cm	296	IS 14767:2000
3	Bulk Density	gm/cc	1.31	ELPL/III/SOP/40
4	Chloride as Cl	mg/kg	322	ELPL/III/SOP/46
5	Calcium as Ca	mg/kg	6846	ELPL/III/SOP/42
6	Magnesium as Mg	mg/kg	316	ELPL/III/SOP/43
7	Organic matter	%	0.54	IS 2720(P-22):1972
8	Phosphorous	mg/kg	92.2	ELPL/III/SOP/47
9	Moisture	%	22	ELPL/III/SOP/53
10	Bicarbonate	mg/kg	196	IS:3025 (P-23)
11	Sulphate	mg/kg	184	IS:3025 (P-24)
12	Iron	mg/kg	16.4	USEPA 6010C:2000
13	Lead	mg/kg	BDL (DL-0.1)	USEPA 6010C:2000

*****END OF REPORT*****

BDL: Below Detection Limit
 DL: Detection limit

Sneha Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No. : ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date : 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No. : 230425027 E
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date : 03/05/2023
	Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063 (Page1 of 1)

Sample Particulars: DG Stack monitoring was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample : DG Stack	Sample Registration Date : 25/04/2023
Sampling Date : 24/04/2023	Analysis Starting Date : 25/04/2023
Sampling Done by : Lab representative	Analysis Completion Date : 03/05/2023
Quantity received : 01 Sample	Tests Required : Mentioned below
Sample's Location : DG Room	Sampling Method : ELPL/III/SOP/32


DG Capacity	: 600 KW (750 KVA)
Source of Emission	: Stack attached to DG Set
DG Engine No	: 25291912
Make & Model	: Cummins & KTA-2300-G
Type of fuel used	: HSD
Type of Stack	: Circular
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.15
Height of Stack from Ground level (m)	: 18
Height of Stack from roof level (m)	: --
Time of sampling (minutes)	: 42
Ambient Temperature (k)	: 303
Stack Temperature (k)	: 496
Average velocity of flue emission (m/s)	: 9.69
Isokinetic flow rate (l/m)	: 23.64
Flue gas flow rate (Nm ³ /hr.)	: 590
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.17	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.62	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NOx)	1.71	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.28	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.59	g/kw-hr	IS 13270:1992	≤ 3.5

*****END OF REPORT*****

Sneh Smita
Checked By?
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No.	: ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date	: 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No.	: 230425028 DN
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date	: 03/05/2023
	Your Reference	: Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063. (Page1of 1)

Sample Particulars: DG Noise Level testing was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample	: DG Noise	Sample Registration Date	: 25/04/2023
Sampling Date	: 24/04/2023	Testing Starting Date	: 25/04/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 03/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 750 KVA DG Engine No - 25291912 Model- Cummins & KTA-2300-G		

Test Results

S.no.	Description	Unit	Result	Specification	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	97.4	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	70.6	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.8	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).


Checked By
 (SNEH SMITA)


Authorized Signatory
 (PURUSHOTTAM SHARMA)

TEST REPORT

Issued to	Doc No. : ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date : 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No. : 230425029 E
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date : 03/05/2023
	Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063 (Page1of 1)

Sample Particulars: DG Stack monitoring was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample : DG Stack	Sample Registration Date : 25/04/2023
Sampling Date : 24/04/2023	Analysis Starting Date : 25/04/2023
Sampling Done by : Lab representative	Analysis Completion Date : 03/05/2023
Quantity received : 01 Sample	Tests Required : Mentioned below
Sample's Location : DG Room	Sampling Method : ELPL/III/SOP/32

DG Capacity	: 600 KW (750 KVA)
Source of Emission	: Stack attached to DG Set
DG Engine No	: 25289398
Make & Model	: Cummins & KTA-2300-G
Type of fuel used	: HSD
Type of Stack	: Circular
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.15
Height of Stack from Ground level (m)	: 18
Height of Stack from roof level (m)	: --
Time of sampling (minutes)	: 39
Ambient Temperature (k)	: 303
Stack Temperature (k)	: 422
Average velocity of flue emission (m/s)	: 8.94
Isokinetic flow rate (l/m)	: 25.63
Flue gas flow rate (Nm ³ /hr.)	: 544.3
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.18	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.76	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.76	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.36	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.68	g/kw-hr	IS 13270:1992	≤ 3.5

*****END OF REPORT*****

Sneh Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No.	: ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date	: 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No.	: 230425030 DN
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date	: 03/05/2023
	Your Reference	: Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063. (Page1of 1)

Sample Particulars: DG Noise Level testing was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample	: DG Noise	Sample Registration Date	: 25/04/2023
Sampling Date	: 24/04/2023	Testing Starting Date	: 25/04/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 03/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 750 KVA DG Engine No – 25289398 Model- KTA-2300-G		

Test Results

S.no.	Description	Unit	Result	Specification	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	98.3	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	71.8	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.5	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).


Checked By
 (SNEH SMITA)


Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No. : ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date : 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No. : 230425031 E
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date : 03/05/2023
	Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063. (Page1 of 1)

Sample Particulars: DG Stack monitoring was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample : DG Stack	Sample Registration Date : 25/04/2023
Sampling Date : 24/04/2023	Analysis Starting Date : 25/04/2023
Sampling Done by : Lab representative	Analysis Completion Date : 03/05/2023
Quantity received : 01 Sample	Tests Required : Mentioned below
Sample's Location : DG Room	Sampling Method : ELPL/III/SOP/32

DG Capacity : 600 KW (750 KVA)
 Source of Emission : Stack attached to DG Set
 DG Engine No : 25313579
 Make & Model : Cummins & KTA-38-G2-1
 Type of fuel used : HSD
 Type of Stack : Circular
 Operating Schedule : As per requirement
 Diameter of Stack (m) : 0.15
 Height of Stack from Ground level (m) : 18
 Height of Stack from roof level (m) : --
 Time of sampling (minutes) : 38
 Ambient Temperature (k) : 303
 Stack Temperature (k) : 398
 Average velocity of flue emission (m/s) : 8.68
 Isokinetic flow rate (l/m) : 26.39
 Flue gas flow rate (Nm³/hr.) : 528.5
 Control Measures (if any) : Nil
 Remark (If any) : Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.15	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.58	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NOx)	1.69	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.32	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.62	g/kw-hr	IS 13270:1992	≤ 3.5

*****END OF REPORT*****

Sneh Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No. : ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date : 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No. : 230425032 DN
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date : 03/05/2023
	Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063 (Page1 of 1)

Sample Particulars: DG Noise Level testing was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023.

Type of sample : DG Noise	Sample Registration Date : 25/04/2023
Sampling Date : 24/04/2023	Testing Starting Date : 25/04/2023
Sampling Done by : Lab representative	Testing Completion Date : 03/05/2023
Quantity received : 01 Sample	Tests Required : Mentioned below
Sample's Location : DG Room	Sampling Method : ELPL/III/SOP/37
Details of DG Set : Capacity- 750 KVA DG Engine No – 25313579 Model- KTA-38-G2-1	

Test Results

S.no.	Description	Unit	Result	Specification	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	97.0	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	71.3	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	25.7	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).


Checked By
 (SNEH SMITA)


Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to : M/s Sri Balaji Action Medical Institute
C/o M/s Lala Munni Lal Mange Ram Charitable
Trust, 15/17, East Punjabi Bagh, New Delhi-110026

Doc No. : ELPL/IV/QF/20
Amend. No. & Amend. Date : 02 & 17.02.2018
Lab Reference No. : 230425033 A
Issue Date : 03/05/2023
Your Reference : Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

(Page1of 1)

Sample Particulars: Ambient Air Quality Monitoring was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023 to 25/04/2023.

Type of sample	: Ambient Air	Sample Registration Date	: 25/04/2023
Sampling Date	: 24/04/2023 to 25/04/2023	Analysis Starting Date	: 25/04/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 03/05/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Near Main Gate	Sampling Method	: ELPL/III/SOP/21

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	µg/m ³	198	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	µg/m ³	124.6	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO ₂	µg/m ³	17.3	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO _x	µg/m ³	40.2	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.39	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to	Doc No.	: ELPL/IV/QF/20
M/s Sri Balaji Action Medical Institute	Amend. No. & Amend. Date	: 02 & 17.02.2018
C/o M/s Lala Munni Lal Mange Ram Charitable	Lab Reference No.	: 230425034 N
Trust, 15/17, East Punjabi Bagh, New Delhi-110026	Issue Date	: 03/05/2023
	Your Reference	: Email

Project Name: Expansion of 'Sri Balaji Action Medical Institute' Facility Centre No. 34, Paschim Puri, New Delhi 110063

(Page1 of 1)

Sample Particulars: Ambient Noise level testing was done at Sri Balaji Action Medical Institute Facility Centre No. 34, Paschim Puri, New Delhi 110063 on 24/04/2023 to 25/04/2023.

Type of sample	: Ambient Noise	Sample Registration Date	: 25/04/2023
Sampling Date	: 24/04/2023 to 25/04/2023	Testing Starting Date	: 25/04/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 03/05/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Near Main Gate	Sampling Method	: ELPL/III/SOP/37

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm)	dB(A)	61.2	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	50.8	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution (Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

*****END OF REPORT*****

*Leq : It is energy mean of the noise level over a specified period.

Sneha Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



Environmental Monitoring Report

1. Ambient Air Quality Monitoring

Ambient air quality monitoring has been done quarterly basis at locations AAQ-1 (Main Gate Near Ground Room) and AAQ-1 (Near Main Gate) for 24 Hrs. The detail of monitoring schedule is given in **Table-1**.

Table 1: Schedule of Ambient Air Quality Monitoring

S. No.	Duration of sampling (hours)	Date		Sample collected on	Location
		From	To		
1	24	16/02/2023	17/02/2023	17/02/2023	AAQ-1 (Main Gate Near Ground Room)
2	24	24/04/2023	25/04/2023	25/04/2023	AAQ-1 (Near Main Gate)

Sulphur Dioxide (SO₂)

Monitoring results of SO₂ are given in **Table-1 (a)** and graphical representation is given in **Figure-1 (a)**

Table- 1(a): Monitoring results for SO₂

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m ³)	NAAQS (as per CPCB), µg/m ³
1	16/02/2023 to 17/02/2023	AAQ - 1	24 Hourly	16.4	80
2	24/04/2023 to 25/04/2023	AAQ - 1	24 Hourly	17.3	80




Figure-1(a): SO₂ concentrations

The concentration of SO₂ was observed below permissible Limit as per NAAQS.

Nitrogen Dioxide (NO₂)

Monitoring results of NO₂ is given in **Table-1 (b)** and graphical representation is given in **Figure-1 (b)**

Table-1 (b) Monitoring results for NO₂

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m ³)	NAAQS (as per CPCB), µg/m ³
1	16/02/2023 to 17/02/2023	AAQ - 1	24 Hourly	41.3	80
2	24/04/2023 to 25/04/2023	AAQ - 1	24 Hourly	40.2	80




Figure 1 (b): NO₂ concentrations

The concentration of NO₂ was below the limits as permissible limit as per NAAQS.

Particulate Matter

PM₁₀: Monitoring results of PM₁₀ is given in **Table- 1(c)** and graphical representation is given in **Figure- 1(c)**.

Table-1 (c): Monitoring results for PM₁₀

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m ³)	NAAQS (as per CPCB), µg/m ³
1	16/02/2023 to 17/02/2023	AAQ - 1	24 Hourly	214	100
2	24/04/2023 to 25/04/2023	AAQ - 1	24 Hourly	198	100




Figure 1 (c): PM₁₀ concentrations

The concentration of PM₁₀ was found higher than permissible limit by NAAQS.

PM_{2.5}: Monitoring results of PM_{2.5} is given in **Table-1 (d)** and graphical representation is given in **Figure- 1 (d)**

Table 1 (d): Monitoring results for PM_{2.5}

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m ³)	NAAQS (as per CPCB), µg/m ³
1	16/02/2023 to 17/02/2023	AAQ - 1	24 Hourly	133.1	60
2	24/04/2023 to 25/04/2023	AAQ - 1	24 Hourly	124.6	60




Figure 1 (d): PM_{2.5} concentrations

The concentration of PM_{2.5} was found to be higher than permissible limit by NAAQS.

Carbon Monoxide (CO)

Monitoring results of CO is given in **Table-1(e)** and graphical representation is given in **Figure-1(e)**

Table -1 (e): Monitoring results for CO

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m ³)	NAAQS (as per CPCB), µg/m ³
1	16/02/2023 to 17/02/2023	AAQ - 1	08 Hourly	0.45	002
2	24/04/2023 to 25/04/2023	AAQ - 1	08 Hourly	0.39	002




Figure 1 (e): CO concentrations

The concentration of CO was within the limit as prescribed by NAAQS.

2. Noise Monitoring

Noise monitoring was done quarterly basis at location ANQ-1 (Main Gate-1) and ANQ-1 (Near Main Gate) for 24 Hrs. The details of monitoring are given in **Table-(2)**

Table (2): Schedule of Noise Monitoring

S. No.	Duration of sampling (hours)	Date		Sample collected on	Location
		From	To		
1	24	16/02/2023	17/02/2023	17/02/2023	ANQ-1 (Main Gate-1)
2	24	24/04/2023	25/04/2023	25/04/2023	ANQ-1 (Near Main Gate)

Monitoring has been done for 24 hours. The results for day time & night time observations are given below:

Day Time

Monitoring results of day time is given in **Table- 2 (a)** and graphical representation is given in **Figure- 2 (a)**

Table 2 (a): Day Time monitoring result

S. No.	Monitoring Locations	Duration of Monitoring	Results dB(A)	Permissible Limit dB(A) (as per CPCB)
1	ANQ - 1	Day time (6:00 AM to 10:00 PM)	60.6	65
2	ANQ - 1	Day time (6:00 AM to 10:00 PM)	61.2	65




Figure 2 (a): Graph showing day time Noise monitoring result

The day Noise result was found to be within the limit as prescribed by NAAQS.

Night Time

Monitoring results of night time is given in **Table- 2 (b)** and graphical representation is given in **Figure-2 (b)**.

Table – 2 (b): Night Time monitoring result

S. No.	Monitoring Locations	Duration of Monitoring	Results dB(A)	Permissible Limit dB(A) (as per CPCB)
1	ANQ - 1	Night time (10:00 PM to 06:00AM)	51.4	55
2	ANQ - 1	Night time (10:00 PM to 06:00AM)	50.8	55




Figure 2 (b): Graph showing night time Noise monitoring result

The night Noise result was found to be within the limit as prescribed by NAAQS.

3. Raw Water Monitoring

Schedule for Raw water monitoring is given in Table 3.

Table 3: Schedule for Raw water sample collection

Day of sampling	Sample collected on	Location
Day 1	24/04/2022	WTP Plant

Raw water for Day-1 monitoring results given in Table 3(a).

Table 3(a): - Raw Water Monitoring Results

S. No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.52	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	1498	500	2000	IS 3025 (Pt-16)

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	154.3	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	811.5	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.21	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	1.65	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	118.4	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	316	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	855	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA 23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	1.0	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed.3120B
25	Iron as Fe	mg/l	0.24	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium as Mg	mg/l	110.5	30	100	APHA 23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL (DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

34	Molybdenum (as MO)	mg/l	BDL (DL 0.01)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL (DL 0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

4. Drinking Water Monitoring

Schedule for Drinking water monitoring is given in **Table 4**.

Table 4: Schedule for Drinking water sample collection

Day of sampling	Sample collected on	Location
Day 1	17/02/2023	RO Plant Area
Day 1	24/04/2023	Near By Plaster Room

Drinking water for Day-1 monitoring results given in **Table 4(a)**.

Table 4(a): - Drinking Water Monitoring Results (17/02/2023)

S. No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	6.92	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	104	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	6.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	42.2	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.11	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL (DL1.0)	45	No relaxation	IS 3025 (Pt-34)
15	PheNolic	mg/l	BDL (DL)	0.001	0.002	IS 3025 (Pt-43)

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

	Compounds (as C ₆ H ₅ OH)		0.001)			
16	Sulphate as SO ₄	mg/l	4.6	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	10	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	25	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL(DL 0.1)	0.7	No relaxation	APHA 23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	1.0	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL(DL 0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium as Mg	mg/l	2.43	30	100	APHA 23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL(DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL(DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL(DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL(DL 0.01)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

Drinking water for Day-1 monitoring results given in Table 4(b).

Table 4(b): - Drinking Water Monitoring Results (24/04/2023)

S. No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.22	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	152	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	18	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	35	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.07	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL (DL1.0)	45	No relaxation	IS 3025 (Pt-34)
15	PheNolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	31.6	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	50	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	80	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA 23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	1.0	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed.3120B

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium as Mg	mg/l	8.5	30	100	APHA 23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL(DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL(DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL(DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL(DL 0.01)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

5. Diesel Generator Noise Monitoring Results

Schedule for Diesel Generator Noise monitoring is given in **Table 5**.

Table 5: Schedule for DG Noise sample collection

Sample collected on	Locations
17/02/2023	DG Room (DG-1)
17/02/2023	DG Room (DG-2)
17/02/2023	DG Room (DG-3)
24/04/2023	DG Room (DG-1)
24/04/2023	DG Room (DG-2)
24/04/2023	DG Room (DG-3)

D.G. set-1 with capacity 750 kVA was monitored for noise at DG Room. The results are given **Table-5(a)** below: -

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

Table 5(a): D.G. set-1 Noise Monitoring Result (17/02/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) Sound level pressure	dB(A)	96.1	-	ELPL/III/SOP/37
2	D.G. Room (Closed Door outside the room) Sound level pressure	dB(A)	70.1	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.0	25	ELPL/III/SOP/37

D.G. set-2 with capacity 750 kVA was monitored for noise at DG Room. The results are given **Table-5(b)** below: -

Table 5(b): D.G. set-2 Noise Monitoring Result (17/02/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) Sound level pressure	dB(A)	95.8	-	ELPL/III/SOP/37
2	D.G. Room (Closed Door outside the room) Sound level pressure	dB(A)	69.7	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.1	25	ELPL/III/SOP/37

D.G. set-3 with capacity 750 kVA was monitored for noise at DG Room. The results are given **Table-5(c)** below: -

Table 5(c): D.G. set-3 Noise Monitoring Result (17/02/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) Sound level pressure	dB(A)	95.3	-	ELPL/III/SOP/37
2	D.G. Room (Closed Door outside the room) Sound level pressure	dB(A)	70.0	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	25.3	25	ELPL/III/SOP/37

D.G. set-1 with capacity 750 kVA was monitored for noise at DG Room. The results are given **Table-5(d)** below: -

Table 5(d): D.G. set-1 Noise Monitoring Result (24/04/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) Sound level pressure	dB(A)	97.4	-	ELPL/III/SOP/37
2	D.G. Room (Closed Door outside the room) Sound level pressure	dB(A)	70.6	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.8	25	ELPL/III/SOP/37

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

D.G. set-2 with capacity 750 kVA was monitored for noise at DG Room. The results are given **Table-5(e)** below: -

Table 5(e): D.G. set-1 Noise Monitoring Result (24/04/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) Sound level pressure	dB(A)	98.3	-	ELPL/III/SOP/37
2	D.G. Room (Closed Door outside the room) Sound level pressure	dB(A)	71.8	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.5	25	ELPL/III/SOP/37

D.G. set-3 with capacity 750 kVA was monitored for noise at DG Room. The results are given **Table-5(f)** below: -

Table 5(f): D.G. set-1 Noise Monitoring Result (24/04/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) Sound level pressure	dB(A)	97.0	-	ELPL/III/SOP/37
2	D.G. Room (Closed Door outside the room) Sound level pressure	dB(A)	71.3	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	25.7	25	ELPL/III/SOP/37

Noise Limit for DG set (up to 1000 KVA) manufactured on or after 1st January 2015 shall be 75db (A) at 1 meter from the enclosed surface the result obtained above is within the permissible limit.

6. Diesel Generator Stack Monitoring Results

Schedule for Diesel Generator Stack monitoring is given in **Table 6**.

Table 6: Schedule for DG Stack sample collection

Sample collected on	Locations
17/02/2023	DG Room (DG-1)
17/02/2023	DG Room (DG-2)
17/02/2023	DG Room (DG-3)
24/04/2023	DG Room (DG-1)
24/04/2023	DG Room (DG-2)
24/04/2023	DG Room (DG-3)

D.G. set-1 with capacity 750 KVA was monitored for stack at DG Room. The results are furnished in **Table-6(a)** below: -

Table 6(a)- D.G. set-1 Stack Monitoring Results (17/02/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.16	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.59	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.61	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.24	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.61	g/kw-hr	IS 13270:1992	≤ 3.5

D.G. set-2 with capacity 750 KVA was monitored for stack at DG Room. The results are furnished in **Table-6(b)** below: -

Table 6(b)- D.G. set-2 Stack Monitoring Results (17/02/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.15	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.54	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.58	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.31	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.66	g/kw-hr	IS 13270:1992	≤ 3.5

D.G. set-3 with capacity 750 KVA was monitored for stack at DG Room. The results are furnished in **Table-6(c)** below: -

Table 6(c)- D.G. set-3 Stack Monitoring Results (17/02/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.17	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.73	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.66	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.36	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.69	g/kw-hr	IS 13270:1992	≤ 3.5

D.G. set-1 with capacity 750 KVA was monitored for stack at DG Room. The results are furnished in **Table-6(d)** below: -

Table 6(d)- D.G. set-1 Stack Monitoring Results (24/04/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.17	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.62	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.71	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.28	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.59	g/kw-hr	IS 13270:1992	≤ 3.5

D.G. set-2 with capacity 750 KVA was monitored for stack at DG Room. The results are furnished in **Table-6(e)** below: -

Table 6(e)- D.G. set-2 Stack Monitoring Results (24/04/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.18	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.76	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.76	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.36	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.68	g/kw-hr	IS 13270:1992	≤ 3.5

D.G. set-3 with capacity 750 KVA was monitored for stack at DG Room. The results are furnished in **Table-6(f)** below: -

Table 6(f)- D.G. set-3 Stack Monitoring Results (24/04/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.15	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.58	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.69	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.32	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.62	g/kw-hr	IS 13270:1992	≤ 3.5

7. Soil monitoring

Schedule for Soil monitoring are given in **Table 7**.

Table 7: Schedule for Soil sample collection

Sample collected on	Locations
17/02/2023	Project Site Area
24/04/2023	Project Site Area

Soil monitoring was monitored for Soil monitoring. The results are furnished in **Table-7(a) & Table-7(b)** below: -

Table 7(a): Results of Soil monitoring (17/02/2023)

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.33	IS 2720(P-26)
2	Conductivity (1:5)	µmhos/cm	346	USDA Method
3	Bulk Density	gm/cc	1.26	USDA Method
4	Chloride as Cl	mg/kg	206	USDA Method
5	Calcium as Ca	mg/kg	7625	USDA Method
6	Magnesium as Mg	mg/kg	271	USDA Method
7	Organic matter	%	0.51	IS 2720(P-22)
8	Phosphorous	mg/kg	88.4	USDA Method
9	Moisture	%	17.6	By Gravimetric
10	Bicarbonate *	mg/kg	212	IS:3025 (P-23)
11	Sulphate	mg/kg	146	IS:3025 (P-24)
12	Iron	mg/kg	18.2	USDA Method
13	Lead	mg/kg	BDL (DL-0.1)	USDA Method

Table 7(b): Results of Soil monitoring (24/04/2023)

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.46	IS 2720(P-26)
2	Conductivity (1:5)	µmhos/cm	296	USDA Method
3	Bulk Density	gm/cc	1.31	USDA Method
4	Chloride as Cl	mg/kg	322	USDA Method
5	Calcium as Ca	mg/kg	6846	USDA Method
6	Magnesium as Mg	mg/kg	316	USDA Method
7	Organic matter	%	0.54	IS 2720(P-22)
8	Phosphorous	mg/kg	92.2	USDA Method
9	Moisture	%	22	By Gravimetric
10	Bicarbonate *	mg/kg	196	IS:3025 (P-23)
11	Sulphate	mg/kg	184	IS:3025 (P-24)
12	Iron	mg/kg	16.4	USDA Method
13	Lead	mg/kg	BDL (DL-0.1)	USDA Method

8. STP Inlet monitoring

Schedule for STP Inlet monitoring are given in **Table 8**.

Table 8: Schedule for STP Inlet Water sample collection

Sample collected on	Locations
17/02/2023	STP Plant Room
24/04/2023	STP Plant Room

Table 8(a): Results of STP Inlet Water monitoring (17/02/2023)

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	7.32	IS 3025 (P-11)
2	Oil and grease	mg/l	21	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27 ⁰ C for 3 days	mg/l	265	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	680	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	110	IS 3025 (P-17)

Table 8(b): Results of STP Inlet Water monitoring (24/04/2023)

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	7.36	IS 3025 (P-11)
2	Oil and grease	mg/l	18	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27 ⁰ C for 3 days	mg/l	195	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	492	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	46	IS 3025 (P-17)

9. STP Outlet monitoring

Schedule for STP Outlet monitoring are given in **Table 9**.

Table 9: Schedule for STP Outlet Water sample collection

Sample collected on	Locations
17/02/2023	STP Plant Room
24/04/2023	STP Plant Room

Table 9(a): Results of STP Outlet Water monitoring (17/02/2023)

S.No.	Test Parameters	Units	Results	As Per CPCB Norm	Test Method
1	pH	-	7.64	5.5-9.0	IS 3025 (P-11)

**“Sri Balaji Action Medical Institute Facility Centre No. 34” located at Paschim Puri,
New Delhi 110063 by M/s Sri Balaji Action Medical Institute**

2	Oil and grease	mg/l	BDL(DL-2.0)	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27 ⁰ C for 3 days	mg/l	5.4	30	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	32	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	14	100	IS 3025 (P-17)

Table 9(b): Results of STP Outlet Water monitoring (24/04/2023)

S.No.	Test Parameters	Units	Results	As Per CPCB Norm	Test Method
1	pH	-	7.76	5.5-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	BDL(DL-2.0)	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27 ⁰ C for 3 days	mg/l	6.8	30	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	42	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	16	100	IS 3025 (P-17)

Annexure-VI
Copy of CTE for Expansion



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccomms.nic.in>)

CONSENT ORDER

Certificate No. :G-24499

Name of the unit	:	Expansion of Sri Balaji Action Medical Institute A Unit of Lala Munni Lal Mange Ram Charitable Trust
Address	:	FC 34 A4 Paschim Vihar, New Delhi 110063, Health Care Facility, Delhi - 110063
Consent Order No	:	DPCC/CMC/2022/7817249
Date of issue	:	22/06/2022
Product/Activity	:	Health Care Establishments having bed strength above 50 beds and connected or not connected to Sewer and with boiler
Manufacturing Activities	:	N.A.
Category Name	:	[RED]
Prout Capacity	:	500 Numbers/Day

This Consent to **Establish** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **RED** Category. This consent is subjected to terms and conditions specified overleaf. **This is being issued with reference to your application id 7817249 valid from 27/05/2022 to 26/05/2025.**

Senior Environmental Engineer

Terms and Conditions

1. The Consentee shall meet the effluent standards i.e. pH = 6.5-9, Total Suspended Solids (TSS) = 100, Biochemical Oxygen Demand (3 days at 27 degree Cent.) = 30, COD = 250, Oil and Grease = 10, Bio-assay Test (Present survival of fish after 96 hours in 100% effluent) = 90-100 %. All effluent parameters are in mg/l except pH value & Bioassay test value.
2. The Consent is activity specific and based on the information provided in the consent application along with the subsequent documents/ information submitted to Delhi Pollution Control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity/ manufacturing process.
3. The Consentee shall display the Name of the unit along with its Address, name of the Proprietor /Directors/ Partners etc, Contact Phone No(s) and its Activities/ Processes/ Products on a Display Board to be placed / fixed at the main gate of the unit.
4. The Consentee/ unit shall have/ take separate Electricity/ Power connection in its name and shall have/ install separate meter in this regard.
5. The Consentee shall provide and maintain a separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system and shall be connected to the conveyance system/ sewerage system of the area leading to the Common Effluent Treatment Plant of the Industrial Area/ Sewage Treatment Plant of the catchment area.
6. The Consentee shall obtain permission from Delhi Jal Board for ground water extraction, if any, as per the various orders/ Notification of Govt. of NCT of Delhi. The Consentee shall not extract the groundwater without obtaining prior permission in this regard from DJB/ CGWA. The Consentee shall ensure that there is no bore well in the premises and if exist, the same shall be closed/ sealed with immediate effect till permission received from DJB/ CGWA.
7. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good housekeeping practices so as to maintain a clean & safe environment in and around the premises of the unit.
8. The Consentee shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment and Forest (MoEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MoEF, Dated 09.07.2002, as amended to date. Stack Height for sets (Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following:
 - a). Minimum 6 metre above the building where generator set is installed
 - b). 30 metre
 - c). $14Q^{0.3}$ (Q- Total SO₂ emission from the plant in kg/hr) and for other DG Set(s) (upto 0.8 MW) stack height shall be as per the following formula, $H = h + 0.2(KVA)^{0.5}$ (H- Total Height of stack in metre, h = Height of the building in metres where the Generator Set is installed, KVA - Total Generator capacity of the set in KVA).
9. The Consentee shall comply with the provisions of the Hazardous and Other Wastes(Management and Transboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling) Rules, 2001 as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed off only through the Recycler/ Preprocessors/ Authorised Agencies for such wastes, authorised by MoEF/ Central Pollution Control Board/ State Pollution Control Board/ Committee/ DPCC as per details available on their websites.
10. The Consentee shall comply with the provisions of Solid Waste Management Rules, 2016 as amended to date.

11. The Consentee shall comply with the provisions of the Biomedical Waste Management Rules, 2016, as amended to date.
12. The Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016, as amended to date, if applicable.
13. The Consentee shall comply the other prescribed standards of Effluent/ Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000 as amended to date.
14. The Consentee shall promote the use of LED and recovery of mercury from CFL Lamps and should create a system of replacing old bulbs for new to enable recovery of mercury after the bulbs are fused.
15. Total water demand of the project is expected to be approx. 455KLD (Fresh water demand is 133 KLD will be met through 117.85 KLD from DJB & 15.15 KLD from Tanker Supply). Trade Effluent generated from process, washings, cooling water blowdown, boiler blowdown, DM Plant/ Softening Plant Washings, other activity i.e. (1 KLD) will be treated in ETP of 3 KLD. Expected Domestic wastewater generation will be 282 KLD and will be treated in STP of 600 KLD to meet prescribed standard as given the consent order before operation of the project.
16. Sludge from Effluent Treatment Plant shall be given to common bio-medical waste treatment facility for incineration or to hazardous waste treatment, storage and disposal facility for disposal.
17. The zero wastewater discharge condition to be achieved with installation of onsite Sewage Treatment Plant. Trade effluent shall conform to the norms and standards prescribed by Delhi Pollution Control Committee. The STP should be certified by an independent expert and a report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. Necessary measures should be made to mitigate the odour problem from STP.
18. The treated wastewater of STP shall be recycled and reused for horticulture/ landscaping/ cooling/ flushing purposes to reduce the demand of fresh water as committed.
19. The Project Proponent shall provide electromagnetic flow meter at the inlet and outlet of the water supply, inlet and outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for cooling, flushing and for horticulture purpose/ green etc. and shall maintain a record of readings of each such meter on daily basis.
20. The quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance as projected by the Project Proponent. The record shall be submitted to the Delhi Pollution Control Committee on six monthly basis. The water requirement shall be met from the sources as per the details mentioned in the Environmental Clearance.
21. Capacity of the Diesel Generator Set (s) installed in the HCF are 3*750 KVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets.
22. The Consentee shall comply with the applicable provisions/ Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23.10.2012 including the directions that no person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of PolyPropylene, Non-woven fabric type carry bags) in the whole of National Capital Territory of Delhi if applicable.
23. The Consentee shall provide widespread Green Cover and the use of Fly Ash as per Fly Ash notification dated 14.09.1999 shall be mandatory.
24. Project Proponent will ensure use of Ozone Depletion Substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created.
25. During the Construction Phase for Control of dust pollution all precautionary measure should be ensured

incompliance of Hon'ble National Green Tribunal order dated 04.12.2014 in the matter of Vardhaman Kaushik Vs. Union of India & Ors. and Sanjay Kulshrestha Vs. Union of India & Ors. and as notified by MoEF&CC, GOI vide Notification No. G.S.R. 94(E) dated 25.01.2018. Consignee shall use Anti-Smog Gun(s) compulsorily for undertaking construction & demolition activity including excavation, material handling and other dust generating activities for compliance of Hon'ble Supreme Court orders dated 13.01.2020 in WPC No. 13029/1985 titled M.C. Mehta Vs. Union of India & Ors.

26. It will be the responsibility of the Project Proponent to obtain prior clearances/ approval and ensure compliances under all other relevant Acts/ Rules/ Regulations/ Guidelines/ Instructions/ Court Orders/ Tribunal Orders as applicable to this project before starting of the project.

27. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.

28. Unit shall implement the environmental safeguards as per stipulations in Environmental Clearance issued by SEIAA Delhi and shall submit a half yearly compliance report in respect of terms and conditions of Environmental Clearance to Regional Office of MoEF&CC and simultaneously to DPCC on the prescribed date.

29. The Consentee shall submit an application for extension of the Consent to Establish/ Consent to Operate under Water and Air Acts & Authorization under BMWM Rules, 2016 one month in advance of the expiry date of this Consent Order/ date of start of operation of the HCF.

30. This consent is being granted focusing only on the Water Act 1974/ Air Act 1981. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD-2021, Building Control Regulations and Safety Regulations. The investment made in the project, if any, based on Consent so granted, in anticipation of the clearance from other statutory authorities shall be entirely at the cost and risk of the project proponent, DPCC shall not be responsible in this regard in any manner.

31. The Consentee is allowed to run the pollution control devices and collect and test the data. The trial for these aforesaid purposes is permitted within the period of maximum three months from the date of completion. The Consentee shall give prior intimation to DPCC, of the dates on which trial would start and end. Thereafter Project Proponent shall apply for Consent to Operate along with requisite details and test reports to DPCC.

32. The Consentee shall abide by the Guidelines on Environmental Management of Construction and Demolition (C&D) Waste and Guidelines on Dust Mitigation Measure in Handling Construction Material and C&D waste developed and published by CPCB available at www.cpcb.nic.in

33. The Consentee shall display the enclosed template of Notice for Construction and Demolition Waste Management at the site.

34. The Consentee shall ensure the compliance of policy to be followed regarding operation of Ready Mix Concrete Plants (RMC Plants) issued vide office order No. DPCC/CMC I/RMC/2017/2596 to 2614 dated 27.12.2017 (available at DPCC website).

35. In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.

36. Notwithstanding anything contained in this Consent Order. Delhi Pollution Control Committee, reserves its right to review any/ or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution) Act, 1981, as amended to date and the Water (Prevention and Control of Pollution) Act, 1974, as amended to date.

37. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to

exist in violation of other laws and statutory provisions including the Master Plan of Delhi.

38. The Consentee shall ensure the safeguards as envisaged in Environmental Clearance issued to Shri Rajkumar Gupta, Trustee M/s Lala Munni Lal Mange Ram Charitable Trust vide file no. 21-7/2019-IA-III DATED 18.10.2019 including the dust control measures during the construction stage.

39. This issue in view of the Office Order dated 12.04.2016 regarding processing of the Consent to Establish cases.

Template for displaying notice w.r.t. Condition No. 33 to be displayed on board of size 6 feet X 4 feet.

Background color - Yellow, Letters - Black

NOTICE

(Construction and demolition waste management rule 2016)

The construction/Demolition site is authorized by... Vide file no... Dated.....

1. Name and Address with contact number of contractor/developer

2. Address of the site

3. Area/length

4. Date of initiation of the project (dd/mm/yy)

5. Scheduled completion date of the project (dd/mm/yy)

6. Details date of completion/disposal/clearing of the site (dd/mm/yy)

7. Estimated waste (TPD)

8. Total estimated waste (MT) for the entire project

9. Nature of waste (concrete/iron/plastic/soil) (TPD)

10. Material Generated Recycled Reused Disposed

Sand -----

Concrete -----

11. Identified waste disposal site

12. Mode of utilization of waste (reuse/recycle/convert to construction material)

13. Mode of disposal

14. Mode of handling and transportation (manual/mechanical/pneumatic)(by road/rail)

15. Dust mitigation measures at the site (water sprinkling/curtain/barrister)

16. Reason of delay in disposing waste (in any)

17. Accidents reported (in any)

Name of Agency Owner

Telephone number

Annexure-VII

Photograph of Rain Water Harvesting Pit

Photograph of Existing Rain Water Harvesting



Annexure-VIII
Photographs of Waste Collection Bins



Annexure-IX

**Copy of the Authorization & Agreement for BMW
Management**



INDIA NON JUDICIAL


16

Government of National Capital Territory of Delhi

e-Stamp

सत्यमेव जयते

Certificate No.	: IN-DL44329121136305T
Certificate Issued Date	: 09-Feb-2021 05:49 PM
Account Reference	: IMPACC (IV)/ dl782403/ DELHI/ DL-DLH
Unique Doc. Reference	: SUBIN-DL78240390018803996232T
Purchased by	: SMS WATER GRACE BMW PRIVATE LIMITED
Description of Document	: Article 5 General Agreement
Property Description	: Not Applicable
Consideration Price (Rs.)	: 0 (Zero)
First Party	: SMS WATER GRACE BMW PRIVATE LIMITED
Second Party	: Not Applicable
Stamp Duty Paid By	: SMS WATER GRACE BMW PRIVATE LIMITED
Stamp Duty Amount(Rs.)	: 10 (Ten only)




-----Please write or type below this line-----

This agreement is made and executed at New Delhi on this 10th day of March, 2021

BY AND BETWEEN

M/s SMS WATER GRACE BMW PVT. LTD., having its office at Sewage Treatment Plant, Delhi Jal Board Complex, Nilothi, New Delhi- 110041 (For short hereinafter referred to as 'Service Provider') through its Mr. Prabal Pratap Singh Jadon, Sr. Manager to enter into and sign this agreement for and on behalf of the Service Provider of the **ONE PART.**


 Prabal Pratap Singh Jadon
 Sr. Manager
 Balaji Action Medical Institute
 4-4, Buzim Vihar



Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at www.shcilestamp.com or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

AND

Sri Balaji Action Medical Institute through its Proprietor/Partner/Authorized Representative Mr./Dr. Sunil, Sumbhi of the **OTHER PART**. (For Short hereinafter referred to as "Waste Generator")


The expression of both the parties shall mean and include the parties, their respective legal heirs, successors, legal representatives, administrators, executors and assignees.

Whereas the Service Provider has been selected by Director of Health Services (DHS), Health & Family Welfare, Govt. Of N.C.T. of Delhi and duly authorized by the Delhi Pollution Control Committee (DPCC), under rule of 8(4) of the Bio-Medical Waste (Management & Handling) Rules 2016 for operating and providing facility for the collection, Reception, Treatment, Storage, Transportation and disposal of the bio- Medical Waste. And whereas the Waste Generator is desirous of out sourcing the disposal of its Bio-Medical Waste and have approached the service provider for providing its service in this regard and after discussions and due negotiations taken place, both the parties are agreed to enter into this agreement on the terms and conditions narrated herein after:-

NOW THIS AGREEMENT witnessed the following terms & conditions to be performed to by both parties to the present agreement.

1. That the Waste Generator will segregate, pack and label the bio-medical waste in the colour coded bags from the waste generation points as per guidelines of Bio-Medical Waste (Management & Handling) Rules 2016 and keep the said packed waste ready for collection by the staff of the Service Provider. The Service Provider will not collect any Bio-Medical waste which is not properly segregate and packed in accordance with guidelines of Bio-Medical Waste (Management & Handling) Rules 2016. The record of the collected waste shall be maintained by the Waste Generator with the acknowledgements signatures of the collection staff of the Service Provider to submit the annual Report to the concern Pollution Board in the prescribed format.
2. That the Waste Generator will deposit (CNA) payment against the BMW disposal services and if the health care unit is closed before expiration of agreement the Service Provider will refund the balance amount after adjusting all the dues if any outstanding towards the Waste Generator.
3. That the Service Provider will charge to the Waste Generator, being Clinic/Pathological Lab/Diagnostic Centre etc. (Not having bed facilities) and being a Nursing Home/Hospital (Having Bed facilities) as per the following schedule of rates:


Medical Superintendent
Sri Balaji Action Medical Institute
A-6, Paschim Vihar,
New Delhi - 110016



- (i) Minimum 1,40,000/- charges of Rs. (Rs. One Lakh Forty Thousand) Only for clinic/ Labs/ ladies hostels /Diagnostic Center/hospital (Beds 250) subject to a maximum collection of waste up to NAKg Extra quantity of waste will be chargeable@ Rs. NA/- per Kg. The service tax shall be borne by the Waste Generator upon the respective billings.
- (ii) The waste generator shall pay onetime non-refundable registration fees of Rs.500/ (Five hundred only). — NA
- (iii) The rates enumerated in clause 3(i) above may be varied at any given point of time due to hike in fuel Price, Wages for Labour negotiation with any unanimous body i.e. DMA/IMA at District or state level or any other factor which may effect the cost.
1. That the waste generator undertakes to make the payment through 'Account Payee Cheque or Demand Draft' in favour of the M/s SMS WATER GRACE BMW PVT. LTD. On before 15th day of each successive month and thereafter the interest@ 18% for p.a. shall be Service Provider if the payment is not made within the stipulated period.
2. (a) Notwithstanding the aforesaid terms this agreement may be terminated by either party by giving 30 days written notice. However this requirement of 30 days notice shall not be applicable in the event the service charges are not paid by the Second Party as provided in Clause 6 of this agreement or upon the occurrence of any of events specified in Clause 5b (i) & (ii) in which events the service would be suspended/ terminated forthwith.
- (b) Notwithstanding the aforesaid terms and conditions:-
- The Service Provider will be at liberty to discontinue this service to the Waste generator in the event: the Waste Generator does not pay the service charges.
 - The waste generator and Service Provider both to strictly follow the guidelines of the Bio-Medical Waste (Management & Handling) Rules 2016, during segregation , collection, Transportation and disposal of the bio- Medical Waste except due to the circumstances under force majeure clause and the circumstances beyond their control of the parties.



Medical Superintendent
Sri Balaji Action Medical Institute
A-4, Paschim Vihar,
New Delhi-110063



thereon to the Waste Generator after the circumstance beyond their control of the parties.


6. That all the taxes, such as Contract Sales tax, Service Tax etc., if applicable, shall be paid and borne by the Waste Generator.
7. The neither party shall transfer and /or assign the rights granted under this agreement without the prior intimation and written permission of the other party and without obtaining a written undertaking by the proposed assignee/transferee agreeing to assume all of the said party 's obligations under this agreement and to abide by all the obligations and covenants contained herein.
8. That this agreement shall be governed by the laws of India and shall be interpreted and construed in accordance with the laws of India and Subject to the jurisdiction of Courts at Delhi, shall have exclusive jurisdiction to try, entertain and dispose between the parties thereto. All the notice, request, demands and other communications, required/permited to be given under this Agreement shall be in writing.
9. That the waste generator should get from time to time the service contract Agreement renewed from the service provider one month before the expiry of the validity of the Agreement. The Waste generator further undertakes to keep the validity period of the agreement for a minimum period of one year from the date of service as per pollution Control Committee/Board Rule and in between if the agreement is cancelled, they should directly intimate pollution control committee / Board with adequate reason about the cancelation of the agreement, failing which, all the consequence and penalties will be borne by the waste generate. Further. The waste generate also undertakes to give one month notice in writing if they want to discontinue the service and wish to switch over to another service provider failing which, they have to pay the service charge equivalent in one month minimum service charge s to the service provider in lieu of one monthly notice period.
10. That in case the service contract agreement gets misplaced at the waste generator end, then an additional Rs. 100/- will be charged from the generation of issuing the agreement once again.
11. That the waste generator further undertakes to sign every page of the agreement and return both copies of the agreement to the service provider's signature and the services provider will return the duplicate copy of the agreement to the waste generator. On receipt of the agreement to the Waste generator will submit a copy of the agreement with the date of service expiry to the pollution control committee /board.


Medical Superintendent
Balaji Action Medical Institute
A-4, Paschim Vihar,
New Delhi-110063



12. The term of this Agreement shall be for a perform commencing from 01/04/2021 to 31/03/2023
13. That in case there is any change in the constitution of waste generator the same shall be informed forth with to the service provider.
14. That both the parties under take to remain bound by the term and conditions set out herein above.
15. IN WITNESS WHEREOF, THE PARTIES HERE TO HAVE SET THERE SIGNATURE AND SEAL ON THE DAY AND YEAR MENTIONED HEREIN ABOVE.

WASTE GENERATOR



AUTHORIZED SIGNATORY


Address:

Superintendent
Sri Balaji Action Medical Institute
A-4, Paschim Vihar,
New Delhi-110063

Sri Balaji Action Medical Institute
A-4, Paschim Vihar
New Delhi-110063

Fax: 011-42888888

Witness - H.C.E.

1. 
Dr. Madan Jain

SMS WATER GRACE BMW PVT. LTD.



AUTHORISED SIGNATORY

Sewage Treatment Plant,

Delhi Jal Board Complex


New Delhi-110041

Ph: +91- 8744076042

web : www.smsbmw.in

Email: prabal.singh@smsl.co.in

Witness:- SMSWGBMWPL

1. 
8744076025
UMESHCHANDRA



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

visit us at: <https://dpccocmms.nic.in>

(AUTHORIZATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016)

File number of authorization : DPCC/(11)(5)(01)/2019/BMW/NST/AUTH/1826726

Application No: 1021905

Date:25/11/2019

1. M/s Sri Balaji Action Medical Institute A Unit of Lala Munni Lal Mange Ram Charitable Trust an occupier of the facility located at FC 34 A4 Paschim Vihar, New Delhi 110063 110063 is hereby granted this authorization for Generation, Segregation, Collection, Storage, of Biomedical Waste at the premises and for Transportation, Treatment and Disposal of Bio-Medical Waste through Common Bio-Medical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee.
2. **Number of beds of HCF : 250**
3. **Quantity of Biomedical waste handled : 396 (Kg/day)**
4. This authorization shall be in force for a period of Five Years and valid up to 24/07/2024.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Signature.....

Designation

-:-Terms and Conditions:-:-

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
3. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers / bags at the point of generation in accordance with Schedule-I (part I).
4. The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transportation, treatment & disposal of the bio-medical waste.
5. The Occupier shall hand over the bio-medical waste timely to the authorized operator of a facility duly segregated, labelled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
6. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio medical waste with in the intended time or as per the agreed time.
7. The occupier shall maintain records of the Bio-Medical Waste generated and disposed of/ handed over. The record shall be made available, for inspection & verification, to any officer authorized by DPCC.
8. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in Form-I, prescribed under the Rules, to DPCC.
9. In case the Occupier is having a DG Set, he shall comply with the noise standards laid down vide Gazette

Notification of Ministry of Environment, Forest & Climate Change (MoEF&CC), Government of India Dated 17.05.2002 and 12.07.2004, as amended to date, for the Diesel Generator Set(s). Stack height with the DG Set shall be as per the following formula, H is equal to h plus $(0.2 \times \text{square root of KVA})$ where ' H ' is Total Height of stack in meter, ' h ' is Height of the building in meters where the Generator Set is installed and KVA is capacity of the D.G. set in KVA).

10. The Occupier shall also ensure proper collection and disposal of bio-medical waste containing mercury through the vendor authorize for the purpose. The occupier shall phase out mercury based equipment e.g. thermometers and B.P. Measuring Equipment.

11. The Occupier shall pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDs Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal.

12. The Occupier is required to display the authorization at a prominent place in its premises for view of general public.

13. If the Occupier is having laundry facility and/or not connected to the public sewer, the Occupier is required to install requisite treatment system before its discharge to meet the standards as prescribed under BMWM Rules, 2016.

14. The Occupier shall use only non-chlorinated plastic bags & gloves as per Notification dated 16 th March, 2018 published by MOEF&CC.

15. The Occupier shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises for the further treatment & disposal in accordance with the guidelines issued by CPCB.

16. The Occupier shall ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other generated effluent from HCF.

17. The Occupier shall ensure treatment and disposal of the entire effluent/liquid waste generated from the HCF in accordance with the provisions under the Water (Prevention and Control of Pollution) Act, 1974 and shall meet the standards prescribed by Delhi Pollution Control Committee. The Occupier shall also ensure the maximum re-use of the treated effluent for various purposes e.g. gardening, flushing, cooling etc.

18. The Occupier shall immunise all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis-B & Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health & Family Welfare issued from time to time.

19. The Occupier shall ensure occupational safety of all its health care workers & others involved in handling of bio-medical waste by providing appropriate & adequate personal protective equipment.

20. The Occupier shall conduct health check-up at the time of induction & at least once in a year for all its health care workers others involved in handling of bio-medical waste & shall maintain records for the same.

21. The Occupier shall develop its own website by 15 th March, 2020 and shall make available the annual report on its website.

22. The Occupier shall provide training to all its health care workers and others, involved in handling of bio-medical waste at the time of induction & thereafter at regular intervals & the details of training programmes conducted, number of personnel trained & number of personnel not undergone any training shall be provided in the Annual Report.

23. The Occupier shall submit the Annual Report in Form-IV by 30th June every year, including information about the categories and quantities of bio-medical waste generated from 1st January to 31st December of the preceding year.

24. The Occupier shall use only Piped Natural Gas (PNG) as fuel in boilers, if any.

25. The Occupier shall submit the copy of fresh valid agreement with CBWTF to this office within 15 days

of expiry of previous agreement or in case of any change.

26. Submission of false information shall make the authorization liable for cancellation without any notice.

27. The occupier shall apply for renewal of authorization under the aforementioned Rules before one month of the expiry of this authorization.


28. The Occupier shall apply for fresh Authorization in case of any change in the activity/number of beds etc.

29. In case of violation of any of above said conditions, penal action will be initiated against the Occupier including withdrawal of authorization/consent etc.

30. In case of failure to comply with any of the above conditions and / or with any provision of the Act or of these Rules, authorization issued to the Occupier may be suspended or cancelled as per the provisions under sub-rule 10 (2) of Bio-Medical Waste Management Rules, 2016, as amended to date.

To,


**Sri Balaji Action Medical Institute A Unit of Lala Munni Lal Mange Ram Charitable Trust
FC 34 A4 Paschim Vihar, New Delhi 110063
110063**




Annexure-X

Copy of Green Belt Development Plan

Annexure-XI
Photographs of Existing Greenbelt





Annexure-XII
Detailed CER Budget with activities

LALA MUNNI LAL MANGE RAM CHARITABLE TRUST



FC-34, A-4, PASCHIM VIHAR, NEW DELHI - 110 063
Tel. : 011- 42888888, 45666666 Fax : 91-11-25270725

UNDERTAKING

I, Jogender Aggarwal S/o Shri H.K. Aggarwal, Authorised signatory of **Lala Munni Lal Mange Ram Charitable Trust** for the project Expansion of "Sri Balaji Action Medical Institute" at Facility Centre-34, Paschim Puri, New Delhi -63 Solemnly affirm & undertake as under:

That, the cost of expansion for project is Rs. 150 cr.

That, the expenditure for Corporate Environment Responsibility (CER) for the above project as per MoI.F&CC Office Memorandum no. F.No. 22-65/2017-IA.III dated 01.05.2018 will be 0.75% of the capital investment on expansion part (Rs. 1.125 Crore) of the project.

As per the Office Memorandum some of the activities which can be carried out in CER, are infrastructure creation for drinking water supply, sanitation, health, education, skill development, roads, cross drains, electrification including solar power, solid waste management facilities, scientific support and awareness to local farmers to increase yield of crop and fodder, rain water harvesting, soil moisture conservation works, avenue plantation, plantation in community areas, etc.

S. No	Activity	Provision	Areas	Cost in INR Lakhs					
				1st Year	2nd Year	3rd Year	4th Year	5th Year	Total Cost
1	Skill Development	Skill Development for ward boys, Patient care, nurses, maintenance of equipment and admin work by giving training.	Paschim Vihar	6.0	6.0	6.0	6.0	6.0	30.0
3	Waste Management	Bio-degradable waste Management by providing bins for collection of segregated waste. (OWC)	Within 2 km area radius of hospital subject to land allotted by MCD/DDA	2.0	2.0	2.0	2.0	2.0	10.0
4	Education	Will be providing health talks for general public and nearby RWA colonies on general and specific issues like health and hygiene. By specialist. Will be providing education to general public on basic life support procedures.	Paschim Vihar	3.0	3.0	3.0	3.0	3.0	15.0

Continued

J. Aggarwal

LALA MUNNI LAL MANGE RAM CHARITABLE TRUST



FC-34, A-4, PASCHIM VIHAR, NEW DELHI - 110 063
Tel. : 011- 42888888, 45666666 Fax : 91-11-25270725

5	Medical check-ups	Will be arranging monthly camps for general patients. Will be conducting regularly health check-up camps in-house for examination. Will also be starting a mobile dispensary clinic for under privileged people of the society. This mobile dispensary will be going to various nearby locations to provide free consultation and free medicines for common ailments to people who are unable to attend hospital.	within 2 km radius of hospital	10.0	10.0	10.0	10.0	10.0	50
Total				21.0	21.0	21.0	21.0	21.0	105.0

Lala Munni Lal Mange Ram Charitable Trust

Authorised Signatory

Annexure-XIII
Copy of Electricity Bills

EBILL Customer

Bill of Supply for Electricity

Due Date (देय तिथि):

25-01-2023

Name : SRI BALAJI ACTION MEDICAL INSTITUTE
 Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063
 Supply Address : FC-34 PASCHIM VIHAR NEAR BALAJI
 Mobile / Tel. No. : 9560972288
 Email ID : maintenance@actionhospital.com
 District / Division : Punjabi Bagh
 Walking Sequence : PSVKC0035A0AA
 Bill Month : JAN-23
 Bill Date : 10-01-2023

Sanctioned Load : 1277.00 (kVA)
 Contract Demand : 1217.00 (kVA)
 M D I : 940.00 (kVA)
 Power Factor : 1.000
 Pole No. : NA
 Meter Reading Status : DL
 Cycle No. : KC
 Tariff Category : Large Industrial Power

CA No. : 100012528
 Energisation Date : 04-06-2004
 Meter Type : 3PSK
 Supply Type : HT(11KV)
 Bill No. : 100038230173
 Bill Basis : Actual
 O.D. No. : R/22/10326220312
 CCTV Tagged : No
 Street Light Tagged : No
 Wi Fi Tagged : No

Customer Care Centre No. (ग्राहक सेवा केन्द्र का नंबर) 19123 (24x7 Toll Free)

Meter No. (मीटर सं.)	Unit (यूनिट)	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor (गुणांक)	Current Consumption (वर्तमान खपत)		
		Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)		Days (दिन)	Unit (यूनिट)	
		Meter Details in Annexure							

Billing Details (बिल का विवरण)

Current Period Charges (वर्तमान अवधि का शुल्क) (02-12-2022 to 04-01-2023)

Adopt e-bill, Save trees, Provide email details to us through website/call/email.

Fixed Charge "A" (स्थायी शुल्क)	Consumption Measured During (खपत अवधि माप)	Energy Units Consumed / Billed (खपत / बिल में शामिल विद्युत यूनिट)	Slabwise Energy Charge (स्लैब आधारित विद्युत शुल्क)		Slab-wise Power Purchase Adjustment Charge (स्लैब आधारित विद्युत क्रय समंजन शुल्क)		Time of Day (TOD) Charge (दोपहर ऑफ डे (टीओडी) शुल्क)		Surcharge @ 8% on Energy Charge + Fixed Charge - Rebate) = "E" (विवृत शुल्क + स्थायी शुल्क - कूट, पर 8% बहिष्कार)	Electricity Tax @ 5% on Energy Charge, PPAC amount & TOD Surcharge/Rebate amount = "H" (विद्युत शुल्क, विद्युत शुल्क के अधिभार, पीपीएसी राशि एम टीओडी अधिभार/कूट पर, 5% विद्युत कर)	Total Amount (K = A+B+C+D+E+ F+G+H+I+J) (कुल राशि)
			Units Rate (यूनिट दर)	Amount = "B" (राशि)	PPAC % on B (B पर पीपीएसी प्रतिशत)	PPAC Amount = "C" (पीपीएसी राशि)	TOD % on "B" (B पर टीओडी प्रतिशत)	TOD Surcharge/Rebate Amount = "D" (टीओडी अधिभार/कूट राशि)			
333693.54	NORMAL(W)	209420.00	7.75	1623005.00	20.69	335799.73			277443.20	201679.52	5024458.12
1.10 Mth(s)	OFFPEAK(W)	99540.00	7.75	771435.00	20.69	159609.90					
PPAC on Fixed Charge = "G"	PEAK(W)	107980.00	7.75	836845.00	20.69	173143.23					
69041.19											
CCTV Units											
0.00											
Street Light Units											
Wi-Fi Units											
Total Units = 416940		Total (B) = 3231285.00		Total (C) = 668552.87		Total (D) =		0.00			

Past Dues / Refunds / Subsidy (पिछला बकाया / वापसी / सब्सिडी)

Consumer registered under GST may submit its GSTIN at concerned division

Provisional Bill Refunds (वापसी)	Arrears (बकाया)		Late Payment Surcharge (LPSC)	Total Charges Payable	Rebate / Subsidy*	Net Amount Payable	
Refund Unit	Refund Amount	Amount (राशि)	Period to which it relates (जिस अवधि से संबद्ध है)	(दोरी से मुगतान पर अधिभार)	(कुल देय शुल्क)	(कूट / सब्सिडी)	(कुल देय राशि)
0		3225.61	Since DEC-22	39.92	5027723.65	(116995.14)/	4910728.51

Amount not immediately payable, if any. (राशि जो तुरंत देय नहीं है, यदि हो तो)		BG Security Deposit	₹
₹		BG Expiry Date	
Service line cum Development Charges paid (मुगतान किया गया सर्विसलाइन एवं डेवलपमेंट शुल्क)	₹ 0.00	Cash Security Deposit	₹ 1429500.00
Interest accrued for FY 2021-22 (generally for the period 01-03-2022 to 11-04-2022)		₹ (100065.00)	
Interest for FY 2022-23 will be adjusted in your first bill to be generated in FY 2023-24			

Bill Amount Payable (बिल देय राशि)

₹ 4910730.00
Due Date of Payment (मुगतान देय तिथि) 25-01-2023
If payment is made after the due date, LPSC for the delay, shall be charged in the next bill. (नियत तिथि के बाद मुगतान करने पर इस विलंब हेतु अगले बिल में एलपीएससी जोड़ दिया जाएगा.)

Last payment ₹ 3220446.00 received on 23-12-2022. Payment accounted upto 07-01-2023. The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection - Single phase ₹ 200, Three phase ₹ 500. "LET'S MOVE TO ELECTRIC VEHICLES FOR BETTER TOMORROW (अच्छे गतिविध के लिए विद्युत वाहन की तरफ बढ़ावा करें)"

IMPORTANT MESSAGE (महत्वपूर्ण सूचना)

Power Purchase Adjustment Charge (PPAC) @ 20.69% been levied on energy & fixed charge w.e.f 10.06.2022. CCTV Bill amount include Energy, RA, PPAC, PTC and Electricity Tax on CCTV consumption. In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 7.00% has been levied on energy & fixed charge w.e.f. 01.10.2021. The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division office. Anyone treating Electricity Bill as conclusive proof of Residence is advised to verify the particulars. Switch off lights and appliances from mains when not in use. This will conserve energy and reduce your electricity bill. ELCB is a safeguard against faulty internal wiring and prevents shock, fire and el

(This bill is computer generated, hence does not require any signature.)

Payment slip

• Make your digital payment to BRPL CA No. 100012528

• Cheque should not be post dated.

• Write your telephone number on backside of the cheque.

• Cheque should be account payee and payable at Delhi.
 • Do not staple, only clip the cheque to payment slip.



KCCXR10001252800049107300020230125000000000

Bill amount payable : ₹ 4910730.00 Bill month: JAN-23.....
 Cheque/DD No.: Date:

"Dear Consumer, Get coloured electricity bills directly in your mail box. Switch to e-bills to save trees. Please call 19123 or email: brpl.customercare@relianceada.com - Team BRPL"

Scan & Pay BHARAT QR

KCC 4381672

KCC 4381672

The revised tariff schedule is effective from 1st October 2021

Categories	Description	Fixed/Demand Charge		Energy Charge					Categories	Description	Fixed/Demand Charge	Energy Charge	Temporary					
		Load(kW)	(₹/month)	0-200 Units	201-400 Units	401-800 Units	801-1200 Units	Above 1200 Units					Categories	Fixed Charge	Energy Charge			
Domestic	Individual connections:	Upto 2kW	20/kW/mth	₹ 3.00	₹ 4.50	₹ 6.50	₹ 7.00	₹ 8.00	Agriculture	Agriculture	125/kW/mth	₹ 1.50/kWh	Domestic including GHS	Same as relevant category	Same as relevant category			
	Domestic Light / Mixed Domestic Power, Farm House upto 21kW	>2kW to 5kW	50/kW/mth						Mushroom	Mushroom Cultivation upto 100 kW	200/kW/mth	₹ 3.50/kWh	Threshers during the threshing season	MCD E.Tax of ₹ 270/conn/mth	Flat Rate - ₹ 5400/mth			
	>5kW to 15kW	100/kW/mth	Public Utility						Delhi Jal Board, DMRC, Public Lighting etc.	250/kVA/mth	₹ 6.25/kVAh	Delhi International Airport Limited (DIAL)	250/kVA/mth	₹ 7.75/kVAh	Advertisements and Hoardings	250/kVA/mth	₹ 8.50/kVAh	Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery
>15kW to 25kW	200/kW/mth	Single point supply at 11kV for GHS-Domestic Lighting / Fan and Power	150/kW/mth	₹ 4.50/kWh														
	>25kW		250/kW/mth															
Non-Domestic	Shopkeepers	Upto 3kVA	250 kVA/mth															
	Other Non-Domestic	>3kVA																
Industrial	Industrial	250kVA/mth																

Schedule of Time of Day (TOD) Tariff

Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
May-September	1400-1700 hrs and 2200-0100 hrs	20% (*waived for Sep 2020)	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for >10kW / 11kVA other than Domestic. Optional for 3 Phase Domestic Consumers.

Consumption History (खपत का विवरण) :

From	Period	To	No. of Days	Units (kwh/kvAh)	Total Bill Payable	Bill Basis
12-11-2022	01-12-2022	20	275320	3223670.00	Actual	
03-10-2022	11-11-2022	40	635060	7314570.00	Actual	
03-09-2022	02-10-2022	30	615340	7666530.00	Actual	
04-08-2022	02-09-2022	30	652480	8125060.00	Actual	
03-07-2022	03-08-2022	32	727740	9016580.00	Actual	
02-06-2022	02-07-2022	31	660800	8207360.00	Actual	

Paying your electricity bill (Bill payment information)

Payment Options

- You can pay your bill by cash / cheque /DD /Pay Order up to Rs 4000/- and for amount more than Rs 4000/- by cheque /DD/Pay Order.
- According to DERC's recent tariff order, it is mandatory for all consumers (except Domestic, Agriculture & Mushroom Cultivation) to pay their monthly electricity bills exceeding Rs 20,000/- through digital modes w.e.f October 1, 2021*
- Drop your cheque in our drop boxes at various RWA offices and at BRPL Counters. The list of drop boxes is available on the website.
- Bill payment counters are open from 0900 hrs. to 1500 hrs. from Monday to Saturday.
- Bill payment upto Rs 50,000/- can be paid in cash at Bank branches of PNB and Bank of Baroda.

Points to remember while paying your bill

- Please pay your electricity bill only on obtaining computer generated bill.
- Do not make payment to unauthorized agencies /touts.
- In case your cheque is returned unpaid /dishonored by bank, cheque return charges (presently Rs. 200 + GST, as applicable) will be imposed and action will be taken under Section 136 of the Negotiable Instruments Act 1881.
- Convenience fee on card swipe and online payments applicable on payment amount above Rs 50000/- is to be borne by the consumer. For charge details, kindly visit our website www.bsesdelhi.com.

Customer Complaint Management:

For any query / complaint, you may contact us using any of the following options:

- Call Center No. 19123 (24x7 Toll Free)
- Customer Care Centers (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat: 9:30 AM to 1:00 PM)
- Email - brpl.customercare@reliancecda.com
- www.bsesdelhi.com

Escalation matrix for complaints:

- In case you are not satisfied with the resolution of your query / complaint, you may contact the below listed BRPL officials-
 - Customer Care Officer (Timing 09:15 AM to 3:15 PM)
 - Business Manager (between 10AM to 11AM on any working day)
 - Circle Head (with prior appointment)
- Head-Customer Care, BSES Rajdhani Power Limited, BSES Bhawan, Nehru Place, New Delhi-110019
Email - brplhead.customercare@reliancecda.com
- Consumer Grievance Redressal Forum (CGRF): In case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017.
Email: cgrfbrpl@gmail.com
- Electricity Ombudsman: An appeal against the CGRF order may be filed with Electricity Ombudsman. B-53, Paschimi Marg, Vasant Vihar, New Delhi-110057.

उपभोक्ता शिकायत प्रबंधन :

किसी तरह के पूछताछ / शिकायत के लिए कृपया आप हमें निम्नवत विकल्पों के जरिए संपर्क कर सकते हैं:

- कॉल सेंटर नंबर 19123 (24x7 टोल फ्री)
- करंटमर केयर सेंटर समय (सोमवार से शुक्रवार सुबह 9:30 बजे से अपराह्न 5:30 बजे और शनिवार सुबह 9:30 से अपराह्न 1:00 बजे तक)
- brpl.customercare@reliancecda.com पर ईमेल करें
- www.bsesdelhi.com

शिकायतों के लिए यहां भी संपर्क करें :

- अगर आप अपने पूछताछ / शिकायत के निवारण से संतुष्ट नहीं हैं तो आप निम्नवत बीआरपीएल अधिकारियों से संपर्क कर सकते हैं-
 - करंटमर केयर ऑफिसर (सुबह 9:15 बजे से अपराह्न 3:15 बजे)
 - बिजनेस मैनेजर (किसी भी कार्यदिवस के दिन सुबह 10 बजे से 11 बजे तक)
 - सर्किल हेड (पूर्व निश्चित समय लेकर)
- हेड करंटमर केयर, बीएसईएस राजधानी पावर लिमिटेड, बीएसईएस भवन, नेहरु प्लेस, नई दिल्ली 110019
ईमेल: brplhead.customercare@reliancecda.com
- कंज्यूमर ग्रीवांस रिड्रेसल फोरम (सीजीआरएफ) : यदि आप अपनी शिकायत पर सेवा प्रदाता के जवाब से संतुष्ट नहीं हैं तो आप सीजीआरएफ-बीआरपीएल, सब स्टेशन बिल्डिंग, सेक्टर - V, पुष्पविहार, नई दिल्ली 110017, ईमेल cgrfbrpl@gmail.com में अपनी शिकायत दर्ज कर सकते हैं।
- इलेक्ट्रिसिटी ऑम्बुड्समैन : सीजीआरएफ के आदेश के खिलाफ अपील इलेक्ट्रिसिटी ऑम्बुड्समैन, बी-53, पश्चिमी मार्ग, वसंत विहार, नई दिल्ली-110057, में दायर कर सकते हैं।

Pay your electricity bills conveniently by any of the following options:

Payment Options	Timings
Digital Online Payments <ul style="list-style-type: none"> Bharat BillPay (BBPS) - Pay option at all BBPS enabled Payments App (Paytm etc.) (Zero Charges) Bharat QR code - QR Code on Bill BSES Mobile App / Website - UPI, IMPS, Internet Banking, Credit / Debit Cards, Mobile Wallets, QR Code RTGS / NEFT / ECS 	24x7
Cash Counters <ul style="list-style-type: none"> BRPL Cash Counters: <ul style="list-style-type: none"> Cash- Upto Rs. 4000/- Cheque & Demand Draft: No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-. Credit / Debit Cards UPI 	9AM - 3PM
24*7 self payment Kiosk	24*7 self payment Kiosks by cards, each division office
Bank Branches	Bank Timings
Cheque Drop boxes	Select RWA locations BRPL owned drop boxes at counters
Cheque by Post	To BRPL division offices- Cheque & Demand Draft- No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-.

For payment of energy bill		
Details	SBI Bank	Axis Bank
Beneficiary Name	BSES Rajdhani Power Limited	BSES Rajdhani Power Limited
Beneficiary A/C No.	SBIBRE (Fixed) + 9 Digit Customer Account Number (Variable)	VBRE (Fixed) + 9 digit customer account number (Variable) (For eg. VBRE123456789)
IFSC Code	SBIN0004266	UTIB0CCH274
Bank Name	State Bank of India	Axis Bank Ltd
Branch Address	State Bank of India, CMP Centre	9th floor, Solaris C wing, Opp L&T gate no. 6, Sakhi Vihar Road, Powai, Mumbai-400072

Disclaimer- This electricity bill is only for electricity supply to the premises occupied by the consumer and should not be construed as having bearing on the rights or titles over the premises.

अस्वीकरण: यह बिजली का बिल उपभोक्ता के निवास / कार्यालय पर बिजली की आपूर्ति के लिए है, और इसे उस स्थान पर उपभोक्ता के अधिकार या स्वामित्व समान न समझा जाए।

GoNCTD vide Order No.F.6/31/Power/Subsidy/2022/296 dated 04.07.2022 has extended subsidy to Domestic Consumers for Financial Year 22-23 of entire bill amount upto 200 Units/month. Slab 201-400 Units/ month will get subsidy upto Rs 800/ month. No subsidy for consumption above 400 Units/ month

दिल्ली सरकार की आदेश संख्या F.6/31/Power/Subsidy/2022/296 दिनांक 04.07.2022 के अनुसार घरेलू उपभोक्ताओं के लिए सब्सिडी वित्तीय वर्ष 22-23 तक बढ़ा दी है, 200 यूनिट / माह तक के संपूर्ण बिल राशि, स्लेब 201-400 यूनिट्स / माह पर ₹ 800 सब्सिडी मिलेगी। 400 यूनिट प्रति माह से ऊपर खपत के लिए कोई सब्सिडी नहीं है।

मुफ्त कानूनी सहायता (Free Legal Aid)

मूल कानूनी सेवाओं के लिए आप दिल्ली राज्य विधिक सेवा प्राधिकरण (DLSA) से संपर्क करें: दिल्ली राज्य विधिक सेवा प्राधिकरण, पटियाला हाउस ब्यारोलर परिसर, नई दिल्ली।
हेल्पलाइन: 1516 (24x7) फोन नं., ई-मेल: lae-dlsa@gov.in, वेबसाइट: www.dlsa.org, [facebook.com/dlsa](https://www.facebook.com/dlsa) अथवा आप किसी भी जिला ब्यारोलर परिसर में स्थित जिला विधिक सेवा प्राधिकरण (DLSA) के कार्यालय में भी संपर्क कर सकते हैं।
बिजली से संबंधित विवाद के विपरीत / समाधान के लिए संपर्क करें।

- स्वामी लोक अदालत - I & II (PLA-I&II) (बीएसईएस आरपीएल, बीएसईएस वाईपीएल, और टीपीडीडीएल के लिए) माता सुबरी लेन, आर्टीडी के पास, नई दिल्ली - 110002
- स्वामी लोक अदालत - III (PLA-III) (केवल बीएसईएस आरपीएल) टीपीआर रोड, टी-ब्लॉक पीपीआर के पास, विकसत पुरी नई दिल्ली- 110018

आपका बिल भुगतान

बिल भुगतान सूचना

भुगतान विकल्प

- आप 4000 रुपये तक के अपने बिल का भुगतान नकद / चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं। 4000 रुपये से अधिक की रकम का भुगतान चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं।
- डीईआरपी के हॉलिया टैरिफ ऑर्डर के मुताबिक, सभी उपभोक्ताओं (घरेलू, कृषि और मशरूम) को खेती को छोड़कर) के लिए यह आवश्यक है कि वे 20,000 रुपये से अधिक के बिलों का भुगतान 1 अक्टूबर, 2021 से डिजिटल माध्यमों से करें।
- आरडब्ल्यू ऑफिसर और बिजनेस मैनेजर/बीआरपीएल कार्डर पर हमारे ड्रॉप बॉक्स में आप अपना चेक डालें। ड्रॉप बॉक्स को लिस्ट हमारे वेबसाइट पर उपलब्ध है।
- बिल भुगतान केंद्र सुबह 9 बजे से शाम 3 बजे तक खुले रहेंगे।
- पंजाब नेशनल बैंक और बैंक ऑफ बडोदा की शाखाओं में 50000 रुपये तक बिजली का भुगतान नकद में कर सकते हैं।

बिल भुगतान करते समय ये बातें याद रखें

- कंप्यूटरीकृत बिल पाने के बाद ही अपने बिजली बिल का भुगतान करें।
- अनाधिकृत एजेंटों / दलालों को भुगतान न करें
- अगर आपका चेक बैंक द्वारा बरीर भुगतान के / अस्वीकृत होकर वापस आ जाता है तो चेक वापसी शुल्क (नोडरुल्ट) 200 रुपये + जीएसटी, जेता लागू हो) चरलू जा जाएगा और निर्गोशिएबल इस्ट्रेंस एक्ट 1881 की धारा 138 के तहत कार्यवाही की जाएगी।
- कार्ड स्वाइप और ऑनलाइन के द्वारा 5000 रुपये से अधिक के भुगतान पर लगने वाले सुविधा शुल्क को उपभोक्ता को वहन करना होगा। शुल्क के विस्तृत ब्योरा के लिए कृपया हमारे वेबसाइट www.bsesdelhi.com पर जाएं।

Contact details: (संपर्क संबंधी विवरण):

Nearest Payment Centre
1ST FLOOR, A-BLOCK, BSES BHAWAN NEHRU PLACE NEW DELHI 110019 (Tel No: 49209489)

Business Manager : MR NISHANT SRIVASTAVA (49209489)
Commercial Officer : MR BHUPESH DHASMANA (49209485)

Bill Print Date 10.01.2023_22_51_10_RKOC(With Annexure) 4381672 KCOXR10001252800049107300020230125000000000



Meter Details Annexure

Name	: SRI BALAJI ACTION MEDICAL INSTITUTE	Sanctioned Load	: 1277.00 (kVA)	CA No.	: 100012528
Billing Address	: FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063	Contract Demand	: 1217.00 (kVA)	Energisation Date	: 04-06-2004
Supply Address	: FC-34 PASCHIM VIHAR NEAR BALAJI	M D I	: 940.00 (kVA)	Meter Type	: 3PSK
Mobile / Tel. No.	: 9560972288	Power Factor	: 1.000	Supply Type	: HT(11KV)
Email ID	: maintenance@actionhospital.com	Pole No.	: NA	Bill No.	: 100038230173
District / Division	: Punjabi Bagh	Meter Reading Status	: DL	Bill Basis	: Actual
Walking Sequence	: PSVKC0035A0AA	Cycle No.	: KC		
Bill Month	: JAN-23	Tariff Category	: Large Industrial Power		
Bill Date	: 10-01-2023				

Net Meter Consumption Details (Date Of Reading:)

Total Solar Generation Units	For the Billing Period			Cumulative Generation in FY			Solar Installation Details			Date of Installation			Capacity kWp		
	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Excess Gen Unit	Shared by Prim	C/F Units (If any)

(Consumption in the above table are in kWh/kVah, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading(24:00Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
XD446812	KWH	04-01-2023	12253.10	01-12-2022	12044.64	2000.00	34	416920.00
XD446812	KW	04-01-2023	0.47			2000.00		940.00
XD446812	KVAH	04-01-2023	12357.33	01-12-2022	12148.86	2000.00	34	416940.00
XD446812	KVA	04-01-2023	0.47			2000.00		940.00
XD446812	KVAHP	04-01-2023	3326.50	01-12-2022	3272.51	2000.00	34	107980.00
XD446812	KVAHO	04-01-2023	2970.69	01-12-2022	2920.92	2000.00	34	99540.00

The revised tariff schedule is effective from 1st October 2021

Categories	Description	Fixed/Demand Charge		Energy Charge					Categories	Description	Fixed/Demand Charge	Energy Charge	Temporary		
		Load(kW)	(₹/month)	0-200 Units	201-400 Units	401-800 Units	801-1200 Units	Above 1200 Units					Categories	Fixed Charge	Energy Charge
Domestic	Individual connections:	Upto 2kW	20/kW/mth	₹ 3.00	₹ 4.50	₹ 6.50	₹ 7.00	₹ 8.00	Agriculture	Agriculture	125/kW/mth	₹ 1.50/kWh	Domestic including GHS	Same as relevant category	Same as relevant category
	Domestic Light / Mixed Domestic Power, Farm House upto 21kW	>2kW to 5kW	50/kW/mth						Mushroom	Mushroom Cultivation upto 100 kW	200/kW/mth	₹ 3.50/kWh	Threshers during the threshing season	MCD E.Tax of ₹ 270/conn/mth	Flat Rate - ₹ 5400/mth
	>5kW to 15kW	100/kW/mth	Public Utility						Delhi Jal Board, DMRC, Public Lighting etc.	250/kVA/mth	₹ 6.25/kVAh	Advertisements and Hoardings	250/kVA/mth	₹ 7.75/kVAh	
	Single point supply at 11kV for GHS-Domestic Lighting / Fan and Power	>15kW to 25kW	200/kW/mth					Delhi International Airport Limited (DIAL)	250/kVA/mth	₹ 7.75/kVAh					
		>25kW	250/kW/mth					Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery	LT	₹ 4.50/kWh					
Non-Domestic	Shopkeepers	Upto 3kVA	250 kVA/mth						HT	₹ 4.00/kVAh					
	Other Non-Domestic	>3kVA													
Industrial	Industrial	250kVA/mth													

Schedule of Time of Day (TOD) Tariff

Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
May-September	1400-1700 hrs and 2200-0100 hrs	20% (*waived for Sep 2020)	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for >10kW / 11kVA other than Domestic. Optional for 3 Phase Domestic Consumers.

Consumption History (खपत का विवरण) :

From	Period	To	No. of Days	Units (kwh/kvAh)	Total Bill Payable	Bill Basis
05-01-2023	01-02-2023	28	338020	3990710.00	Actual	
02-12-2022	04-01-2023	34	416940	4910730.00	Actual	
12-11-2022	01-12-2022	20	275320	3223670.00	Actual	
03-10-2022	11-11-2022	40	635060	7314570.00	Actual	
03-09-2022	02-10-2022	30	615340	7666530.00	Actual	
04-08-2022	02-09-2022	30	652480	8125060.00	Actual	

Paying your electricity bill (Bill payment information)

Payment Options

- You can pay your bill by cash / cheque /DD /Pay Order up to Rs 4000/- and for amount more than Rs 4000/- by cheque /DD/Pay Order.
- According to DERC's recent tariff order, it is mandatory for all consumers (except Domestic, Agriculture & Mushroom Cultivation) to pay their monthly electricity bills exceeding Rs 20,000/- through digital modes w.e.f October 1, 2021*
- Drop your cheque in our drop boxes at various RWA offices and at BRPL Counters. The list of drop boxes is available on the website.
- Bill payment counters are open from 0900 hrs. to 1500 hrs. from Monday to Saturday.
- Bill payment upto Rs 50,000/- can be paid in cash at Bank branches of PNB and Bank of Baroda.

Points to remember while paying your bill

- Please pay your electricity bill only on obtaining computer generated bill.
- Do not make payment to unauthorized agencies /touts.
- In case your cheque is returned unpaid / dishonored by bank, cheque return charges (presently Rs. 200 + GST, as applicable) will be imposed and action will be taken under Section 136 of the Negotiable Instruments Act 1881.
- Convenience fee on card swipe and online payments applicable on payment amount above Rs 50000/- is to be borne by the consumer. For charge details, kindly visit our website www.bsesdelhi.com.

Customer Complaint Management:

For any query / complaint, you may contact us using any of the following options:

- Call Center No. 19123 (24x7 Toll Free)
- Customer Care Centers (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat: 9:30 AM to 1:00 PM)
- Email - brpl.customercare@reliancecda.com
- www.bsesdelhi.com

Escalation matrix for complaints:

- In case you are not satisfied with the resolution of your query / complaint, you may contact the below listed BRPL officials-
 - Customer Care Officer (Timing 09:15 AM to 3:15 PM)
 - Business Manager (between 10AM to 11AM on any working day)
 - Circle Head (with prior appointment)
- Head-Customer Care,**
BSES Rajdhani Power Limited,
BSES Bhawan, Nehru Place, New Delhi-110019
Email - brplhead.customercare@reliancecda.com
- Consumer Grievance Redressal Forum (CGRF):** In case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017.
Email: cgrfbrpl@gmail.com
- Electricity Ombudsman:** An appeal against the CGRF order may be filed with Electricity Ombudsman. B-53, Paschimi Marg, Vasant Vihar, New Delhi-110057.

उपभोक्ता शिकायत प्रबंधन :

किसी तरह के पूछताछ / शिकायत के लिए कृपया आप हमें निम्नवत विकल्पों के जरिए संपर्क कर सकते हैं:

- कॉल सेंटर नंबर 19123 (24x7 टोल फ्री)
- करंटमर केयर सेंटर समय (सोमवार से शुक्रवार सुबह 9:30 बजे से अपराह्न 5:30 बजे और शनिवार सुबह 9:30 से अपराह्न 1:00 बजे तक)
- brpl.customercare@reliancecda.com पर ईमेल करें
- www.bsesdelhi.com

शिकायतों के लिए यहां भी संपर्क करें :

- अगर आप अपने पूछताछ / शिकायत के निवारण से संतुष्ट नहीं हैं तो आप निम्नवत बीआरपीएल अधिकारियों से संपर्क कर सकते हैं-
 - करंटमर केयर ऑफिसर (सुबह 9:15 बजे से अपराह्न 3:15 बजे)
 - बिजनेस मैनेजर (किसी भी कार्यदिवस के दिन सुबह 10 बजे से 11 बजे तक)
 - सर्किल हेड (पूर्व निश्चित समय लेकर)
- हेड करंटमर केयर,**
बीएसईएस राजधानी पावर लिमिटेड,
बीएसईएस भवन, नेहरु प्लेस, नई दिल्ली 110019
ईमेल: brplhead.customercare@reliancecda.com
- कंज्यूमर ग्रीवांस रिड्रेसल फोरम (सीजीआरएफ) :** यदि आप अपनी शिकायत पर सेवा प्रदाता के जवाब से संतुष्ट नहीं हैं तो आप सीजीआरएफ-बीआरपीएल, सब स्टेशन बिल्डिंग, सेक्टर - V, पुष्पविहार, नई दिल्ली 110017, ईमेल cgrfbrpl@gmail.com में अपनी शिकायत दर्ज कर सकते हैं।
- इलेक्ट्रिसिटी ऑम्बुड्समैन :** सीजीआरएफ के आदेश के खिलाफ अपील इलेक्ट्रिसिटी ऑम्बुड्समैन, बी-53, पश्चिमी मार्ग, वसंत विहार, नई दिल्ली-110057, में दायर कर सकते हैं।

Pay your electricity bills conveniently by any of the following options:

Payment Options	Timings
Digital Online Payments	24x7
Cash Counters	9AM - 3PM
24*7 self payment Kiosk	24x7
Bank Branches	Bank Timings
Cheque Drop boxes	24x7 9AM - 5PM
Cheque by Post	24x7

For payment of energy bill		
Details	SBI Bank	Axis Bank
Beneficiary Name	BSES Rajdhani Power Limited	BSES Rajdhani Power Limited
Beneficiary A/C No.	SBIBRE (Fixed) + 9 Digit Customer Account Number (Variable)	VBRE(Fixed) + 9 digit customer account number (Variable) (For eg. VBRE123456789)
IFSC Code	SBIN0004266	UTIB0CCH274
Bank Name	State Bank of India	Axis Bank Ltd
Branch Address	State Bank of India, CMP Centre	9th floor, Solaris C wing, Opp L&T gate no. 6, Sakhi Vihar Road, Powai, Mumbai-400072

Disclaimer- This electricity bill is only for electricity supply to the premises occupied by the consumer and should not be construed as having bearing on the rights or titles over the premises.

अस्वीकरण: यह बिजली का बिल उपभोक्ता के निवास / कार्यालय पर बिजली की आपूर्ति के लिए है, और इसे उस स्थान पर उपभोक्ता के अधिकार या स्वामित्व समान न समझा जाए।

GoNCTD vide Order No.F.6/31/Power/Subsidy/2022/296 dated 04.07.2022 has extended subsidy to Domestic Consumers for Financial Year 22-23 of entire bill amount upto 200 Units/ month. Slab 201-400 Units/ month will get subsidy upto Rs 800/ month. No subsidy for consumption above 400 Units/ month

दिल्ली सरकार की आदेश संख्या F.6/31/Power/Subsidy/2022/296 दिनांक 04.07.2022 के अनुसार घरेलू उपभोक्ताओं के लिए सब्सिडी वित्तीय वर्ष 22-23 तक बढ़ा दी है, 200 यूनिट / माह तक के संपूर्ण बिल राशि, स्लेब 201-400 यूनिट्स / माह पर ₹ 800 सब्सिडी मिलेगी। 400 यूनिट प्रति माह से ऊपर खपत के लिए कोई सब्सिडी नहीं है।

मुफ्त कानूनी सहायता (Free Legal Aid)

मूल कानूनी सेवाओं के लिए आप दिल्ली राज्य विधिक सेवाएं प्राधिकरण (DLSA) से संपर्क करें: दिल्ली राज्य विधिक सेवाएं प्राधिकरण, पटियाला हाउस ब्यारोलर परिसर, नई दिल्ली।
 हेल्पलाइन: 1516 (24x7) फोन नं., ई-मेल: lae.dlsa@gov.in, वेबसाइट: www.dlsa.org, [facebook.com/dlsa](https://www.facebook.com/dlsa)
 अथवा आप किसी भी जिला ब्यारोलर परिसर में स्थित जिला विधिक सेवाएं प्राधिकरण (DLSA) के कार्यालय में भी संपर्क कर सकते हैं।
 बिजली से संबंधित विवाद के विपरीत / समाधान के लिए संपर्क करें।

- स्वामी लोक अदालत - I & II (PLA-I&II) (बीएसईएस आरपीएल, बीएसईएस वाईपीएल, और टीपीडीपीएल के लिए) माता सुबरी लेन, आर्टीडी के पास, नई दिल्ली - 110002
- स्वामी लोक अदालत - III (PLA-III) (केवल बीएसईएस आरपीएल) टीपीआर रोड, टी-ब्लॉक पीपीआर के पास, विकसत पुरी नई दिल्ली- 110018

आपका बिल भुगतान

बिल भुगतान सूचना

- भुगतान विकल्प**
- आप 4000 रुपये तक के अपने बिल का भुगतान नकद / चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं। 4000 रुपये से अधिक की रकम का भुगतान चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं।
 - डीईआरसी के हॉलिया टैरिफ ऑर्डर के मुताबिक, सभी उपभोक्ताओं (घरेलू, कृषि और मशरूम) को खेती को छोड़कर) के लिए यह आवश्यक है कि वे 20,000 रुपये से अधिक के बिलों का भुगतान 1 अक्टूबर, 2021 से डिजिटल माध्यमों से करें।
 - आरडब्ल्यू ऑफिसर और बिजनेस मैनेजर का कार्ड पर लगे हमारे ड्रॉप बॉक्स में आप अपना चेक डालें। ड्रॉप बॉक्स को लिस्ट हमारे वेबसाइट पर उपलब्ध है।
 - बिल भुगतान केंद्र सुबह 9 बजे से शाम 3 बजे तक खुले रहेंगे।
 - पंजाब नेशनल बैंक और बैंक ऑफ बडोदा की शाखाओं में 50000 रुपये तक बिजली का भुगतान नकद में कर सकते हैं।
- बिल भुगतान करते समय ये बातें याद रखें**
- कंप्यूटरीकृत बिल पाने के बाद ही अपने बिजली बिल का भुगतान करें।
 - अनाधिकृत एजेंटों / दलालों को भुगतान न करें
 - अगर आपका चेक बैंक द्वारा बरीर भुगतान के / अस्वीकृत होकर वापस आ जाता है तो चेक वापसी शुल्क (नोडरुट) 200 रुपये + जीएसटी, जेता लागू हो) चरलू जा जाएगा और निगोशिएशन इस्टिमेट एक्ट 1881 की धारा 138 के तहत कार्यवाही की जाएगी।
 - कार्ड स्वाइप और ऑनलाइन के द्वारा 5000 रुपये से अधिक के भुगतान पर लगे वाले सुविधा शुल्क को उपभोक्ता को वहन करना होगा। शुल्क के विस्तृत ब्योरा के लिए कृपया हमारे वेबसाइट www.bsesdelhi.com पर जाएं।

Contact details: (संपर्क संबंधी विवरण):

Nearest Payment Centre
 1ST FLOOR, A-BLOCK, BSES BHAWAN NEHRU PLACE NEW DELHI 110019 (Tel No: 49209489)

Business Manager : MR NISHANT SRIVASTAVA (49209489)
 Commercial Officer : MR BHUPESH DHASMANA (49209485)





Meter Details Annexure

Name	: SRI BALAJI ACTION MEDICAL INSTITUTE	Sanctioned Load	: 1277.00 (kVA)	CA No.	: 100012528
Billing Address	: FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063	Contract Demand	: 1217.00 (kVA)	Energisation Date	: 04-06-2004
Supply Address	: FC-34 PASCHIM VIHAR NEAR BALAJI	M D I	: 960.00 (kVA)	Meter Type	: 3PSK
Mobile / Tel. No.	: 9560972288	Power Factor	: 1.000	Supply Type	: HT(11KV)
Email ID	: maintenance@actionhospital.com	Pole No.	: NA	Bill No.	: 100008969825
District / Division	: Punjabi Bagh	Meter Reading Status	: DL	Bill Basis	: Actual
Walking Sequence	: PSVKC0035A0AA	Cycle No.	: KC		
Bill Month	: MAR-23	Tariff Category	: Large Industrial Power		
Bill Date	: 07-03-2023				

Net Meter Consumption Details (Date Of Reading:)

Total Solar Generation Units	For the Billing Period			Cumulative Generation in FY			Solar Installation Details			Date of Installation			Capacity kWp		
	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Excess Gen Unit	Shared by Prim	C/F Units (If any)

(Consumption in the above table are in kWh/kVah, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading(24:00Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
XD446812	KWH	02-03-2023	12616.81	01-02-2023	12422.09	2000.00	29	389440.00
XD446812	KW	02-03-2023	0.48			2000.00		960.00
XD446812	KVAH	02-03-2023	12721.06	01-02-2023	12526.34	2000.00	29	389440.00
XD446812	KVA	02-03-2023	0.48			2000.00		960.00
XD446812	KVAHP	02-03-2023	3418.21	01-02-2023	3369.45	2000.00	29	97520.00
XD446812	KVAHO	02-03-2023	3061.55	01-02-2023	3012.96	2000.00	29	97180.00

EBILL Customer

Bill of Supply for Electricity

Due Date (देय तिथि):

27-04-2023

Name : SRI BALAJI ACTION MEDICAL INSTITUTE
 Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063
 Supply Address : FC-34 PASCHIM VIHAR NEAR BALAJI
 Mobile / Tel. No. : 9560972288
 Email ID : maintenance@actionhospital.com
 District / Division : Punjabi Bagh
 Walking Sequence : PSVKC0035A0AA
 Bill Month : APR-23
 Bill Date : 12-04-2023

Sanctioned Load : 1391.00 (kVA)
 Contract Demand : 1391.00 (kVA)
 M D I : 1080.00 (kVA)
 Power Factor : 1.000
 Pole No. : NA
 Meter Reading Status : DL
 Cycle No. : KC
 Tariff Category : Large Industrial Power

CA No. : 100012528
 Energisation Date : 04-06-2004
 Meter Type : 3PSK
 Supply Type : HT(11KV)
 Bill No. : 010005558983
 Bill Basis : Actual
 O.D. No. : R/23/10360236489
 CCTV Tagged : No
 Street Light Tagged : No
 Wi Fi Tagged : No

Customer Care Centre No. (ग्राहक सेवा केन्द्र का नंबर) 19123 (24x7 Toll Free)

Meter No. (मीटर सं.)	Unit (यूनिट)	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor (गुणांक)	Current Consumption (वर्तमान खपत)		
		Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)		Days (दिन)	Unit (यूनिट)	
		Meter Details in Annexure							

Billing Details (बिल का विवरण)

Current Period Charges (वर्तमान अवधि का शुल्क) (03-03-2023 to 04-04-2023)

Adopt e-bill, Save trees, Provide email details to us through website/call/email.

Fixed Charge "A" (स्थायी शुल्क)	Consumption Measured During (खपत अवधि माप)	Energy Units Consumed / Billed (खपत / बिल में शामिल विद्युत यूनिट)	Slabwise Energy Charge (स्लैब आधारित विद्युत शुल्क)		Slab-wise Power Purchase Adjustment Charge (स्लैब आधारित विद्युत क्रय समतल शुल्क)		Time of Day (TOD) Charge (दोपहर ऑफ डे (टीओडी) शुल्क)		Surcharge @ 8% on Energy Charge + Fixed Charge - Rebate = "E" (शुल्क + स्थायी शुल्क - छूट, पर 8% अवधिमात्र)	Electricity Tax @ 5% on Energy Charge, PPAC amount & TOD Surcharge/Rebate amount = "H" (विद्युत शुल्क, विद्युत शुल्क के अधिमात्र, पीपीएसी राशि एम टीओडी अधिमात्र/ छूट पर, 5% विद्युत कर)	Total Amount (K = A+B+C+D+E+ F+G+H+I+J) (कुल राशि)
			Units Rate (यूनिट दर)	Amount = "B" (राशि)	PPAC % on B (B पर पीपीएसी प्रतिशत)	PPAC Amount = "C" (पीपीएसी राशि)	TOD % on "B" (B पर टीओडी प्रतिशत)	TOD Surcharge/Rebate Amount = "D" (टीओडी अधिमात्र/छूट राशि)			
371681.19 1.07 Mth(s)	NORMAL(W) OFFPEAK(W)	213176.00 105947.00	7.75 7.75	1652114.00 821089.25	20.69 20.69	341822.39 169883.37			328254.46	240103.34	6639936.23
PPAC on Fixed Charge = "G"	PEAK(W)	112028.00	7.75	868217.00	20.69	179634.10			Pension Surcharge @ 7% on (Energy Charges + Fixed Charge - Rebate) = "F"		
76900.83	NORMAL(S) OFFPEAK(S)	29404.00 14613.00	8.50 8.50	249934.00 124210.50	20.69 20.69	51711.34 25699.15			287222.65		
CCTV Units	PEAK(S)	15452.00	8.50	131342.00	20.69	27174.66			TCS Amount "I"		
0.00									Base Amt. Surcharge		
Street Light Units									Other Charges "J"		
Wi-Fi Units									692942.00		
									CCTV Bill Amount		
									0.00		
Total Units =		490620		Total (B) = 3846906.75		Total (C) = 795925.01		Total (D) =			

Past Dues / Refunds / Subsidy (पिछला बकाया / वापसी / सब्सिडी)

Consumer registered under GST may submit its GSTIN at concerned division

Provisional Bill Refunds (वापसी)		Arrears (बकाया)		Late Payment Surcharge (LPSC)	Total Charges Payable	Rebate / Subsidy*	Net Amount Payable
Refund Unit	Refund Amount	Amount (राशि)	Period to which it relates (जिस अवधि से संबंध है)	(दोरी से युगतान पर अधिमात्र)	(कुल देय शुल्क)	(छूट/सब्सिडी)	(कुल देय राशि)
0		(1493909.49)			5146026.74	(139284.97)/	5006741.77

Amount not immediately payable, if any. (राशि जो तुरंत देय नहीं है, यदि हो तो)		BG Security Deposit	₹
₹		BG Expiry Date	
Service line cum Development Charges paid (मुगतान किया गया सर्विसलाईन एवं डेवलपमेंट शुल्क)		Cash Security Deposit	₹ 1429500.00
Interest accrued for FY 2022-23 (generated for the period 03-03-2023 to 04-04-2023)			₹ (100065.00)
Interest for FY 2023-24 will be adjusted in your first bill to be generated in FY 2024-25			

Bill Amount Payable (बिल देय राशि)

₹ 5006740.00
Due Date of Payment (मुगतान देय तिथि) 27-04-2023
If payment is made after the due date, LPSC for the delay, shall be charged in the next bill. (नियत तिथि के बाद मुगतान करने पर इस विलंब हेतु अगले बिल में एलपीएससी जोड़ दिया जाएगा.)

Last payment ₹ 6083510.00 received on 23-03-2023. Payment accounted upto 09-04-2023. The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection - Single phase ₹ 200, Three phase ₹ 500. "LET'S MOVE TO ELECTRIC VEHICLES FOR BETTER TOMORROW (अच्छे गतिविध के लिए विद्युत वाहन की तरफ बढ़ावा करें)"

IMPORTANT MESSAGE (महत्वपूर्ण सूचना)

*Other charges includes -Security Deposit:783000.00 In absence of valid industrial license, the bill is raised as per non-domestic category. Interest on security deposit has been credited @ 7.00% for Apr-22 to Mar-23 p.a. for the period 01/04/2022 to 31/03/2023 net of TDS of Rs.100065.00- u/s 194A of IT Act of 1961. Power Purchase Adjustment Charge (PPAC) @ 20.69% been levied on energy & fixed charge w.e.f 10.06.2022. CCTV Bill amount include Energy, RA, PPAC, PTC and Electricity Tax on CCTV consumption. In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 7.00% has been levied on energy & fixed charge w.e.f. 01.10.2021. The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division

(This bill is computer generated, hence does not require any signature.)

Payment slip

• Make your digital payment to BRPL CA No. 100012528

• Cheque should not be post dated.

• Write your telephone number on backside of the cheque.

• Cheque should be account payee and payable at Delhi.
 • Do not staple, only clip the cheque to payment slip.



KCCXR100012528000500674000202304270000000000

Bill amount payable : ₹ 5006740.00 Bill month: APR-23.....
 Cheque/DD No.: Date:

"Dear Consumer, Get coloured electricity bills directly in your mail box. Switch to e-bills to save trees. Please call 19123 or email: brpl.customercare@relianceada.com - Team BRPL"

Scan & Pay BHARAT BILLPAY

KCC 5871960

KCC 5871960

The revised tariff schedule is effective from 1st October 2021

Categories	Description	Fixed/Demand Charge		Energy Charge					Categories	Description	Fixed/Demand Charge	Energy Charge	Temporary		
		Load(kW)	(₹/month)	0-200 Units	201-400 Units	401-800 Units	801-1200 Units	Above 1200 Units					Categories	Fixed Charge	Energy Charge
Domestic	Individual connections:	Upto 2kW	20/kW/mth	₹ 3.00	₹ 4.50	₹ 6.50	₹ 7.00	₹ 8.00	Agriculture	125/kW/mth	₹ 1.50/kWh	Domestic including GHS	Same as relevant category	Same as relevant category	
	Domestic Light / Mixed Domestic Power, Farm House upto 21kW	>2kW to 5kW	50/kW/mth						Mushroom	Mushroom Cultivation upto 100 kW	200/kW/mth	₹ 3.50/kWh	Threshers during the threshing season	MCD E.Tax of ₹ 270/conn/mth	Flat Rate - ₹ 5400/mth
	>5kW to 15kW	100/kW/mth	Public Utility						Delhi Jal Board, DMRC, Public Lighting etc.	250/kVA/mth	₹ 6.25/kVAh	Advertisements and Hoardings	250/kVA/mth	₹ 7.75/kVAh	₹ 8.50/kVAh
	Single point supply at 11kV for GHS-Domestic Lighting / Fan and Power	>15kW to 25kW	200/kW/mth					Delhi International Airport Limited (DIAL)	250/kVA/mth	₹ 7.75/kVAh					
		>25kW	250/kW/mth					Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery	LT	₹ 4.50/kWh	All other including construction	Same as relevant category	1.30 times of relevant category of tariff		
Non-Domestic	Shopkeepers	Upto 3kVA	250 kVA/mth						HT	₹ 4.00/kVAh					
	Other Non-Domestic	>3kVA													
Industrial	Industrial	250kVA/mth													

Schedule of Time of Day (TOD) Tariff

Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
May-September	1400-1700 hrs and 2200-0100 hrs	20% (*waived for Sep 2020)	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for >10kW / 11kVA other than Domestic. Optional for 3 Phase Domestic Consumers.

Consumption History (खपत का विवरण) :

Period	No. of Days	Units (kwh/kvAh)	Total Bill Payable	Bill Basis
02-02-2023	29	389440	4589600.00	Actual
05-01-2023	28	338020	3990710.00	Actual
02-12-2022	34	416940	4910730.00	Actual
12-11-2022	20	275320	3223670.00	Actual
03-10-2022	40	635060	7314570.00	Actual
03-09-2022	30	615340	7666530.00	Actual

Paying your electricity bill (Bill payment information)

Payment Options

- You can pay your bill by cash / cheque /DD /Pay Order up to Rs 4000/- and for amount more than Rs 4000/- by cheque /DD/Pay Order.
- According to DERC's recent tariff order, it is mandatory for all consumers (except Domestic, Agriculture & Mushroom Cultivation) to pay their monthly electricity bills exceeding Rs 20,000/- through digital modes w.e.f October 1, 2021*
- Drop your cheque in our drop boxes at various RWA offices and at BRPL Counters. The list of drop boxes is available on the website.
- Bill payment counters are open from 0900 hrs. to 1500 hrs. from Monday to Saturday.
- Bill payment upto Rs 50,000/- can be paid in cash at Bank branches of PNB and Bank of Baroda.

Points to remember while paying your bill

- Please pay your electricity bill only on obtaining computer generated bill.
- Do not make payment to unauthorized agencies /touts.
- In case your cheque is returned unpaid / dishonored by bank, cheque return charges (presently Rs. 200 + GST, as applicable) will be imposed and action will be taken under Section 136 of the Negotiable Instruments Act 1881.
- Convenience fee on card swipe and online payments applicable on payment amount above Rs 50000/- is to be borne by the consumer. For charge details, kindly visit our website www.bsedelhi.com.

Customer Complaint Management:

For any query / complaint, you may contact us using any of the following options:

- Call Center No. 19123 (24x7 Toll Free)
- Customer Care Centers (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat: 9:30 AM to 1:00 PM)
- Email - brpl.customercare@relianceada.com
- www.bsedelhi.com

Escalation matrix for complaints:

- In case you are not satisfied with the resolution of your query / complaint, you may contact the below listed BRPL officials-
 - Customer Care Officer (Timing 09:15 AM to 3:15 PM)
 - Business Manager (between 10AM to 11AM on any working day)
 - Circle Head (with prior appointment)
- Head-Customer Care,**
BSES Rajdhani Power Limited,
BSES Bhawan, Nehru Place, New Delhi-110019
Email - brplhead.customercare@relianceada.com
- Consumer Grievance Redressal Forum (CGRF):** In case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017.
Email: cgrfbrpl@gmail.com
- Electricity Ombudsman:** An appeal against the CGRF order may be filed with Electricity Ombudsman. B-53, Paschimi Marg, Vasant Vihar, New Delhi-110057.

उपभोक्ता शिकायत प्रबंधन :

किसी तरह के पूछताछ / शिकायत के लिए कृपया आप हमें निम्नवत विकल्पों के जरिए संपर्क कर सकते हैं:

- कॉल सेंटर नंबर 19123 (24x7 टोल फ्री)
- करंटमर केयर सेंटर समय (सोमवार से शुक्रवार सुबह 9:30 बजे से अपराह्न 5:30 बजे और शनिवार सुबह 9:30 से अपराह्न 1:00 बजे तक)
- brpl.customercare@relianceada.com पर ईमेल करें
- www.bsedelhi.com

शिकायतों के लिए यहां भी संपर्क करें :

- अगर आप अपने पूछताछ / शिकायत के निवारण से संतुष्ट नहीं हैं तो आप निम्नवत बीआरपीएल अधिकारियों से संपर्क कर सकते हैं-
 - करंटमर केयर ऑफिसर (सुबह 9:15 बजे से अपराह्न 3:15 बजे)
 - बिजनेस मैनेजर (किसी भी कार्यदिवस के दिन सुबह 10 बजे से 11 बजे तक)
 - सर्किल हेड (पूर्व निश्चित समय लेकर)
- हेड करंटमर केयर,**
बीएसईएस राजधानी पावर लिमिटेड,
बीएसईएस भवन, नेहरु प्लेस, नई दिल्ली 110019
ईमेल: brplhead.customercare@relianceada.com
- कंज्यूमर ग्रीवांस रिड्रेसल फोरम (सीजीआरएफ) :** यदि आप अपनी शिकायत पर सेवा प्रदाता के जवाब से संतुष्ट नहीं हैं तो आप सीजीआरएफ-बीआरपीएल, सब स्टेशन बिल्डिंग, सेक्टर - V, पुष्पविहार, नई दिल्ली 110017, ईमेल cgrfbrpl@gmail.com में अपनी शिकायत दर्ज कर सकते हैं।
- इलैक्ट्रिसिटी ऑम्बुड्समैन :** सीजीआरएफ के आदेश के खिलाफ अपील इलैक्ट्रिसिटी ऑम्बुड्समैन, बी-53, पश्चिमी मार्ग, वसंत विहार, नई दिल्ली-110057, में दायर कर सकते हैं।

Disclaimer- This electricity bill is only for electricity supply to the premises occupied by the consumer and should not be construed as having bearing on the rights or titles over the premises.

अस्वीकरण: यह बिजली का बिल उपभोक्ता के निवास / कार्यालय पर बिजली की आपूर्ति के लिए है, और इसे उस स्थान पर उपभोक्ता के अधिकार या स्वामित्व समान न समझा जाए।

GoNCTD vide Order No.F.6/31/Power/Subsidy/2022/296 dated 04.07.2022 has extended subsidy to Domestic Consumers for Financial Year 22-23 of entire bill amount upto 200 Units/ month. Slab 201-400 Units/ month will get subsidy upto Rs 800/ month. No subsidy for consumption above 400 Units/ month

दिल्ली सरकार की आदेश संख्या F.6/31/Power/Subsidy/2022/296 दिनांक 04.07.2022 के अनुसार घरेलू उपभोक्ताओं के लिए सब्सिडी वित्तीय वर्ष 22-23 तक बढ़ा दी है, 200 यूनिट / माह तक के संपूर्ण बिल राशि, स्लेब 201-400 यूनिट्स / माह पर ₹ 800 सब्सिडी मिलेगी। 400 यूनिट प्रति माह से ऊपर खपत के लिए कोई सब्सिडी नहीं है।

मुफ्त कानूनी सहायता (Free Legal Aid)

गृह कानूनी सेवाओं के लिए आप दिल्ली राज्य विधिक सेवा प्राधिकरण (DLSA) से संपर्क करें: दिल्ली राज्य विधिक सेवा प्राधिकरण, पटियाला हाउस ब्यारोलर परिसर, नई दिल्ली।
हेल्पलाइन: 1516 (24x7) फोन नं., ई-मेल: lae-dlsa@gov.in, वेबसाइट: www.dlsa.org, [facebook.com/dlsa](https://www.facebook.com/dlsa) अथवा आप किसी भी जिला ब्यारोलर परिसर में स्थित जिला विधिक सेवा प्राधिकरण (DLSA) के कार्यालय में भी संपर्क कर सकते हैं।
बिजली से संबंधित विवाद के विपरीत / समाधान के लिए संपर्क करें।

- राष्ट्रीय लोक अदालत - I & II (PLA-I&II) (बीएसईएस आरपीएल, बीएसईएस वाईपीएल, और टीपीडीडीएल के लिए) माता सुबरी लेन, आर्टीस्टीक के पास, नई दिल्ली - 110002
- राष्ट्रीय लोक अदालत - III (PLA-III) (केवल बीएसईएस आरपीएल) टीपीआर रोड, टी-ब्लॉक पीपीआर के पास, विकास पुरी नई दिल्ली- 110018

आपका बिल भुगतान

बिल भुगतान सूचना

भुगतान विकल्प

- आप 4000 रुपये तक के अपने बिल का भुगतान नकद / चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं। 4000 रुपये से अधिक की रकम का भुगतान चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं।
- डीईआरसी के हॉलिया टैरिफ ऑर्डर के मुताबिक, सभी उपभोक्ताओं (घरेलू, कृषि और मशरूम) को खेती को छोड़कर के लिए यह आवश्यक है कि वे 20,000 रुपये से अधिक के बिलों का भुगतान 1 अक्टूबर, 2021 से डिजिटल माध्यमों से करें।
- आरडब्ल्यू ऑफिसर और बिजनेस मैनेजर का कार्ड पर लगे हमारे ड्रॉप बॉक्स में आप अपना चेक डालें। ड्रॉप बॉक्स को लिस्ट हमारे वेबसाइट पर उपलब्ध है।
- बिल भुगतान केंद्र सुबह 9 बजे से शाम 3 बजे तक खुले रहेंगे।
- पंजाब नेशनल बैंक और बैंक ऑफ बडोदा की शाखाओं में 50000 रुपये तक बिजली का भुगतान नकद में कर सकते हैं।

बिल भुगतान करते समय ये बातें याद रखें

- कंप्यूटरीकृत बिल पाने के बाद ही अपने बिजली बिल का भुगतान करें।
- अनाधिकृत एजेंटों / दलालों को भुगतान न करें
- अगर आपका चेक बैंक द्वारा बरीर भुगतान के / अस्वीकृत होकर वापस आ जाता है तो चेक वापसी शुल्क (नोडरुट) 200 रुपये + जीएसटी, जेता लागू हो) चरुला जाएगा और निर्माण शुल्क इस्टिमेट एक्ट 1881 की धारा 138 के तहत कार्यवाही की जाएगी।
- कार्ड स्वाइप और ऑनलाइन के द्वारा 5000 रुपये से अधिक के भुगतान पर लगे वाले सुविधा शुल्क को उपभोक्ता को वहन करना होगा। शुल्क के विस्तृत ब्योरा के लिए कृपया हमारे वेबसाइट www.bsedelhi.com पर जाएं।

Contact details: (संपर्क संबंधी विवरण):

Nearest Payment Centre
1ST FLOOR, A-BLOCK, BSES BHAWAN NEHRU PLACE NEW DELHI 110019 (Tel No: 49209489)

Business Manager : MR NISHANT SRIVASTAVA (49209489)
Commercial Officer : MR BHUPESH DHASMANA (49209485)

Pay your electricity bills conveniently by any of the following options:

Payment Options	Timings
Digital Online Payments	24x7
Cash Counters	9AM - 3PM
24*7 self payment Kiosk	24x7
Bank Branches	Bank Timings
Cheque Drop boxes	24x7 9AM - 5PM
Cheque by Post	24x7

For payment of energy bill		
Details	SBI Bank	Axis Bank
Beneficiary Name	BSES Rajdhani Power Limited	BSES Rajdhani Power Limited
Beneficiary A/C No.	SBIBRE (Fixed) + 9 Digit Customer Account Number (Variable)	VBRE(Fixed) + 9 digit customer account number (Variable) (For eg. VBRE123456789)
IFSC Code	SBIN0004266	UTIB0CCH274
Bank Name	State Bank of India	Axis Bank Ltd
Branch Address	State Bank of India, CMP Centre	9th floor, Solaris C wing, Opp L&T gate no. 6, Sakhi Vihar Road, Powai, Mumbai-400072





Meter Details Annexure

Name : SRI BALAJI ACTION MEDICAL INSTITUTE . Sanctioned Load : 1391.00 (kVA) CA No. : **100012528**
 Billing Address : FC-34 PASCHIM VIHAR NEAR DDA SPORTS COMPLEX NEW DELHI 110063 Contract Demand : 1391.00 (kVA) Energisation Date : 04-06-2004
 M D I : 1080.00 (kVA) Meter Type : 3PSK
 Power Factor : 1.000 Supply Type : HT(11KV)
 Pole No. : NA Bill No. : 010005558983
Supply Address : FC-34 PASCHIM VIHAR NEAR BALAJI Mobile / Tel. No. : 9560972288 Meter Reading Status : DL Bill Basis : Actual
 Email ID : maintenance@actionhospital.com Cycle No. : KC
 District / Division : Punjabi Bagh Tariff Category : Large Industrial Power
 Walking Sequence : PSVKC0035A0AA
 Bill Month : APR-23
 Bill Date : 12-04-2023

Net Meter Consumption Details (Date Of Reading:)

Total Solar Generation Units		For the Billing Period			Cumulative Generation in FY			Solar Installation Details			Date of Installation			Capacity kWp		
B/F Units (If any)	Export Reading			Import Reading			Net Difference			Moderated Units			Excess Gen Unit	Shared by Prim	C/F Units (If any)	
	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak				

(Consumption in the above table are in kWh/kVah, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading(24:00Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
XD446812	KWH	04-04-2023	12862.02	02-03-2023	12616.81	2000.00	33	490420.00
XD446812	KW	04-04-2023	0.54			2000.00		1080.00
XD446812	KVAH	04-04-2023	12966.37	02-03-2023	12721.06	2000.00	33	490620.00
XD446812	KVA	04-04-2023	0.54			2000.00		1080.00
XD446812	KVAHP	04-04-2023	3481.95	02-03-2023	3418.21	2000.00	33	127480.00
XD446812	KVAHO	04-04-2023	3121.83	02-03-2023	3061.55	2000.00	33	120560.00

""Annexure-~~XIX~~

Copy of RMC Bill

1490

2

TAX INVOICE

PROJECT ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015
Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU

PAN : AAHCR7291J

CIN : U26999HR2016PTC064027

Invoice No : 22-23/DELHI/4019

Invoice Date : 25-Jan-2023

Name of Transport: Transit Mixer

Vehicle No: HR38AB7819

Driver Name: AMIT

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: FC-34, A4 PASCHIM VIHAR

Address: PROJECT STORE PASCHIM VIHAR

Pincode: 110017

Pincode: 110063

State Code: 07

State Code: 07

GSTIN No: 07AAATL0238M1ZL

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
	M-15	Ready Mix Concrete	38245010	PUMP	Cubic Meter	7	4553	31871.00
TAXABLE AMOUNT:								31871.00

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. A/C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only
5. All rate and amounts are in Indian Rupees




Add: CGST @9%	2868.39
Add: SGST @9%	2868.39
Add: IGST @0%	0
Round Off	+ 0.2

GRAND TOTAL (RS.): 37608.00

100% Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Thirty Seven Thousand Six Hundred And Eight Only

Received by:
Name:
Date:
Time:



Sign & Stamp:
Date: 25/01/23



Signature

For Rise Eleven Readymix Pvt Ltd
Authorized Signatory Date: 29.01.23
Dispatch Time: 11:33
Reach Time: 12:00

988
1409

TAX INVOICE

PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015

Contact: 9315906088/9680070216

GSTIN :07AAHCR7291J1ZU

PAN :AAHCR7291J

CIN :U26999HR2016PTC064027

Invoice No :22-23/DELHI/3823

Invoice Date :09-Jan-2023

Mode of Transport: Transit Mixer

Vehicle No: HR38AB7300

Driver Name: DHARMENDRE

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: FC-34,A4 PASCHIM VIHAR

Pincode: 110017

State Code: 07

GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: PROJECT STORE PASCHIM VIHAR

Pincode: 110063

State Code: 07

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-35	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4	5364	21456.00
TAXABLE AMOUNT:							21456.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"

2. C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch

3. Goods once sold will not be taken back

4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.

5. All rate and amounts are in Indian Rupees

Add: CGST @9% 1931.04

Add: SGST @9% 1931.04

Add: IGST @0% 0

Round Off -0.1

GRAND TOTAL(Rs.):25318.00

Tax is Payable under Reverse Charges : No


TOTAL AMOUNT IN WORDS: Twenty Five Thousands Three Hundred And Eighteen Only

Received by:

Name:

Date:

Time:



For Rise Eleven Readymix Pvt Ltd

Authorized Signatory SBAM1

Date: 09/1/23

Dispatch Time: 8:26 Am

085
1375

TAX INVOICE

PROJECT ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015
Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU
PAN : AAHCR7291J
CIN : U26999HR2016PTC064027

Invoice No : 22-23/DELHI/3761
Invoice Date : 04-Jan-2023

Name: Transport: Transit Mixer

Vehicle No: HR38AB7300 Driver Name: DHARMENDRE

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
Address: FC-34, A4 PASCHIM VIHAR
Pincode: 110017
State Code: 07
GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
Address: PROJECT STORE PASCHIM VIHAR
Pincode: 110063
State Code: 07
GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-40	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4	5573	22292.00
TAXABLE AMOUNT:							22292.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. A/c No: 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.
5. All rate and amounts are in Indian Rupees

Add: CGST @9%	2006.28
Add: SGST @9%	2006.28
Add: IGST @0%	0
Round Off	+ 0.4
GRAND TOTAL (Rs.): 26305.00	

Tax is Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Twenty Six Thousands Three Hundred And Five Only

Received by:
Name: Sri Balaji Action Medical Institute
Date: 04/1/23
Time: 10:10 AM

Sign & Stamp:
Date: 04/1/23
Time: 12:01 PM

For Rise Eleven Readymix Pvt Ltd
Authorized Signatory: SBAMI
Date: 04/1/23
Dispatch Time: 8:27 AM

TAX INVOICE

NE PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015

Contact: 9315906088/9680070216

GSTIN :07AAHCR7291J1ZU
 PAN :AAHCR7291J
 CIN :U26999HR2016PTC064027

Invoice No :22-23/DELHI/3854
 Invoice Date :15-Jan-2023

Mode of Transport: Transit Mixer

Vehicle No: HR38AB8462 Driver Name: RAJU

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
 Address: FC-34,A4 PASCHIM VIHAR
 Pincode: 110017
 State Code: 07
 GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
 Address: PROJECT STORE PASCHIM VIHAR
 Pincode: 110063
 State Code: 07
 GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-35	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4	5364	21456.00
TAXABLE AMOUNT:							21456.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.
5. All rate and amounts are in Indian Rupees

Add: CGST @9%	1931.04
Add: SGST @9%	1931.04
Add: IGST @0%	0
Round Off	- 0.1
GRAND TOTAL (Rs.):25318.00	

Tax is Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Twenty Five Thousand Three Hundred And Eighteen Only

Received by:
 Name:
 Date:
 Time:

Sign & Stamp:
 For Rise Eleven Readymix Pvt Ltd
 Authorized Signatory

SBAMI
 Date: 15/1/23
 10:21 PM

089
 1429

TAX INVOICE

NE

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015

Contact: 9315906088/9680070216

GSTIN :07AAHCR7291J1ZU

PAN :AAHCR7291J

CIN :U26999HR2016PTC064027

Invoice No :22-23/DELHI/4587

Invoice Date :20-Feb-2023

Name of Transport: Transit Mixer

Vehicle No: HR38AB038

Driver Name: HANSRAAJ

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: FC-34,A4 PASCHIM VIHAR

Pincode: 110017

State Code: 07

GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: PROJECT STORE PASCHIM VIHAR

Pincode: 110063

State Code: 07

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-15	Ready Mix Concrete	38245010	PUMP	Cubic Meter	6	4553	27318.00
TAXABLE AMOUNT:							27318.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. A/C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.
5. All rate and amounts are in Indian Rupees

Add: CGST @9% 2458.62

Add: SGST @9% 2458.62

Add: IGST @0% 0

Round Off -0.2

Tax is Payable under Reverse Charges : No

GRAND TOTAL(Rs.):32235.00


TOTAL AMOUNT IN WORDS: Thirty Two Thousands Two Hundred And Thirty Five Only

Received by:

Name:

Date:

Time:



Sign & Stamp



For Rise Eleven Readymix Pvt Ltd

Authorized Signatory

Date: 21/2/23

Time: 23:18:26

Time: 05:00 AM

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015

Contact: 9: 15906088/9680070216

GSTIN : 07AAHCR7291J1ZU	Invoice No : 22-23/DELHI/4747
PAN : AAHCR7291J	Invoice Date : 27-Feb-2023
CIN : U26999HR2016PTC064027	

Name of Transport: Transit Mixer	Vehicle No: HR38AB8038	Driver Name: HANSRAAJ
----------------------------------	------------------------	-----------------------



BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE Address: FC-34,A4 PASCHIM VIHAR Pincode: 110017 State Code: 07 GSTIN No: 07AAATL0238M1ZL	SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE Address: PROJECT STORE PASCHIM VIHAR Pincode: 110063 State Code: 07 GSTIN No: 07AAATL0238M1ZL
--	--

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-25	Ready Mix Concrete	38245010	PUMP	Cubic Meter	8	4948	39584.00
TAXABLE AMOUNT:							39584.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"	Add: CGST @9%	3562.56
2. A/C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch	Add: SGST @9%	3562.56
3. Goods once sold will not be taken back	Add: IGST @0%	0
4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.	Round Off	- 0.1
5. All rate and amounts are in Indian Rupees		
Tax is Payable under Reverse Charges : No	GRAND TOTAL (Rs.): 46709.00	

TOTAL AMOUNT IN WORDS: Forty Six Thousands Seven Hundred And Nine Only

Received by:	Sign & Stamp:	Authorized Signatory
Name:		
Date:		
Time:		



[Handwritten Signature]

[Handwritten Signature]
T 21/03

For Rise Eleven Readymix Pvt Ltd
Authorized Signatory
Date: 27/2/23

100
1584

11

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110045

Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU

PAN : AAHCR7291J

CIN : 1126999HR2016PTC064027

Invoice No : 22-23/DELHI-4236

Invoice Date : 05-Feb-2023

Name of Transport: Transit Mixer

Vehicle No: HR38AB1259

Driver Name: RAJU

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: FC-34,A4 PASCHIM VIHAR

Address: PROJECT STORE PASCHIM VIHAR

Pincode: 110017

Pincode: 110063

State Code: 07

State Code: 07

GSTIN No: 07AAATL0238M1ZL

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
	M-25	Ready Mix Concrete	38245010	PUMP	Cubic Meter	8	4948	39584.00
TAXABLE AMOUNT:								39584.00

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"

Add: CGST @9% 3562.56

2. A/c no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch

Add: SGST @9% 3562.56

3. Goods once sold will not be taken back

Add: IGST @0% 0

4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.

Round Off -0.1

5. All rate and amounts are in Indian Rupees

PAID

6. Payable under Reverse Charges : No

GRAND TOTAL(Rs.):46709.00

TOTAL AMOUNT IN WORDS: Forty Six Thousands Seven Hundred And Nine Only

Received by: [Signature]
Date: 05/02/23
Time: 2:12pm

Sign & Stamp: [Signature]
Date: 05/02/23
Time: 5:11pm

[Signature]

For Rise Eleven Readymix Pvt Ltd
Authorized Signatory

SBAMI
Date: 05/02/23

TAX INVOICE

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)

RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015

Contact: 9315906088/9680070216

STTS : 07AAHCR7291J1ZU	Invoice No : 22-23/DELHI/4385
CAN : AAHCR7291J	Invoice Date : 11-Feb-2023
CTN : U26999HR2016PTC064027	

Name of Transport: Transit Mixer	Vehicle No: HR38AB6122	Driver Name: ANIL KUMAR
----------------------------------	------------------------	-------------------------

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE Address: FC-34, M PASHCHIM VIHAR Pincode: 110017 State Code: 07 GSTIN No: 07AAATL0238M1ZL	SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE Address: PROJECT STORE, PASHCHIM VIHAR Pincode: 110063 State Code: 07 GSTIN No: 07AAATL0238M1ZL
--	---

No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	RATE	AMOUNT
	M 15	Ready Mix Concrete	38245010	PUMP	Cubic Meter	4553	68310.00
TAXABLE AMOUNT:							36424.00

Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"	Add: CGST @ 9%	3278.16
Account No 50700018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch	Add: SGST @ 9%	3278.16
Goods once sold will not be taken back	Add: IGST @ 0%	0
In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.	Round Off	-03
Nett amounts are in Indian Rupees	GRAND TOTAL (Rs.): 42980.00	



TOTAL AMOUNT IN WORDS: Forty Two Thousands Nine Hundred And Eighty Only

	Sign & Stamp 	For Rise Eleven Readymix Pvt Ltd Authorized Signatory: SBAMI Date: 11/02/23 Dispatch Time: 19:19:10 6:29 PM
--	------------------	---

TAX INVOICE

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015

Contact: 9315906088/9680070216

GSTIN :07AAHCR7291J1ZU
 PAN :AAHCR7291J
 CIN :U26999HR2016PTC064027

Invoice No 22-23/DELHI/4850
 Invoice Date 02-Mar-2023

Name of Transport: Transit Mixer

Vehicle No: HR38AB8038

Driver Name: HANSRAAJ

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
 Address: FC-34,A4 PASCHIM VIHAR
 Pincode: 110017
 State Code: 07
 GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
 Address: PROJECT STORE PASCHIM VIHAR
 Pincode: 110063
 State Code: 07
 GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-25	Ready Mix Concrete	38245010	PUMP	Cubic Meter	8	4948	39584.00

TAXABLE AMOUNT: 39584.00

- Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
- A/C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch
- Goods once sold will not be taken back
- In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only
- All rate and amounts are in Indian Rupees




Add: CGST @9%	3562.56
Add: SGST @9%	3562.56
Add: IGST @0%	0
Round Off	- 0.1

GRAND TOTAL(Rs.):46709.00

Tax is Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Forty Six Thousands Seven Hundred And Nine Only

Received by:
 Name:
 Date:
 Time:



Sign & Stamp:
 (1862)
 For Rise Eleven Readymix Pvt Ltd
 Authorized Signatory

[Signature]

Date: 02/03/23

6

TAX INVOICE

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015

Contact: 9315906088/9680070216

GSTIN :07AAHCR7291J1ZU

PAN :AAHCR7291J

CIN :U26999HR2016PTC064027

Invoice No :22-23/DELHI/4990

Invoice Date :12-Mar-2023

Name of Transport: Transit Mixer

Vehicle No: HR38AB8462

Driver Name: BIJENDER

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: FC-34,A4 PASCHIM VIHAR

Pincode: 110017

State Code: 07

GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: PROJECT STORE PASCHIM VIHAR

Pincode: 110063

State Code: 07

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-15	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4	4553	18212.00
TAXABLE AMOUNT:							18212.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. A/C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunchea branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.
5. All rate and amounts are in Indian Rupees



Add: CGST @9% 1639.08

Add: SGST @9% 1639.08

Add: IGST @0% 0

Round Off - 0.2

GRAND TOTAL(RS.):21490.00

Tax is Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Twenty One Thousands Four Hundred And Ninety Only

Received by:


Name:

Date:

Time:



Sign & Stamp:



Handwritten signature: R. May

For Rise Eleven Readymix Pvt Ltd

Authorized Signatory

Date: 12/03/23

Dispatch Time: 17:39

TAX INVOICE

NEW

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015

Contact: 9315906088/9680070216

GSTIN :07AAHCR7291J1ZU	Invoice No :22-23/DELHI/5070
PAN :AAHCR7291J	Invoice Date :18-Mar-2023
CIN :U26999HR2016PTC064027	

Name of Transport: Transit Mixer	Vehicle No: HR38AB9022	Driver Name: SUNIL KUMAR
----------------------------------	------------------------	--------------------------

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE Address: FC-34,A4 PASCHIM VIHAR Pincode: 110017 State Code: 07 GSTIN No: 07AAATL0238M1ZL	SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE Address: PROJECT STORE PASCHIM VIHAR Pincode: 110063 State Code: 07 GSTIN No: 07AAATL0238M1ZL
--	--

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-35	Ready Mix Concrete	38245010	DUMP	Cubic Meter	3.5	5364	18774.00
TAXABLE AMOUNT:							18774.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"	Add: CGST @9%	1689.66
2. A C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch	Add: SGST @9%	1689.66
3. Goods once sold will not be taken back	Add: IGST @0%	0
4. in case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.	Round Off	-0.3
5. All rate and amounts are in Indian Rupees		
Tax is Payable under Reverse Charges : No	GRAND TOTAL(Rs.):22153.00	

TOTAL AMOUNT IN WORDS: Twenty Two Thousands One Hundred And Fifty Three Only

Received By: Name: <i>B. D. S. M</i> Date: 18/03/23 Time:	Sign & Stamp: 	For RISE Eleven Readymix Pvt Ltd Authorized Signatory: <i>R. Y. Mehta</i> Date: 18/03/23
--	-------------------	--

Dispatch Time : 8:36 AM

2

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi 110015

Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU
PAN : AAHCR7291J
CIN : U26999HR2016PTC064027

Invoice No : 22-23/DELHI/5172
Invoice Date : 25-Mar-2023

Name of Transport: Transit Mixer

Vehicle No: HR38AB3815 Driver Name: RAJESH

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
Address: FC-34,A4 PASCHIM VIHAR
Pincode: 110017
State Code: 07
GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
Address: PROJECT STORE PASCHIM VIHAR
Pincode: 110063
State Code: 07
GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-35 SCC	Ready Mix Concrete	38245010	PUMP	Cubic Meter	8	5764	46112.00
TAXABLE AMOUNT:							46112.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
 2. A C no 50200018424450 IFSC code HDFC0003600 HDFC bank Dhunela branch
 3. Goods once sold will not be taken back
 4. In case of any disputes, the same shall be subject of Gurgaon Jurisdiction only.
 5. All rate and amounts are in Indian Rupees
- Tax is Payable under Reverse Charges : No


Add: CGST @9%	4150.08
Add: SGST @9%	4150.08
Add: IGST @0%	0
Round Off	-0.2
GRAND TOTAL (Rs.): 54412.00	

TOTAL AMOUNT IN WORDS: INR 54,412.00 Thousands Four Hundred And Twelve Only

Received by:
Name:
Date:
Time:



Sign & Stamp
Name:
Date:
Time:



For Rise Eleven Readymix Pvt Ltd
Authorized Signatory: [Signature]

13/04/2023

Dispatch Time : 1:5:23
Reach Time : 2:45 PM

7

077
1263

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)

RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi, Delhi 110015

Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZL
PAN : AAHCR7291J
CIN : U26999HR2016PTC064027

Invoice No : 22-23/DELHI/3440
Invoice Date : 18-Dec-2022

Name of Transport: Transit Mixer

Vehicle No: HR38W2133

Driver Name: VIJAY

BILLED TO: SRI BALA JI ACTION MEDICAL INSTITUTE

SHIPPED TO: SRI BALA JI ACTION MEDICAL INSTITUTE

Address: FC-34, A4 PASCHIM VIHAR NEW DELHI

Address: PROJECT STORE PASCHIM VIHAR

Pincode: 110017

Pincode: 110063

State Code: 07

State Code: 07

GSTIN No: 07AAATL0238M1ZL

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-25	Ready Mix Concrete	38245010	PUMP	Cubic Meter	7	4948	34636.00
TAXABLE AMOUNT:							34636.00	

- Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
- A/C no 50200018424450 IFSC code HDFC 0003566 HDFC bank Ghamroj branch
- Goods once sold will not be taken back
- In case of any disputes, the same shall be subject of Delhi Jurisdiction only
- All rate and amounts are in Indian Rupees

Add CGST @9%	3117.24
Add SGST @9%	3117.24
Add I-IST @0%	0
Add IES @0.1%	0
Round Off	0.5
GRAND TOTAL (Rs.)	40870.00

Tax is Payable under Reverse Charges: No

BSJ
28/12/22

TOTAL AMOUNT IN WORDS: Forty Thousands Eight Hundred Seventy Rupees Only

Received by Name Date Time	Sign & Stamp 	
For Rise Eleven Readymix Pvt Ltd Authorized Signatory		Date: 18/12/22 Dispatch Time: 10:18 AM

070
1174

6

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of GST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Suchanshu Ji Maharaj Ashram, Delhi, West Delhi, Delhi 110015
 Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU
 PAN : AAHCR7291J
 CIN : U26999HR2016PTC064027

Invoice No : 22-23/DEL/II/3272
 Invoice Date : 06-Dec-2022

Name of Transport: Transit Mixer

Vehicle No: HR38AB7300 Driver Name: DHARMENDRE

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
 Address: FC-34, A4 PASCHIM VIHAR NEW DELHI
 Pincode: 110017
 State Code: 07
 GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
 Address: PROJECT STORE PASCHIM VIHAR
 Pincode: 110063
 State Code: 07
 GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-40	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4.5	5573	25078.50
TAXABLE AMOUNT:							25078.50	


1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. A/C no 50200018424450 IFSC code HDFC0003566 HDFC bank Ghamroj branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Delhi Jurisdiction only.
5. All rate and amounts are in Indian Rupees

Add: CGST @9%	2257.07
Add: SGST @9%	2257.07
Add: IGST @0%	0
Add: Cess @0.1%	0
Round Off	-0.4
GRAND TOTAL (RS.):	29593.00

Tax is Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Twenty Nine Thousand Five Hundred Ninety Three Rupees Only

Received by:
 Name: *[Signature]*
 Date: 06/12/22
 Time: *[Signature]*



Sign & Stamp:
 Date: 06/12/22
 Sig: *[Signature]*



For R. Eleven Readymix Pvt Ltd
 Authorized Signatory: *[Signature]* Date: 06/12/22
 Dispatch Time: 9:26 AM

[Handwritten signatures and dates: 28/12/22, 21/12]

672
1194

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi, Delhi 110015

Contact: 9315906088/9680070216

GSTIN 07AAHCR7291J1ZU
PAN AAHCR7291J
CIN U26999HR2016PTC064027

Invoice No :22-23/DELHI/3329
Invoice Date :11-Dec-2022

Name of Transport: Transit Mixer

Vehicle No: HR38AB3815 ✓ Driver Name: RAJESH

BILLED TO: SRI BALA JI ACTION MEDICAL INSTITUTE
Address: FC-34, A4 PASCHIM VIHAR NEW DELHI
Pincode: 110017
State Code: 07
GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALA JI ACTION MEDICAL INSTITUTE
Address: PROJECT STORE, PASCHIM VIHAR
Pincode: 110063
State Code: 07
GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-25	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4	4948	19792.00
TAXABLE AMOUNT:							19792.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. A.C no 50200018424450 IFSC code HDFC0003566 HDFC bank Ghamroj branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Delhi Jurisdiction only.
5. All rate and amounts are in Indian Rupees

Add: CGST @9%	1781.28
Add: SGST @9%	1781.28
Add: IGST @0%	0
Add: Tcs @0.1%	0
Round Off	+ 0.4
GRAND TOTAL (Rs.):	23355.00

28/12/22

Tax is Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Twenty Three Thousands Three Hundred Fifty Five Rupees Only

Received by
Name: Sri Bala Ji Action Medical Institute
Date: 11/12/22
Time: 11:25 AM

Sign & Stamp:
Sri Bala Ji Action Medical Institute
Date: 11/12/22
Time: 1:16 PM

For Rise Eleven Ready Mix Pvt Ltd
Authorized Signatory: [Signature]
Date: 11/12/22
Dispatch Time: 10:41:42 AM

080
129B

TAX INVOICE

NE ORIGINAL FOR BUYER

(See Section 31 of CGST Act w/ Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi, Delhi 110015

Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZL
PAN : AAHCR7291J
CIN : U26999HR2016PTC064027

Invoice No : 22-23/DEL/11/3589
Invoice Date : 25-Dec-20.22

Name of Transport: Transit Mixer

Vehicle No: HR38AB8462

Driver Name: BEIJENDRE

BILLED TO: SRI BALA JI ACTION MEDICAL INSTITUTE
Address: FC-34, A4 PASCHIM VIHAR NEW DELHI
Pincode: 110017
State Code: 07

SHIPPED TO: SRI BALA JI ACTION MEDICAL INSTITUTE
Address: PROJECT STORE PASCHIM VIHAR
Pincode: 110063
State Code: 07

GSTIN No: 07AAATL0238M1ZL

GSTIN No: 07AAATL0238M1ZL

S.No.	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
	M-40	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4	5573	22292.00
TAXABLE AMOUNT:							22292.00	

- Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
- Account No 50200018424450 IFSC code HDIC0003566 HDFC bank Ghamraj branch
- Goods once sold will not be taken back
- In case of any disputes, the same shall be subject of Delhi Jurisdiction only.
- Rate and amounts are in Indian Rupees

Add: CGST @9%	2006.28
Add: SGST @9%	2006.28
Add: GST @0%	0
Add: es @0.1%	0
Round Off	+ 0.4
GRAND TOTAL (RS.)	26305.00

Payable under Reverse Charges: No

TOTAL AMOUNT IN WORDS: Amount Six Thousand Three Hundred Five Rupees Only

Received by
Name
Date
Place

Stamp & Seal
Sri Bala Ji Action Medical Institute
Reg. No. 1346
Date 25/12/22
No. 01228AM
A-4, Paschim Vihar, Delhi

Stamp & Seal
Sri Bala Ji Action Medical Institute
Reg. No. 1346
Date 25/12/22
No. 01228AM
A-4, Paschim Vihar, Delhi

For Rise Eleven Readymix Pvt Ltd
Authorized Signatory
Date: 25/12/22
Dispatch Time: 9:02 AM
Reach Time: 10:00 AM

10.1

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi, Delhi 110015

Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU
 PAN : AAHCR7291J
 CIN : U26999HR2016PTC064027

Invoice No : 22 23 DELHI 3021
 Invoice Date : 02-Nov-2022

Name of Transport: Transit Mixer

Vehicle No: HR38AB7819

Driver Name: RAJU

BILLED TO: SRI BALA JI ACTION MEDICAL INSTITUTE

SHIPPED TO: SRI BALA JI ACTION MEDICAL INSTITUTE

Address: FC-34, A4 PASCHIM VIHAR NEW DELHI

Address: PROJECT STORE, PASCHIM VIHAR

Pincode: 110017

Pincode: 110063

State Code: 07

State Code: 07

GSTIN No: 07AAATL0238M1ZL

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-40	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4	5573	22292.00
TAXABLE AMOUNT:							22292.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"

Add: CGST @9% 2006.28

2. A/c no 50200018424450 IFSC code HDFC0003566 HDFC bank Ghanraj branch

Add: SGST @9% 2006.28

3. Goods once sold will not be taken back

Add: IGST @0% 0

4. In case of any disputes, the same shall be subject of Delhi Jurisdiction only.

Add: Tes @0.1% 0

5. All rate and amounts are in Indian Rupees

Round Off -0.00

GRAND TOTAL (Rs.): 26305.00

Tax is Payable under Reverse Charges : No




TOTAL AMOUNT IN WORDS: Twenty Six Thousand Three Hundred Five Rupees Only

Received by:

Signature:

Date:

Time:



For Rise Eleven Readymix Pvt Ltd

Authorized Signatory Date: 02/11/22
 Dispatch Time: 12:53 PM
 Reach Time: 8:19 PM

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi, Delhi 110015

Contact: 9315906088/9680070216

GSTIN :07AAHCR7291J1ZU
 PAN :AAHCR7291J
 CIN :U26999HR2016PTC064027

Invoice No :22-23/DELHI/3032
 Invoice Date :15-Nov-2022

Mode of Transport: Transit Mixer

Vehicle No: HR38AB9022 Driver Name: RAVINDRE

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
 Address: FC-34, A4 PASCHIM VIHAR NEW DELHI
 Pincode: 110017
 State Code: 07
 GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
 Address: PROJECT STORE, PASCHIM VIHAR
 Pincode: 110063
 State Code: 07
 GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-40 SCC	Ready Mix Concrete	38245010	PUMP	Cubic Meter	7	5973	41811.00
TAXABLE AMOUNT:							41811.00	

- Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
- A/C no 50200018424450 IFSC code HDFC0003566 HDFC bank Ghamroj branch
- Goods once sold will not be taken back
- In case of any disputes, the same shall be subject of Delhi Jurisdiction only.
- All rate and amounts are in Indian Rupees

Add: CGST @9%	3762.99
Add: SGST @9%	3762.99
Add: IGST @0%	0
Add: Ics @0.1%	0
Round Off	-0.0
GRAND TOTAL(Rs.): 49337.00	

Tax is Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Forty Nine Thousands Three Hundred Thirty Seven Rupees Only

Received by:
 Name:

For RISE ELEVEN READYMIX PVT LTD
 Authorized Signatory Date : 15/11/22
 Dispatch Time : 9:15 AM
 Reach Time : 10:40 AM
 In Time : 11:20 AM
 Out Time : 12:12 PM
 Sign.

Handwritten signature and date: 28/11/22

1115

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi, Delhi 110015

Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU
GSTIN : 07AAHCR7291J
GSTIN : U26999HR2016PTC064027

Invoice No : 22-23/DELHI/3155
Invoice Date : 24-Nov-2022

Name of Transport: Transit Mixer

Vehicle No: HR38AB7819 Driver Name: RAJU

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
Address: FC-34, A4 PASCHIM VIHAR NEW DELHI
Pincode: 110017
State Code: 07
GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE
Address: PROJECT STORE, PASCHIM VIHAR
Pincode: 110063
State Code: 07
GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
	M-40	Ready Mix Concrete	38245010	PUMP	Cubic Meter	8	5573	44584.00
TAXABLE AMOUNT:							44584.00	

- Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
- AC no 50200018424450 IFSC code HDFC0003566 HDFC bank Ghamroj branch
- Goods once sold will not be taken back
- In case of any disputes, the same shall be subject of Delhi Jurisdiction only.
- All rate and amounts are in Indian Rupees

Add: CGST @9%	4012.56
Add: SGST @9%	4012.56
Add: IGST @0%	0
Add: Tes @0.1%	0
Round Off	-0.1
GRAND TOTAL(Rs.): 52609.00	

Tax Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Fifty Two Thousands Six Hundred and Nine Rupees Only

Issued by:

Sign & Stamp:

For Rise Eleven Readymix Pvt. Ltd.
Authorized Signatory:
Date: 24/11/22
Dispatch Time: 12:50 LPM
Reach Time: 1:00 PM
In Time: 1:40 PM
Out Time: 2:35 PM
Sign:

1150
04/12/22

068
1142

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi. West Delhi, Delhi 110015

Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU
PAN : AAHCR7291J
CIN : U26999HR2016PTC064027

Invoice No : 22-23/D1 LHI/3193
Invoice Date : 30-Nov-2022

Name of Transport: Transit Mixer

Vehicle No: HR38AB3815

Driver Name: RAJESH

BILLED TO: SRI BALA JI ACTION MEDICAL INSTITUTE

SHIPPED TO: SRI BALA JI ACTION MEDICAL INSTITUTE

Address: FC-34, A4 PASCHIM VIHAR NEW DELHI

Address: PROJECT STORE, PASCHIM VIHAR

Pincode: 110017

Pincode: 110063

State Code: 07

State Code: 07

GSTIN No: 07AAATL0238M1ZL

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-40 SCC	Ready Mix Concrete	38245010	PUMP	Cubic Meter	8	5973	47784.00
TAXABLE AMOUNT:							47784.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. A/C no 50200018424450 IFSC code HDFC0003566 HDFC bank Ghamroj branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Delhi Jurisdiction only.
5. All rate and amounts are in Indian Rupees

Add: CGST @9%	4300.56
Add: SGST @9%	4300.56
Add: IGST @0%	0
Add: Tes @0.1%	0
Round Off	-0.1

GRAND TOTAL (Rs.): 56385.00

Tax is Payable under Reverse Charges - No



TOTAL AMOUNT IN WORDS: Fifty Six Thousands Three Hundred Eighty Five Rupees Only

Received by

Name:

Date:

Time:



For Rise Eleven Readymix Pvt Ltd

Authorized Signatory



Discharge Time: 10:03 AM

056
966

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi, Delhi 110015

Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU
PAN : AAHCR7291J
UIN : U26999HR2016PTC064027

Invoice No : 22-23/DELHI/3016
Invoice Date : 30-Oct-2022

Vehicle No: HR38AB8036 Driver Name: HANSRAAJ

Mode of Transport: Transit Mixer

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: FC-34, A4 PASCHIM VIHAR NEW DELHI

Address: PROJECT STORE, PASCHIM VIHAR

Pincode: 110017

Pincode: 110063

State Code: 07

State Code: 07

GSTIN No: 07AAATL0238M1ZL

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-40 SCC	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4	5973	23892.00
TAXABLE AMOUNT:							23892.00	

- Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
- Account No 50200018424450 IFSC code HDFC0003566 HDFC bank Ghamroj branch
- Goods once sold will not be taken back
- In case of any disputes, the same shall be subject of Delhi Jurisdiction only.
- All rates and amounts are in Indian Rupees

Add: CGST @9%	2150.28
Add: SGST @9%	2150.28
Add: IGST @0%	0
Add: Tcs @0.1%	0
Round Off	= 0.1


PAID

TOTAL (RS.): 28143.00

Tax is Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Twenty Eight Thousand One Hundred Ninety Three Rupees Only

Received by:
Name:
Date: 30/10/22
Time: 09:02 AM



For Rise Eleven Readymix Pvt Ltd
Authorized Signatory:
Date: 30/10/22
Time: 09:02 AM

048
870

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND'D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi, Delhi 110015
Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU

PAN : AAHCR7291J

CIN : U26999HR2016PTC064027

Invoice No : 22-23-DELHI/2755

Invoice Date : 13-Oct-2022

Name of Transport: Transit Mixer

Vehicle No: HR38AB9022

Driver Name: RAVINDRE

BILLED TO: SRI BALA JI ACTION MEDICAL INSTITUTE

Address: FC-34, A4 PASCHIM VIHAR NEW DELHI

Pincode: 110017

State Code: 07

GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALA JI ACTION MEDICAL INSTITUTE

Address: PROJECT STORE, PASCHIM VIHAR

Pincode: 110063

State Code: 07

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-40	Ready Mix Concrete	38245010	DUMP	Cubic Meter	4	5538	22152.00

TAXABLE AMOUNT:

22152.00

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"

2. A/C No 50200018424450 IFSC code HDFC0003566 HDFC bank Ghamroj branch

3. Goods once sold will not be taken back

4. In case of any disputes, the same shall be subject of Delhi Jurisdiction only

5. All rate and amounts are in Indian Rupees

Add: CGST @9%	1993.68
Add: SGST @9%	1993.68
Add: IGST @0%	0
Add: Tes @0.1%	0
Round Off	0

GRAND TOTAL (RS.): 26139.00

PAID

Tax is Payable under Reverse Charges : No


TOTAL AMOUNT IN WORDS: Twenty Six Thousand One Hundred Thirty Nine Rupees Only

Received by:


Name:

Date:

Time:



Sign & Stamp:



For Rise Eleven Readymix Pvt Ltd

SBAMI

Date : 13/10/22

Dispatch Time : 9:25 AM

Handwritten signature and date 2/11/2022

Handwritten signature and date 2/11/22

51
900 PR.

17

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi, Delhi 110015

Contact: 9315906088/9680070216

GSTIN :07AAHCR7291J1ZU
PAN :AAHCR7291J
CIN :U26999HR2016PTC064027

Invoice No :22-23/DELHI/2836
Invoice Date :18-Oct-2022

Name of Transport: Transit Mixer

Vehicle No: HR38AB1259

Driver Name: RAM KUMAR

BILLED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

SHIPPED TO: SRI BALAJI ACTION MEDICAL INSTITUTE

Address: FC-34, A4 PASCHIM VIHAR NEW DELHI

Address: PROJECT STORE, PASCHIM VIHAR

Pincode: 110017

Pincode: 110063

State Code: 07

State Code: 07

GSTIN No: 07AAATL0238M1ZL

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-40	Ready Mix Concrete	38245010	PUMP	Cubic Meter	8	5573	44584.00
TAXABLE AMOUNT:							44584.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"
2. A C no 50200018424450 IFSC code HDFC0003566 HDFC bank Ghamroj branch
3. Goods once sold will not be taken back
4. In case of any disputes, the same shall be subject of Delhi Jurisdiction only.
5. All rate and amounts are in Indian Rupees

Add: CGST @9%	4012.56
Add: SGST @9%	4012.56
Add: IGST @0%	0
Add: Tes @0.1%	0
Round Off	- 0.1

GRAND TOTAL (RS.): 52609.00

Tax is Payable under Reverse Charges : No


TOTAL AMOUNT IN WORDS: Fifty Two Thousands Six Hundred Nine Rupees Only

Received by:



Name:

Date:

Time:



Sign & Stamp



For Rise Eleven Readymix Pvt Ltd

Authorized Signatory Date: 18/10/22
Dispatch Time: 12:37
Reach Time: 1:49 p.m.

855
956

TAX INVOICE

NEW PROJECT

ORIGINAL FOR BUYER

(See Section 31 of CGST Act r/w Rule 46 of Central Goods & Service Tax Rules, 2017)



RISE ELEVEN READYMIX PRIVATE LIMITED

Site Add: C AND D Waste Site, Bakkarwala Nazafgarh Road, Near Sudhanshu ji Maharaj Ashram, Delhi, West Delhi , Delhi 110015

Contact: 9315906088/9680070216

GSTIN : 07AAHCR7291J1ZU

PAN : AAHCR7291J

CIN : LU26999HR2016PTC064027

Invoice No : 22-23/DELHI/2964

Invoice Date : 23-Oct-2022

Name of Transport: Transit Mixer

Vehicle No: HR38AB9022

Driver Name: RAVINDRE

BILLED TO: SRI BALA JI ACTION MEDICAL INSTITUTE

Address: FC-34, A4 PASCHIM VIHAR NEW DELHI

Pincode: 110017

State Code: 07

GSTIN No: 07AAATL0238M1ZL

SHIPPED TO: SRI BALA JI ACTION MEDICAL INSTITUTE

Address: PROJECT STORE , PASCHIM VIHAR

Pincode: 110063

State Code: 07

GSTIN No: 07AAATL0238M1ZL

S.No	ITEM NAME	DESCRIPTION	HSN CODE	MODE	UOM	QTY	RATE	AMOUNT
1	M-40 SCC	Ready Mix Concrete	38245010	PUMP	Cubic Meter	5	5973	29865.00
TAXABLE AMOUNT:							29865.00	

1. Payment Should be made by Cheque/DD only in favour of "RISE ELEVEN READYMIX PVT.LTD"

2. A/c no. 50200018424450 IFSC code HDFC0003566 HDFC bank Ghanraj branch

3. Goods once sold will not be taken back

4. In case of any disputes, the same shall be subject of Delhi Jurisdiction only

5. All rate and amounts are in Indian Rupees

Add: CGST @9% 2687.85

Add: SGST @9% 2687.85

Add: IGST @0% 0

Add: Tcs @0.1% 0



Round Off - 0.00

GRAND TOTAL(Rs.):35241.00

6. Tax Payable under Reverse Charges : No

TOTAL AMOUNT IN WORDS: Thirty Five Thousand Two Hundred forty One Rupees Only

Received by: [Signature]



For Rise Eleven Readymix Pvt Ltd


Authorized Signatory [Signature] Date: 23/10/22

Dispatch Time : 14:57

124

Annexure-XV
Photographs of DG sets

Photographs of DG Sets



Annexure-XVI

**Receiving of EC compliance
""""submission for F ge 2024**

**LALA MUNNI LAL MANGE RAM
CHARITABLE TRUST**



FC-34, A-4, PASCHIM VIHAR, NEW DELHI - 110 063
Tel. : 011- 42888888, 45666666 Fax : 91-11-25270725

Date: 05/11/2022

To,
The Director
Integrated Regional Office
Ministry of Environment & Forest
A-209&218, Aranya Bhawan, Mahatma Gandhi Road,
Jhalana Institutional Area, Jaipur-304002

29/11/2022
(ENQUIRY COUNTER)
DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT
GOVT. OF NCT OF DELHI
4TH FLOOR, ISBT BUILDING,
KASHMERE GATE, DELHI-110006

Subject: Submission of six-monthly Compliance report of December 2022 for Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust.

Reference: EC Lr No.: F.No.21-7/2019-IA-III ; **Dated:** 18/10/2019

Dear Sir,

This is with reference to the above-mentioned subject. We are herewith submitting six-monthly compliance Report for **December 2022** for the period of **April 2022 – September 2022** for Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust the along with the necessary annexure for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change.

Thanking You,

Yours Sincerely,

For M/s Lala Munni Lal Mange Ram Charitable Trust

(Authorized Signatory)



Enclosure: Compliance Report; Soft copy of Report in C.D.

- Copy to:**
1. Member Secretary, Delhi Pollution Control Board (DPCC), Kashmere Gate-110006, Delhi
 2. Member Secretary, SEIAA, Delhi, 5th Floor. ISBT Building Kashmere Gate

LALA MUNNI LAL MANGE RAM CHARITABLE TRUST



FC-34, A-4, PASCHIM VIHAR, NEW DELHI - 110 063
Tel. : 011- 42888888, 45666666 Fax : 91-11-25270725

Date: 05/11/2022

To,
The Director
Integrated Regional Office
Ministry of Environment & Forest
A-209&218, Aranya Bhawan, Mahatma Gandhi Road,
Jhalana Institutional Area, Jaipur-304002

29/11/2022
(ENQUIRY COUNTER)
DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT
GOVT. OF NCT OF DELHI
4TH FLOOR, ISBT BUILDING,
KASHMERE GATE, DELHI-110006

Subject: Submission of six-monthly Compliance report of December 2022 for Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust.

Reference: EC Lr No.: F.No.21-7/2019-IA-III ; **Dated:** 18/10/2019

Dear Sir,

This is with reference to the above-mentioned subject. We are herewith submitting six-monthly compliance Report for **December 2022** for the period of **April 2022 – September 2022** for Expansion of "Sri Balaji Action Medical Institute" at Facility Centre No. 34, Paschim Puri, New Delhi by M/s Lala Munni Lal Mange Ram Charitable Trust the along with the necessary annexure for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change.

Thanking You,

Yours Sincerely,

For M/s Lala Munni Lal Mange Ram Charitable Trust

[Signature]
(Authorized Signatory)



Enclosure: Compliance Report; Soft copy of Report in C.D.

Copy to: 1. Member Secretary, Delhi Pollution Control Board (DPCC), Kashmere Gate-110006, Delhi
2. Member Secretary, SEIAA, Delhi, 5th Floor. ISBT Building Kashmere Gate

Annexure-XVII
Logbook of STP



LOG BOOK - 2022

Shri Balaji Action Medical Institute FC-34,A,Paschim Vihar ,Delhi-63

शनिवार

Sewage treatment plant cap 600-KLD BASED ON MBBR Technology

Date: 01-10-2022

Time	Sewage Transfer Pump		Sludge Recycling pump		Air Blower			Hypo Dosing Pump	Filter Feed Pump		Screw Pump		Filter Press	Ultra-Violet System	Flushing Water Transfer Pump	Multi Grade Filter	Activated Carbon Filter	Softner
	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FFP-1	FFP-2	SP-1	SP-2	FP	UV	FWTP	MGF	ACF	
7:00 to 8.00am	ON	-	-	-	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	ON
8:00 to 9.00am	-	ON	-	ON	-	ON	-	-	-	ON	-	-	-	-	-	-	-	ON
9:00 to 10.00am	ON	-	ON	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	ON
10:00 to 11.00am	-	ON	-	-	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	ON
11:00 to 12.00pm	OH	-	-	OH	-	OH	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-
12:00 to 1.00pm	-	OH	OH	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-
1:00 to 2.00pm	OH	-	-	-	OH	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	OH
2:00 to 3.00pm	-	OH	-	OH	-	OH	-	OH	OH	-	ON	-	-	OH	-	OH	OH	OH
3:00 to 4.00pm	OH	-	OH	-	-	-	OH	-	OH	-	-	-	-	OH	-	OH	OH	OH
4:00 to 5.00pm	-	OH	-	-	OH	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	OH
5:00 to 6.00pm	OH	-	OH	-	OH	-	OH	OH	OH	-	OH	-	-	OH	OH	OH	OH	OH
6:00 to 7.00pm	-	OH	OH	-	-	-	OH	-	OH	-	-	-	-	OH	-	OH	OH	OH
7:00 to 8.00pm	OH	-	-	-	OH	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	OH
8:00 to 9.00pm	-	OH	-	OH	-	OH	-	OH	OH	-	OH	-	-	OH	-	OH	OH	-
9:00 to 10.00pm	ON	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-
10:00 to 11.00pm	-	ON	ON	-	ON	-	-	ON	ON	-	-	-	-	ON	ON	ON	ON	ON
11:00 to 12.00am	ON	-	-	-	-	ON	-	ON	ON	-	ON	-	-	ON	-	ON	ON	ON
12:00 to 1.00am	-	ON	-	ON	-	-	ON	-	-	-	-	-	-	-	-	-	-	ON
1:00 to 2.00am	ON	-	-	-	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	ON
2:00 to 3.00am	-	ON	ON	-	-	ON	-	-	-	ON	-	-	-	-	-	-	-	ON
3:00 to 4.00am	ON	-	-	-	-	-	ON	-	-	-	-	-	-	-	ON	-	-	-
4:00 to 5.00am	-	ON	-	ON	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	-
5:00 to 6.00am	-	-	-	-	-	ON	-	ON	-	ON	-	-	-	ON	-	ON	ON	-
6:00 to 7.00am	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-

CLIENT SIGNATURE	FLOW METER READING				CONSUMPTION	BACKWASH	SHIFT-A	SHIFT-B	SHIFT-C	General	OPERATOR SHIFT	Sign.
	METER	PREVIOUS	PRESENT									
<i>Shri Balaji</i>	INLET	788835	789174	339 KL	ACF	30min		30min			SHIFT-A	Mesudam
	OUTLET	722280	722605	325 KL	MGF	30min		30min			SHIFT-B	A. Singh
						SOFTNER			105 min			SHIFT-C
											SHIFT-G	GYANENDRA SINGH



LOG BOOK -2022

Shri Balaji Action Medical Institute FC-34,A,Paschim Vihar ,Delhi-63


सोमवार

Sewage treatment plant cap 600-KLD BASED ON MBBR Technology

Date: 31-10-22

Time	Sewage Transfer Pump		Sludge Recycling pump		Air Blower			Hypo Dosing Pump	Filter Feed Pump		Screw Pump		Filter Press	Ultra-Violet System	Flushing Water Transfer Pump	Multi Grade Filter	Activated Carbon Filter	Softner
	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FFP-1	FFP-2	SP-1	SP-2	FP	UV	FWTP	MGF	ACF	
7:00 to 8.00am	OH	-	OH	-	OH	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	-
8:00 to 9.00am	-	OH	-	OH	-	OH	-	-	-	OH	-	-	-	-	-	-	-	-
9:00 to 10.00am	OH	-	-	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	OH
10:00 to 11.00am	-	OH	OH	-	OH	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	OH
11:00 to 12.00pm	ON	-	-	ON	-	ON	-	ON	-	ON	-	-	-	ON	-	ON	ON	-
12:00 to 1.00pm	-	ON	-	-	-	-	ON	-	-	-	-	-	-	-	ON	-	-	-
1:00 to 2.00pm	ON	-	ON	-	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	-
2:00 to 3.00pm	-	ON	-	ON	-	ON	-	ON	-	ON	-	-	-	ON	-	ON	ON	ON
3:00 to 4.00pm	ON	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	ON
4:00 to 5.00pm	-	ON	ON	-	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	ON
5:00 to 6.00pm	ON	-	-	ON	-	ON	-	ON	-	ON	-	-	-	ON	-	ON	ON	ON
6:00 to 7.00pm	-	ON	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	ON
7:00 to 8.00pm	ON	-	-	-	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	ON
8:00 to 9.00pm	-	ON	ON	-	-	ON	-	ON	-	ON	-	-	-	ON	ON	ON	ON	-
9:00 to 10.00pm	OH	-	-	OH	-	-	OH	-	-	-	-	-	-	-	-	-	-	-
10:00 to 11.00pm	-	OH	-	-	OH	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	-
11:00 to 12.00am	OH	-	-	-	OH	-	-	-	-	OH	-	-	-	-	-	-	-	-
12:00 to 1.00am	-	OH	OH	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-
1:00 to 2.00am	OH	-	-	OH	OH	-	-	OH	OH	-	-	-	-	OH	OH	OH	OH	-
2:00 to 3.00am	-	OH	-	-	OH	-	-	OH	-	OH	-	-	-	OH	-	OH	OH	-
3:00 to 4.00am	OH	-	-	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-
4:00 to 5.00am	-	OH	OH	-	OH	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	OH
5:00 to 6.00am	-	-	-	-	-	-	OH	-	-	OH	-	-	-	OH	-	OH	OH	OH
6:00 to 7.00am	-	-	-	-	-	-	OH	-	-	-	-	-	-	-	OH	-	-	OH

CLIENT SIGNATURE	FLOW METER READING				CONSUMPTION	OPERATOR SHIFT					Sign.	
	METER	PREVIOUS	PRESENT			BACKWASH	SHIFT-A	SHIFT-B	SHIFT-C	General		
Shobkol	INLET	798970	799335	365	4	ACF	30min	-	30min		SHIFT-A	Ganraj
	OUTLET	731997	732348	351	4	MGF	30min	-	30min		SHIFT-B	Ganraj
											SHIFT-C	A. Singh
							SOFTNER			190min		SHIFT-G



LOGBOOK- 2022

Shri Balaji Action Medical Institute FC-34,A, Paschim Vihar, Delhi-63

मंगलवार
01/11/2022

Sewage Treatment Plant Cap 600 KLD Based on MBBR Technology.

Time	Sewage Transfer Pump		Sewage Recycling Pump		Air Blower			Hypo Dosing Pump	Filter Feed PUMP		Screw Pump		Filter Press	Ultra-voilet System	Flushing Water Transfer Pump	Multi Grade Filter	Activated Carbon Filter	Softener	
	Hour's	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FFP-1	FFP-2	SP-1	SP-2	FP	UV	FWTP	MGF	ACF	
7:00 to 8.00am	ON	-	-	-	ON	-	-	-	ON	-	-	-	-	-	-	-	-	-	ON
8:00 to 9.00am	-	ON	-	ON	-	ON	-	ON	-	ON	-	-	-	-	ON	-	ON	ON	ON
9:00 to 10.00am	ON	-	ON	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-
10:00 to 11.00am	-	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	-	ON	ON	-
11:00 to 12.00pm	ON	-	-	ON	-	ON	-	ON	-	ON	-	-	-	-	ON	-	ON	ON	-
12:00 to 1.00pm	-	ON	ON	-	-	-	ON	-	-	-	-	-	-	-	-	ON	-	-	ON
1:00 to 2.00pm	ON	-	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	-	ON	ON	ON
2:00 to 3.00pm	-	ON	-	ON	-	ON	-	ON	-	ON	-	-	-	-	ON	-	ON	ON	ON
3:00 to 4.00pm	ON	-	ON	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-
4:00 to 5.00pm	-	ON	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	-	ON	ON	-
5:00 to 6.00pm	ON	-	-	ON	-	ON	-	ON	-	ON	-	-	-	-	ON	ON	ON	ON	-
6:00 to 7.00pm	-	ON	ON	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-
7:00 to 8.00pm	ON	-	-	-	ON	-	-	ON	ON	-	-	-	-	-	ON	-	ON	ON	ON
8:00 to 9.00pm	-	ON	-	ON	-	ON	-	ON	-	ON	-	-	-	-	ON	-	ON	ON	ON
9:00 to 10.00pm	OH	-	OH	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-	OH
10:00 to 11.00pm	-	OH	-	-	OH	-	-	OH	OH	-	-	-	-	-	OH	-	OH	OH	OH
11:00 to 12.00am	OH	-	-	OH	-	OH	-	-	-	OH	-	-	-	-	-	OH	-	-	-
12:00 to 1.00am	-	OH	OH	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-	-
1:00 to 2.00am	OH	-	-	-	OH	-	-	OH	OH	-	-	-	-	-	OH	-	OH	OH	-
2:00 to 3.00am	-	OH	-	OH	-	OH	-	OH	-	OH	-	-	-	-	OH	-	OH	OH	-
3:00 to 4.00am	OH	-	OH	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-	-
4:00 to 5.00am	-	OH	-	-	OH	-	-	OH	OH	-	-	-	-	-	OH	OH	OH	OH	-
5:00 to 6.00am	OH	-	-	OH	-	OH	-	OH	-	OH	-	-	-	-	OH	-	OH	OH	OH
6:00 to 7.00am	-	-	-	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-	OH

OPERATOR SHIFT Sign.

CLIENT SIGNATURE

FLOW METER READING

SHIFT-A

Ganraj

SHIFT-B

Ganraj

SHIFT-C

A. Singh

SHIFT-G

SHYAM SINGH

METER	PREVIOUS	PRESENT	CONSUMPTION	BACKWASH	SHIFT-A	SHIFT-B	SHIFT-C	GENERAL
INLET	799335	799693	358K	ACF	30min	-	30min	
				MGF	30min	-	30min	
OUTLET	732348	732692	344K	SOFTENER			190 min	

Chakrabarti

Time	Sewage Transfer Pump		Sewage Recycling Pump		Air Blower			Hypo Dosing Pump	Filter Feed PUMP		Screw Pump		Filter Press	Ultra-violet System	Flushing Water Transfer Pump	Multi Grade Filter	Activated Carbon Filter	Softener	
	Hour's	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FFP-1	FFP-2	SP-1	SP-2	FP	UV	FWTP	MGF	ACF	
7:00 to 8.00am	ON	-	-	-	ON	-	-	-	ON	-	-	-	-	-	-	-	-	-	ON
8:00 to 9.00am	-	ON	-	ON	-	-	ON	ON	-	ON	-	-	-	-	ON	-	ON	ON	ON
9:00 to 10.00am	ON	-	ON	-	ON	-	-	-	-	-	-	-	-	-	ON	-	-	-	-
10:00 to 11.00am	-	ON	-	-	-	-	ON	ON	ON	-	-	-	-	-	ON	-	ON	ON	-
11:00 to 12.00pm	OH	-	-	OH	OH	-	-	OH	-	OH	-	-	-	-	OH	-	OH	OH	-
12:00 to 1.00pm	-	OH	OH	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-	-
1:00 to 2.00pm	OH	-	-	-	OH	-	-	OH	OH	-	-	-	-	-	OH	-	OH	OH	-
2:00 to 3.00pm	-	OH	-	OH	-	-	OH	OH	-	OH	-	-	-	-	OH	-	OH	OH	-
3:00 to 4.00pm	OH	-	OH	-	OH	-	-	-	-	-	-	-	-	-	-	-	-	-	OH
4:00 to 5.00pm	-	OH	-	-	-	-	OH	OH	OH	-	-	-	-	-	OH	OH	OH	OH	OH
5:00 to 6.00pm	OH	-	-	OH	OH	-	-	OH	-	OH	-	-	-	-	OH	-	OH	OH	-
6:00 to 7.00pm	-	OH	OH	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-	-
7:00 to 8.00pm	OH	-	-	-	OH	-	-	OH	OH	-	-	-	-	-	OH	-	OH	OH	-
8:00 to 9.00pm	-	OH	-	OH	-	-	OH	OH	-	OH	-	-	-	-	OH	-	OH	OH	-
9:00 to 10.00pm	ON	-	ON	-	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	ON
10:00 to 11.00pm	-	ON	-	-	-	-	ON	ON	ON	-	-	-	-	-	ON	ON	ON	ON	ON
11:00 to 12.00am	ON	-	ON	-	ON	-	-	ON	-	ON	-	-	-	-	ON	-	ON	ON	ON
12:00 to 1.00am	-	ON	ON	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-
1:00 to 2.00am	ON	-	-	-	ON	-	-	-	ON	-	-	-	-	-	-	-	-	-	-
2:00 to 3.00am	-	ON	-	ON	-	-	ON	ON	-	ON	-	-	-	-	ON	ON	ON	ON	ON
3:00 to 4.00am	ON	-	ON	-	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	ON
4:00 to 5.00am	-	ON	-	-	-	-	ON	ON	ON	-	-	-	-	-	ON	-	ON	ON	ON
5:00 to 6.00am	-	-	-	-	ON	-	-	ON	-	ON	-	-	-	-	ON	-	ON	ON	-
6:00 to 7.00am	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-

OPERATOR SHIFT Sign.

CLIENT SIGNATURE	FLOW METER READING										SHIFT-A	Ganraj
	METER	PREVIOUS	PRESENT	CONSUMPTION	BACKWASH	SHIFT-A	SHIFT-B	SHIFT-C	GENERAL	SHIFT-B	H Singh	
	INLET	809498	809833	335 KL	ACF	30min	30min	30min		SHIFT-C	Magedan	
OUTLET	742090	742409	319 KL	SOFTENER		190min			SHIFT-G	GYANENDRA SINGH		



LOGBOOK- 2022

Shri Balaji Action Medical Institute FC-34,A, Paschim Vihar, Delhi-63

2599K
31/03/23

Sewage Treatment Plant Cap 600 KLD Based on MBBR Technology.

Time	Sewage Transfer Pump		Sewage Recycling Pump		Air Blower			Hypo Dosing Pump	Filter Feed PUMP		Screw Pump		Filter Press	Ultra-violet System	Flushing Water Transfer Pump	Multi Grade Filter	Activated Carbon Filter	Softener	
	Hour's	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FFP-1	FFP-2	SP-1	SP-2	FP	UV	FWTP	MGF	ACF	
7:00 to 8.00am	OH	-	OH	-	OH	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	OH	
8:00 to 9.00am	-	OH	-	OH	-	ON	-	OH	-	OH	-	-	-	OH	OH	OH	OH	OH	
9:00 to 10.00am	OH	-	-	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-	
10:00 to 11.00am	-	OH	OH	-	OH	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	-	
11:00 to 12.00pm	OH	-	-	OH	-	ON	-	-	-	OH	-	-	-	-	-	-	-	-	OH
12:00 to 1.00pm	-	OH	-	-	-	-	OH	-	-	-	-	-	-	-	-	-	-	-	OH
1:00 to 2.00pm	OH	-	OH	-	OH	-	-	OH	OH	-	-	-	-	OH	-	OH	OH	-	
2:00 to 3.00pm	-	ON	-	ON	-	ON	-	ON	-	ON	-	-	-	ON	ON	ON	ON	-	
3:00 to 4.00pm	ON	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	ON
4:00 to 5.00pm	-	ON	ON	-	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	ON	
5:00 to 6.00pm	ON	-	-	ON	-	ON	-	ON	-	ON	-	-	-	ON	-	ON	ON	ON	
6:00 to 7.00pm	-	ON	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	ON
7:00 to 8.00pm	ON	-	ON	-	ON	-	-	ON	ON	-	-	-	-	ON	ON	ON	ON	-	
8:00 to 9.00pm	-	ON	-	ON	-	ON	-	ON	-	ON	-	-	-	ON	-	ON	ON	-	
9:00 to 10.00pm	ON	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	ON
10:00 to 11.00pm	-	ON	ON	-	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	ON	
11:00 to 12.00am	ON	-	-	ON	-	ON	-	-	-	ON	-	-	-	-	-	-	-	-	ON
12:00 to 1.00am	-	ON	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	ON
1:00 to 2.00am	ON	-	ON	-	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	ON	
2:00 to 3.00am	-	ON	-	ON	-	ON	-	ON	-	ON	-	-	-	ON	ON	ON	ON	-	
3:00 to 4.00am	ON	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	
4:00 to 5.00am	-	ON	ON	-	ON	-	-	ON	ON	-	-	-	-	ON	-	ON	ON	-	
5:00 to 6.00am	-	-	-	-	-	ON	-	ON	-	ON	-	-	-	ON	-	ON	ON	-	
6:00 to 7.00am	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	

OPERATOR SHIFT Sign.

CLIENT SIGNATURE

FLOW METER READING

SHIFT-A *A. Singh*
SHIFT-B *Mohammed*
SHIFT-C *Ganraj*
SHIFT-G *GIYANENDRA SINGHI*

METER	PREVIOUS	PRESENT	CONSUMPTION	BACKWASH	SHIFT-A	SHIFT-B	SHIFT-C	GENERAL
INLET	849579	849919	340KL	ACF	30min	-	30min	
OUTLET	780416	780744	328KL	SOFTENER	30min	-	30min	

Shobhna

Annexure-XXIII

Copy of PUC Certificate

Form 59
(See rules 115 (2))

Pollution Under Control Certificate
Authorised By:
Government of Haryana

VALID IN ALL INDIA

Date : 04/01/2023
Time : 11:25:18 AM
Validity upto : 03/01/2024

Certificate SL No. : HR05504140001550
Registration No. : HR38AB6122
Date of Registration : 28/Apr/2020
Month & Year of Manufacturing : February-2018
Valid Mobile Number : 9811
Emission Norms : BSIII, BSIII
Fuel : DIESEL
PUC Code : HR05504140
GSTIN :
NIL observation

(GST to be paid extra as applicable)

Vehicle Photo with Registration plate
60 mm x 30 mm

Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	1.62	0.51

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parharyana.gov.in>

Authorised Signature with stamp of PUC operator
60mm x 20 (mm)

Clean Gaurangram, Green Gaurangram

सूचना : ऑन-लाइन मोटरवाहन निस्फासकरी 1554 (पराहत्या मोटोरोहन नियम 2019) के अनुसार बिना वाहन प्रदूषण प्रमाणिकर वाहन रजिस्. 10,000/- तथा बिना वाहन प्रदूषण प्रमाणिकर वाहन रजिस्. 5000/- (फिफ्थीन ई.)
हमारे यहाँ सभी प्रकार के I एवं III पाटी बीमा सबसे कम दरों पर तुरन्त किये जाते हैं।

Form 59
(See rules 115 (2))

Pollution Under Control Certificate
Authorised By:
Government of Haryana

VALID IN ALL INDIA

Date : 04/01/2023
Time : 11:23:51 AM
Validity upto : 03/01/2024

Certificate SL No. : HR05504140001549
Registration No. : HR38AB8038
Date of Registration : 28/Apr/2020
Month & Year of Manufacturing : February-2018
Valid Mobile Number : 9811
Emission Norms : BSIII, BSIII
Fuel : DIESEL
PUC Code : HR05504140
GSTIN :
NIL observation

(GST to be paid extra as applicable)

Vehicle Photo with Registration plate
60 mm x 30 mm

Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	1.62	0.55

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parharyana.gov.in>

Authorised Signature with stamp of PUC operator
60mm x 20 (mm)

Clean Gaurangram, Green Gaurangram

सूचना : ऑन-लाइन मोटरवाहन निस्फासकरी 1554 (पराहत्या मोटोरोहन नियम 2019) के अनुसार बिना वाहन प्रदूषण प्रमाणिकर वाहन रजिस्. 10,000/- तथा बिना वाहन प्रदूषण प्रमाणिकर वाहन रजिस्. 5000/- (फिफ्थीन ई.)
हमारे यहाँ सभी प्रकार के I एवं III पाटी बीमा सबसे कम दरों पर तुरन्त किये जाते हैं।

Annexure-~~XIX~~

Copy of CTO



Delhi Pollution Control Committee

4th & 5th Floor, ISBT Building, Kashmere Gate, Delhi - 110006.
Website : <http://dpcc.delhigovt.nic.in>

CONSENT ORDER

Certificate No. : R-036275

Name of the Unit : Shri Balaji Action Medical Institute Unit of Lal Munni Lal Mange Ram Charitable Trust Hospital

Address : FC-34, A-4, Paschim Vihar, ,Delhi-110063

Consent Order No : : DPCC/WMC/2019/48081

Date of Issue : 19-04-2019 **Expiry Date : 25-07-2023**

Product/Activity : HOSPITAL (250 BEDS)

This Consent to Operate(Renewal) is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under Red Category. This consent is subject to terms and conditions specified overleaf .

M/s DPCC, DPCC has done the analysis vide report dated as 15-05-2018, 28-05-2018 follows:

pH=7.9, Total Suspended Solids (TSS)=26, Oil and Grease=1.2, Bio-chemical oxygen demand [3days at 27^oC]=16, COD=44, Bio - assay test (percent survival of fish after 96 hours in 100 percent effluent)=90
Particulate Matter (mg/ Nm3)=19

Prescribed standards

pH = 6.5-9, Total Suspended Solids (TSS) <= 100, Oil and Grease <= 10, Bio-chemical oxygen demand [3days at 27^oC] <= 30, COD <= 250, Bio - assay test (percent survival of fish after 96 hours in 100 percent effluent) = 90-100
Particulate Matter (mg/ Nm3) <= 150

All effluent parameters are in mg/l except pH value.

All emission parameters are in (mg/Nm³) except where mentioned otherwise

Terms and Conditions

1. The Consent is activity specific. The unit shall apply for fresh consent in case of there is any change in the activity/manufacturing process.
2. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system.
3. The unit shall ensure proper channelization/ control system for fugitive emissions generated and good housekeeping so as to maintain clean and safe environment in and around the Health Care Establishment/ Hospital premises.
4. The unit shall comply with the norms laid down vide Gazette Notification of Ministry of Environment and Forests, Government of India dated 17.05.2002 for the Diesel Generator set(s), used if any.
5. The unit shall comply with the emission standards prescribed for Diesel Engines (Engine rating more than 0.8 MW used for generation of power), if any and other requirements as notified vide Govt. of India notification dated 09.07.2002 of Ministry of Environment & Forests.
6. In the event of any information furnished by the consentee found to be false, consent granted through this order shall be deemed to be revoked and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.
7. The unit shall comply with requirement of Hazardous Waste (Management and Handling) Rule, 1989 and the Batteries (Management and Handling) Rules, 2001, whichever applicable.
8. In the case of a polythene bags mfg. unit the consent shall be further subject to the unit complying with requirement of Delhi Plastic Bag (Manufacture, Sales and Usage) and Non-Biodegradable Garbage (Control) Act 2000.
9. Notwithstanding anything contained in this Consent order the Committee reserves the right to review any or all conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of Air (Prevention and Control of Pollution) Act, 1981 and Water (Prevention and Control of Pollution) Act, 1974.
10. The unit shall comply the prescribed standards of emission as applicable under provision of Environment (Protection) Act and rules.
11. This Consent to Operate(Renewal) is granted subject to the provisions of Air (Prevention and Control of Pollution) Act, 1981 as amended to date and rules and orders made thereof and under section 25/26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended to date and rules and orders made thereof and based on the information provided in the consent application along with the documents submitted to this office.
12. The Consentee shall comply with the provisions of the Environment (Protection) Act, 1986 as amended to date.
13. The Consentee shall comply with the provisions of the Bio-Medical Waste Management Rules, 2016 as amended to date.
14. Capacity of proposed DG Sets is (3 X 750) KVA. Quantity of domestic / trade effluent discharge __127000__ Litres per Day / __52000__ Litres per Day.
15. The unit shall comply with the Notification of Government of National Capital Territory of Delhi, dated 02.06.2005 issued under Delhi Plastic Bag (Manufacturers, Sales and usage) and Non-biodegradable Garbage (Control) (Amendment) Act, 2004 and further amendments in the said rules.
16. This Consent to Operate(Renewal) is issued as per the decisions recommended by the BMW Committee No.1 in its meeting held on 22.01.2019.

Annexure-XX

Photographs of building material cover
under green net

