



Date: 15-06-2026

TO

Advisor

Ministry of Environment, Forests & Climate Change
Government of India, Regional Office (Central Region)
Kendriya Bhawan, 11th Floor, Sector H Aliganj,
Lucknow- 226024

Ref: Environmental Clearance vide F.No.21-8/2019-1A-III dated 06/08/2019

Sub: Submission of six-monthly compliance report for the period of October 2025 to March 2026, submission due in June 2026 of the Environmental Conditions/Safeguards for the Project "Expansion of "Action Cancer Hospital" at A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust.

Dear Sir,

With reference to the submission of six-monthly compliance report for the period of **October-2025 to March 2026 submission due in June 2026** of the Environmental Clearance obtained vide No F.No.21-8/2019-1A-III dated 06/08/2019 for the proposed project "Expansion of "Action Cancer Hospital" A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust.

In this regard, as per the conditions laid down in the Environmental Clearance Letter, we are hereby submitting a six-monthly compliance report along with all the requisite annexures as per the guidelines of the Ministry of Environment, Forest & Climate Change.

We hope that this will fulfill all the requirements.

Thanking you,
Yours faithfully,

For M/s Manav Sevarth Trust

(Authorized Signatory)

Copy to:

1. Senior Environment Engineer, Delhi Pollution Control Committee, 3rd Floor, Block-1, DMRC IT Park Building, Shastri Park, Delhi-110053


HALF-YEARLY COMPLIANCE REPORT OF STIPULATED ENVIRONMENTAL CLEARANCE CONDITIONS

**Reporting Period: (October-2025 to March -2026)
June- 2026**

**Expansion of "Action Cancer Hospital"
(Environmental Clearance vide
F.No.21-8/2019-1A-III dated 06/08/2019**

At

A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi



Developed by:

**M/s Manav Sevarth Trust.
Manav Sevarth Trust at Facility No. 34,
Paschim Vihar, Punjabi Bagh, Delhi -110063**

Submitted by:

**M/s Perfect Solutions
(Environment Consultant)
Perfect House, A 14, Shubham Enclave (Outer Ring Road),
Paschim Vihar, New Delhi 110063, Ph.: 011-49281360**

Content

CHAPTER I: PURPOSE OF THE REPORT	3
CHAPTER II: INTRODUCTION	5
CHAPTER III: PROJECT STATUS	7
CHAPTER IV: POINT-WISE STATUS OF COMPLIANCES FOR GRANTED ENVIRONMENTAL CLEARANCE CONDITIONS	10
Annexure-I	60
Copy of Environmental clearance	60
Annexure-II	61
Copy of E-waste agreement	61
Annexure-III	62
Copy of CTO	62
Annexure-IV	63
Copy of Fire safety Certificate	63
Annexure-V	64
Copy of BMW Authorization	64
Annexure-VI	65
Copy of electricity bills	65
Annexure-VII	66
Copy of Bio-Medical Waste Agreement	66

CHAPTER I: PURPOSE OF THE REPORT

As per the “Sub Para (ii)” of “Para 10” of EIA Notification 2006, it is stated that “It shall be mandatory for the project management to submit half-yearly compliance reports in respect of the stipulated prior environmental clearance conditions/safeguards in hard and soft copies to the regulatory authority concerned, by 1st June and 1st December of each calendar year” and as per EIA Notification, Six monthly compliance reports should be submitted to the Delhi Pollution Control Committee & Regional Office MOEF&CC, GOI, Lucknow.

It is mandatory to submit a Six-Monthly Compliance Report to show the status & compliance of all the Conditions mentioned in the Environment Clearance Letter, along with monitoring of various Environmental Parameters (as per CPCB Norms).

The regulatory authorities in this case are the Delhi Pollution Control Committee & Regional Office MOEF, GOI, Lucknow.

Based on the Environmental Clearance Conditions mentioned in the EC Letter, a Compliance Report is prepared by the Perfact Solutions on behalf of Project Proponent; details of which are present in Chapter – “Compliance Report”.

Methodology for Preparation of Report is as follows:

1. Study of EC Letter & Related Documents,
2. Site Visits by a representative/team of Environment Consultant,
3. Monitoring of Environment Parameters, viz. Ambient Air, Water, Noise, Soil,
4. Analysis of Samples Collected During Monitoring,
5. Interpretation of Monitoring Results,
6. Compliance Report, explaining the entire Environmental Clearance conditions in the EC Letter and providing details w.r.t. each condition/ guideline

CHAPTER II: INTRODUCTION

The Project Environmental Clearance for “Expansion of "Action Cancer Hospital" at A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust has been granted Environmental Clearance by the Ministry of Environment, Forest and Climate Change, New Delhi, vide F. No.(1) vide F.No.21-8/2019-1A-III dated 06/08/2019 under the provision of EIA Notification, 2006 Total plot area is 10,000 sqm and built-up area is 33,021.717 sqm, and the total estimated cost of the project is Rs. 50 Crores.

Particulars	Details of Project
Name of the project	“Expansion of "Action Cancer Hospital"
Project activities	Expansion to a total capacity of 270 beds,
Developed by	M/s Manav Sevarth Trust
Site address	A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi
Environment Clearance Letter No.	F.No.21-8/2019-1A-III dated 06/08/2019
Consent to Establish	Consent to Establish” for 270 Beds obtained vide Letter. No.: DPCC/CMC/2021/5803079 dated 20.04.2022.
Consent to Operate	Consent to Operate for 130 Beds has been obtained from DPCC vide Letter. No.: DPCC/CMC/2021/6762004 dated: 20.04.2022 valid from 30.11.2021 to 29.11.2026. A copy of the CTO is enclosed in Annexure III .
Period of Compliance	October-2025 to March-2026 submission due in June-2026
Status	Part Operational and Part Under construction

PROJECT DETAILS

The proposed project have the following salient features:

Particulars	Unit	Total after Expansion of Environmental Clearance dated 06.08.2019
Plot Area	sqm	10,000 (1.0 Ha)
Project cost	Rs.	50 Crore
Permissible ground coverage	sqm	4,000
Permissible ground coverage for parking	sqm	500
Permissible total ground coverage for parking and hospital	sqm	4,500
Permissible ground coverage for Atrium	sqm	1,000
Proposed ground coverage	sqm	4,286.46
Proposed ground coverage for parking	sqm	500
Proposed ground coverage for parking and hospital	sqm	3,887.456
Proposed ground coverage for atrium	sqm	399.004
Permissible FAR	sqm	25000
Proposed FAR- A	sqm	21123.831
Hospital Block	sqm	15311.290
Residential Block	sqm	5812.539
Non-FAR- B	sqm	2,789.044
Basement-I	sqm	2,394.633
Basement-II	sqm	1,411.425
Basement-III	sqm	400.232

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

Basement-IV	sqm	400.232
Total Basement Area-C	sqm	4,606.522
Multilevel Car Parking Area (Excluding Area)-D	sqm	4,502.320
Built-up Area (A+B+C+D)	sqm	33,021.717

CHAPTER III: PROJECT STATUS

At present, the project is Part Operational and Part Under construction

SITE PHOTOGRAPH



Fig. 1: Site Photograph Showing the Project Building



Fig- 2 DG Set of 750 KVA capacity is installed at the site for emergency power backup. At present, the DG set is not being used, and the site is operating on regular electricity supply.



Fig 3. STP installed with capacity of 600 KLD

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.



Fig. 4: Photograph Showing Barricading at the Project Site



Fig 5 :Photograph of Segregated Waste Bins for Collection of Biodegradable and Non-Biodegradable Waste

CHAPTER IV: POINT-WISE STATUS OF COMPLIANCES FOR GRANTED ENVIRONMENTAL CLEARANCE CONDITIONS

SPECIFIC CONDITIONS		
S. no	EC conditions/safeguards	Compliances
i	Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.	We obtained a Consent to Establish” for 270 Beds obtained vide Letter. No.: DPCC/CMC/2021/5803079 dated 20.04.2022 Consent to Operate for 130 Beds has been obtained from DPCC vide Letter. No.: DPCC/CMC/2021/6762004 dated: 20.04.2022 valid from 30.11.2021 to 29.11.2026. A copy of the CTO is enclosed in Annexure III.
ii	The project proponent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from Competent Authority as required.	Adequate fire safety measures and equipment will be provided as per the National Building Code/required by the Fire Service Act of the State and instructions issued by the local authority/directorate of fire from time to time. Fire safety Certificate has been obtained from Delhi Fire Service, vide letter No. F6/DFS/MS/Hospital/WZ/2023/297 dated 20.06.2023, which is valid up to 20.06.2026. A copy of the same is enclosed as Annexure-IV.
iii	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Environmental clearance has been granted by the Ministry of Environment, Forest and Climate Change, New Delhi, vide F. No.(1) vide F.No.21-8/2019-1A-III dated 06/08/2019. Copy of same is enclosed as Annexure I We obtained a Consent to Establish” for 270 Beds obtained vide Letter. No.: DPCC/CMC/2021/5803079 dated 20.04.2022 Consent to Operate for 130 Beds has been obtained from DPCC vide Letter. No.:

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		DPCC/CMC/2021/6762004 dated: 20.04.2022 valid from 30.11.2021 to 29.11.2026. A copy of the CTO is enclosed in Annexure III. BMW Authorization has been obtained vide F.No.DPCC/(11)(5)(01)/2022/BMW/NST/AUTH/6977312D dated 29.12.2023, which is valid up to 15.12.2026. A copy of the same is enclosed as Annexure-V Fire safety Certificate has been obtained from Delhi Fire Service, vide letter No. F6/DFS/MS/Hospital/WZ/2023/297 dated 20.06.2023, which is valid up to 20.06.2026. A copy of the same is enclosed as Annexure-IV. AAI NOC: The project site falls under Grid E13 as per the AAI NOCAS colour-coded grid map. The colour legend of the said grid is green, as shown in the NOCAS map. As per AAI guidelines, AAI NOC is required only for sites falling within red-coloured grids, which are located in the immediate vicinity of IGI Airport or Safdarjung Airport. Since the project site falls within a green-coloured grid, AAI clearance/NOC is not applicable for the proposed project. All other necessary clearances, as applicable to the project, will also be obtained.
iv	As proposed, fresh water requirement from Delhi Jal Board shall not exceed 117.85 KLD for which project proponent has already connection for the existing Hospital. Existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.	At present, the project is Part operational and the source of water is Delhi Jal Board connection along with Borewell connection with 2HP permission. Existing water supply is sufficient to cater to proposed project demand, and no additional water is required for the proposed project.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

v	Sewage shall be treated in the STP based on MBBR Technology with tertiary treatment i.e. Ultra-Filtration. The treated effluent from STP shall be recycled/re-used for flushing, gardening, & HVAC cooling purposes. No excess treated water from STP shall be discharged to municipal drain.	At present, for existing and operational part of project Sewage Treatment Plant is installed at site having 600 KLD capacity based on MBBR Technology and for tertiary treatment UV Filtration is being provided and the treated water is being used further in Flushing and Gardening. No excess treated water discharge is being done from STP to municipal drain. An Effluent Treatment Plant of 2 KLD has been installed for the treatment of wastewater generated from Laboratory and Laundry.
vi	The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.	The STP treated water will be monitored at regular intervals to check the fecal coliform and other pathogenic bacteria in treated water used for flushing.
vii	The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.	The water quality of treated water is being monitored & found to be within the prescribed standards of SPCB/CPCB. STP water is monitored at regular intervals. STP treated water is used for flushing and gardening purposes.
viii	The local bye-law provisions on rain water harvesting should be followed. If local	For the operational phase, 02 nos. of rainwater harvesting pits are already constructed and

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed 2 nos. of rain water harvesting recharge pits shall be provided for rain water harvesting after filtration as per CGWB guidelines.	functional, ensuring compliance with the relevant norms and provisions for groundwater recharging and rainwater harvesting.
ix	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site.	We are ensuring that dustbins have been provided at each unit and at the ground level for the collection of wet and dry waste. Solid waste is being segregated into wet (biodegradable) waste and non-biodegradable materials, and the segregated waste is being disposed of through authorized vendor.
x	Laboratory wastes shall be managed in accordance to the BMW Rules, 2016 and the atomic Energy Commission regulations as applicable.	Laboratory wastes are being managed in accordance with the Bio-Medical Waste Management Rules, 2016 and its amendments and the atomic Energy Commission regulations as applicable. We have obtained BMW Authorization has been obtained vide F.No.DPCC/(11)(5)(01)/2022/BMW/NST/AUTH/6977312D dated 29.12.2023, which is valid up to 15.12.2026.A copy of the same is enclosed as Annexure-V Bio-medical waste has been segregated and handed over to the authorized Bio-Medical Waste Treatment and Disposal Facility, M/s SMS Water Grace BMW Pvt. Ltd., as per the valid agreement

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		effective from 01.04.2026 to 31.03.2028 . Copy of the same is enclosed as Annexure-VII .
xi	Traffic Management Plan as submitted shall be implemented in letter and spirit. Further, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	The Traffic Circulation Plan has been prepared, One-way traffic movement will be implemented to ensure smooth and free flow of traffic, and a no-honking zone will be maintained within and around the project site. Further, plantation of trees will be carried out along the project boundary to minimize traffic-related and associated environmental impacts.
xii	No tree cutting/transplantation of existing trees has been proposed in the instant project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 5,287.610 sqm	No tree cutting has been done at the project site. Adaptive local species as per CPCB Guidelines have been preferred for landscaping to reduce the water requirement for landscaping.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	(22.60% of total area) area shall be provided for green area development.	
xiii	As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1 st May 2018, and proposed by the project proponent, an amount of Rs.1.125 Crores (0.75% of the project cost) shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as clean drinking water, skill development etc. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.	Noted.
STANDARD CONDITIONS		
I. Statutory Compliance		
i	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Environmental clearance has been granted by the Ministry of Environment, Forest and Climate Change, New Delhi, vide F. No.(1) vide F.No.21-8/2019-1A-III dated 06/08/2019. Copy of same is enclosed as Annexure I We obtained a Consent to Establish” for 270 Beds obtained vide Letter. No.: DPCC/CMC/2021/5803079 dated 20.04.2022 Consent to Operate for 130 Beds has been obtained from DPCC vide Letter. No.: DPCC/CMC/2021/6762004 dated: 20.04.2022

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		valid from 30.11.2021 to 29.11.2026. A copy of the CTO is enclosed in Annexure III. BMW Authorization has been obtained vide F.No.DPCC/(11)(5)(01)/2022/BMW/NST/AUTH/6977312D dated 29.12.2023, which is valid up to 15.12.2026. A copy of the same is enclosed as Annexure-V Fire safety Certificate has been obtained from Delhi Fire Service, vide letter No. F6/DFS/MS/Hospital/WZ/2023/297 dated 20.06.2023, which is valid up to 20.06.2026. A copy of the same is enclosed as Annexure-IV. AAI NOC: The project site falls under Grid E13 as per the AAI NOCAS colour-coded grid map. The colour legend of the said grid is green, as shown in the NOCAS map. As per AAI guidelines, AAI NOC is required only for sites falling within red-coloured grids, which are located in the immediate vicinity of IGI Airport or Safdarjung Airport. Since the project site falls within a green-coloured grid, AAI clearance/NOC is not applicable for the proposed project. All other necessary clearances, as applicable to the project, will also be obtained.
ii	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.	Fire safety Certificate has been obtained from Delhi Fire Service, vide letter No. F6/DFS/MS/Hospital/WZ/2023/297 dated 20.06.2023, which is valid up to 20.06.2026. A copy of the same is enclosed as Annexure-IV.
iii	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the	At present, the project is part operational and source of water is Delhi Jal Board connection along with Borewell connection with 2HP

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	project from the competent authority.	permission. Existing water supply is sufficient to cater to proposed project demand, and no additional water is required for the proposed project.
iv	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Approval from the Power Department has been obtained from BSES Rajdhani Power Limited for power usage. Copy of the electricity bills are enclosed as Annexure-VI .
v	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	Fire safety Certificate has been obtained from Delhi Fire Service, vide letter No. F6/DFS/MS/Hospital/WZ/2023/297 dated 20.06.2023, which is valid up to 20.06.2026. A copy of the same is enclosed as Annexure-IV. AAI Approval is not applicable for the proposed project. The project site falls under Grid E13 as per the AAI NOCAS colour-coded grid map. The colour legend of the said grid is green, as shown in the NOCAS map. As per AAI guidelines, AAI NOC is required only for sites falling within red-coloured grids, which are located in the immediate vicinity of IGI Airport or Safdarjung Airport. Since the project site falls within a green-coloured grid. Hence, AAI clearance/NOC is not applicable for the proposed project.
vi	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.	We have complied with all applicable waste management rules during the construction phase, including the Solid Waste Management Rules, 2016; Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016; E-Waste (Management) Rules, 2016; Battery Waste Management Rules; and Plastic Waste Management Rules, 2016. The same has also been complied with during the expansion activities.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		We have complying with the Bio-Medical Waste Management Rules, 2016. Bio-medical waste has been segregated, disinfected, and handed over to the state-approved Bio-Medical Waste Treatment and Disposal Facility, M/s SMS Water Grace BMWV Pvt. Ltd., as per the valid agreement effective from 01.04.2026 to 31.03.2028.. Further, used oil has been collected and stored in leak-proof containers and has been handed over to CPCB-authorized vendors. E-waste has been handed over to the authorized recycler All applicable waste management practices, along with the existing agreements with authorized agencies, have been continued and are in force during the expansion phase as well.
vii	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.	Agreed to comply with this condition.
II. Air quality monitoring and preservation		
i	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	All possible Dust mitigation measures are being undertaken at the site as per Notification Gazette Notification GSR 94(E) dated 25.01.2018 of MoEF&CC such as - ● We have barricades around the periphery of the project with an appropriate height of 10 m. ● Water sprinkling is being done regularly. And 4 nos. Anti- smog guns are being used which reduces the dust generation. ● Road side storage of construction material and waste is prohibited. ● Wet jet will be practiced at site during stone cutting and grinding.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		● Self audit/ Self determination is being carried out and the same is submitted every 15 days on DPCC portals per guidelines. ● Video cameras have been installed and connected to the DPCC portal. ● For continuous monitoring of PM10 and PM 2.5, IoT based sensors are installed and connected to the DPCC server.
ii	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	A management plan has been drawn up and implemented to contain the current exceedance in the ambient air quality at the site. ● An Ambient Air Quality Monitoring Sensor has been installed for monitoring of PM10 and 2.5. ● Barricading of maximum height has been provided. ● 04 nos. of anti smog guns have been installed at site for suppression of dust. ● Environmental monitoring, including air quality, soil, and noise level monitoring, is being carried out at six-monthly intervals. ● Wet jet will be practiced at site during stone cutting and grinding. ● Roadside storage of construction material and waste is strictly prohibited.
iii	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.	We have installed a Continuous Ambient Air Quality Monitoring device to monitor PM10 and PM2.5 during the construction phase of the project. PM10 and PM2.5 is higher as per prescribed limit because of high baseline concentration in Delhi and NCR. It is also mentioned that the project was not in construction during the visit of the day due to ban of construction activity as per Graded Response Action Plan (GRAP) notified by the

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		Commission of the Air Quality Management in National Capital Region and Adjoining Areas.
iv	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	For the operational phase- The site is connected to electricity supplied by BSES. One DG set of 750 kVA capacity has been installed at the site for emergency power backup and is housed in an acoustically enclosed room. However, the DG set is not being operated at present, as the project is utilizing regular electricity supply from BSES. Adequate stack height of 6 m has been provided as per the prescribed norms. The DG set is mounted on anti-vibration pads to control vibration during operation, whenever required. For the Construction phase- During the construction phase, the site was using the same electricity connection supplied from BSES, which is presently being used during the operational phase. No separate electricity connection or diesel generator sets were used for the construction phase.
v	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site	A management plan has been drawn up and implemented to contain the current exceedance in the ambient air quality at the site. ● An Ambient Air Quality Monitoring Sensor has been installed for monitoring of PM10 and 2.5. ● Barricading of maximum height has been provided. ● 03 nos. of anti smog guns have been installed at site for suppression of dust. ● Water sprinkling is being done regularly at the site. ● Wet jet will be practiced at site during stone cutting and grinding.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		● Roadside storage of construction material and waste is strictly prohibited. ● A wheel washing facility has been provided at the entry-exit gate of the project site to prevent mud and dust from being carried outside. Covered transportation of construction materials is being practiced during transit to minimize fugitive dust emissions.
vi	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	We are using green nets to cover loose soil and construction materials at the site to prevent dust dispersion.
vii	Wet jet shall be provided for grinding and stone cutting.	A wet jet will be provided during grinding and stone cutting activities.
viii	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	We have installed 03 nos. of Anti smog guns that have been installed at site for suppression of dust.
ix	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.	At present, no C&D waste is being generated at the site. However, whenever C&D waste is generated during construction or maintenance activities, the same shall be handed over only to an authorized recycler/vendor in compliance with the Construction and Demolition Waste Management Rules, 2016 and its amendments.
x	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	For the Construction phase- During the construction phase, the site was using the same electricity connection supplied from BSES, which is presently being used during the operational phase. No separate electricity connection or diesel generator sets were used for the construction phase.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		For the operational phase- The site is connected to electricity supplied from BSES. For power backup purposes, 1 DG sets of 750 kVA each have been installed at the site and are kept in acoustically enclosed rooms. Adequate stack height of 6 m.
xi	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	For the Construction phase- During the construction phase, the site was using the same electricity connection supplied from BSES, which is presently being used during the operational phase. No separate electricity connection or diesel generator sets were used for the construction phase.. For the operational phase- The site is connected to electricity supplied from BSES. For power backup purposes, 1 DG sets of 750 kVA each have been installed at the site and are kept in acoustically enclosed rooms. Retrofitting of emission control devices has been carried out on all DG sets in compliance with CPCB guidelines The DG sets are operated using low sulphur diesel. The location of the DG sets and the height of the exhaust stacks have been provided in compliance with the prescribed norms, with an adequate stack height of 6 m. The DG sets are mounted on anti-vibration pads to control vibration during operation..
xii	For indoor air quality the ventilation provisions as per National Building Code of India.	Ventilation provisions has been there as per National Building Code of India.
III. Water Quality Monitoring and Preservation		
i	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed	The natural topography was followed during the construction phase of the project.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	Two (02) Rainwater Harvesting (RWH) pits have already been constructed and (02) RWH pits planned to be constructed in the proposed part of the project. The natural drainage system is maintained for unrestricted water flow, and no construction activity has obstructed or will obstruct natural drainage channels, wetlands, or water bodies. The same practices are being followed during the operational phase as well.
ii	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	The natural topography as much as possible, with minimal cutting and filling.
iii	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	For the operational phase of project water meters have been installed at the inlet of supply water and at the points of treated water usage. The quantity of fresh water consumption and water recycled through the STP is being measured, recorded, and monitored in accordance with the project's water balance projections. All readings are being maintained in a log book and the same will be maintained for the proposed part also.. The records are being submitted to the Regional Office, MoEF&CC along with the six-monthly monitoring reports, as required.
iv	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring	At present, project is part operational and source of water is Delhi Jal Board connection. Existing water supply is sufficient to cater to proposed project demand, and no additional water is required for the proposed project.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	that there is no impact on other users.	
v	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Open spaces have been provided for the usage of Grass pavers and paver blocks.
vi	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Dual pipe plumbing has been installed for operational part of project, and it is used for supplying fresh water for Domestic , Lab, and recycled water for flushing, gardening and D.G HVAC and same will be provided for proposed part of project..
vii	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	We have incorporated water-saving devices such as low-flow faucets, water taps, and aerator taps.
viii	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	We have provided dual pipe plumbing for separate supply of fresh and treated water, along with recirculation lines for flushing in the operational part of Hospital Complex and the same will be provided for the proposed part of the project.
ix	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	The existing part of the project is operational and the proposed part of the project is under construction for which we are using RMC and curing agents to minimize water demand during construction.
x	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided.	At present , total of two (02) rainwater harvesting pits have already been constructed for the existing development, No groundwater extraction or dewatering is being carried out at present at the site, and we have

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	agreed to continue compliance with the same in future.
xi	All recharge should be limited to shallow aquifer.	We will ensure all recharge is limited to shallow aquifers.
xii	No ground water shall be used during construction phase of the project.	No groundwater is being used for construction activities. The treated water from the on-site operational STP is being utilized for construction-related purposes.
xiii	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	No ground water is abstract during the construction phase as well as the operational phase.
xiv	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoFEF&CC along with six monthly Monitoring reports.	For the operational phase of project water meters have been installed at the inlet of supply water and at the points of treated water usage. The quantity of fresh water consumption and water recycled through the STP is being measured, recorded, and monitored in accordance with the project's water balance projections. All readings are being maintained in a log book and the same will be maintained for the proposed part also.. The records are being submitted to the Regional Office, MoEF&CC along with the six-monthly monitoring reports, as required.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

xv	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.	For the existing development, the total water requirement is being met through a combination of treated water generated from the STP, which is being reused for flushing, gardening, and D.G & HVAC applications, and fresh water, which is being utilized for HVAC, laboratory, and domestic purposes. For the proposed expansion, the total water requirement shall be met through reuse of treated water for flushing, gardening, DG cooling, and HVAC cooling, while the balance fresh water shall be utilized for laboratory and domestic purposes, strictly within the approved limits. As proposed, no treated water will be disposed of into the municipal drain, and the entire quantity of treated water will be reused within the project premises.
xvi	No sewage or untreated effluent water would be discharged through storm water drains.	We ensured that: No sewage or untreated effluent water is discharged through the storm water drain.
xvii	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.	For the existing development, the total water requirement is being met through a combination of treated water generated from the STP, which is being reused for flushing, gardening, and HVAC applications, and fresh water, which is being utilized for HVAC, laboratory, and domestic purposes. An ETP of 2 KLD capacity has been installed, and laboratory wastewater is being treated through the ETP. For the proposed expansion, the total water requirement will be met through reuse of treated water for flushing, gardening, DG cooling, and HVAC cooling, while the balance fresh water will be utilized for laboratory and domestic purposes,

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		strictly within the approved limits. As proposed, no treated water will be disposed of into the municipal drain, and the entire quantity of treated water will be reused within the project premises.
xviii	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	The Six-monthly monitoring of treated water quality is being carried out. Necessary measures, such as proper aeration, regular cleaning of tanks, and adequate ventilation, are being undertaken to mitigate any odour issues from the STP. The same practices and monitoring will be continued for the proposed expansion to ensure ongoing compliance with the prescribed standards.
xix	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	At present, the project is partly under construction and partly operational. During the Part Operational Phase: Sludge generated from the STP is being collected and utilized for green area development.
IV. Noise Monitoring and Prevention		
i	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated	The project is partly under construction and partly operational, and we are complying with the Noise Pollution (Control and Regulation) Rules, 2000. During the construction phase. - Incremental pollution load is being monitored closely during the construction phase and will be continued during the operation phase of the project. - We have provided barricades with adequate height at the site and we are

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	standards by CPCB / SPCB.	using low-noise machinery at the project site. • Necessary measures are undertaken to control the air and noise emissions • All construction machinery in use is low-noise equipment. During the part Operational Phase For the part operational areas, we are also carrying out regular ambient air quality and noise monitoring. Necessary measures to control air and noise emissions are in place, and low-noise equipment and acoustic controls are being maintained to ensure continued compliance with the prescribed standards.
ii	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noted.
iii	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	In the construction phase, power supply is being met through BSES, and for power backup, the DG sets installed for the operational phase are being utilized. During the part operational phase, the DG sets are already provided with acoustic enclosures and adequate stack height to minimize noise impact from ground sources, and ear plugs are being provided to operating personnel. We will continue these measures and ensure the same for future operations as well to maintain compliance with applicable noise control norms.
V. Energy Conservation Measures		

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

i	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	We have obtained the Energy Conservation Building Code (ECBC) Compliance Report.
ii	Outdoor and common area lighting shall be LED.	We are using LED lights in place of incandescent/CFL lights in the operational areas, including common areas and parking. We will continue the use of LED lighting for the proposed expansion as well, to ensure energy efficiency and compliance with sustainable practices. E-waste has been handed over to the authorized recycler. Copy of the same is enclosed as Annexure-II .
iii	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.	We incorporate Passive solar design features such as appropriate building orientation, landscaping, efficient building envelope, optimized fenestration, daylighting, and thermal mass have been incorporated for the part operational phase of the project. The wall, window, and roof U-values comply with the ECBC specifications. For the part under-construction phase , the Project Proponent has agreed to implement and ensure compliance with ECBC requirements upon completion of construction.
iv	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning	Only LED lights have been provided for common areas like corridors, lift, and lobbies. Energy Efficient LED is being used, and any used or replaced LEDs will be disposed of or sent for recycling in accordance with prevailing guidelines and same will continue for the expansion phase.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		E-waste has been handed over to the authorized recycler M/s Shiv Shakti Metals, Modinagar, Ghaziabad.
v	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-law's requirement, whichever is higher.	Solar energy has already been installed during the part operational phase to meet at least 1% of the project's total energy demand.
vi	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Solar PV generation will be utilized to meet a portion of the street lighting requirements. External street lighting will be powered by standalone solar panels. Additionally, solar water heaters is being used to meet approximately 20% of the project's hot water demand.
VI. Waste Management		
i	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	For solid waste management, during both the construction and operational phases, biodegradable waste is being processed through an installed Organic Waste Converter (OWC) of capacity 1 × 500 kg/day. During the construction phase, biodegradable waste generated from site activities is also being managed through the same OWC.
ii	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions	At present, no C&D waste is being generated at the site. However, whenever C&D waste is generated during construction or maintenance activities, the same shall be handed over only to an

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	for general safety and health aspects of people, only in approved sites with the approval of competent authority.	authorized recycler/vendor in compliance with the Construction and Demolition Waste Management Rules, 2016 and its amendments.
iii	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.	For solid waste management, during both the construction and operational phases, biodegradable waste is being processed through an installed Organic Waste Converter (OWC) of capacity 1 × 500 kg/day. During the construction phase, biodegradable waste generated from site activities is also being managed through the same OWC. Non-biodegradable waste generated during both phases is being segregated and handed over to M/s Bhumi Enterprises, for proper disposal.
iv	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	Noted.
v	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Any hazardous waste generated during the construction phase as well as operational phase, used oil generated from the DG sets, disposed of by sending it to the approved recycler for safe disposal.
vi	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.	During Construction Phase: Environmentally friendly products like fly ash are being used in bricks, blocks and other construction materials during the construction of civil work & brick work.
vii	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999	During Construction Phase: Fly ash material is being utilized for construction as per the provision of the Fly Ash Notification of

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	and amended as on 27 th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.	September, 1999 and amended on 27th August 2003 and 25th January, 2016.
viii	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.	At present, no C&D waste is being generated at the site. However, whenever C&D waste is generated during construction or maintenance activities, the same shall be handed over only to an authorized recycler/vendor in compliance with the Construction and Demolition Waste Management Rules, 2016 and its amendments.
ix	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.	Used LED lights will be disposed of by giving them to the approved recycler.
VII. Green Cover		
i	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Topsoil excavation soil during the construction in store and use for the development of green belt area.
VIII. Transport		

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

i	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. - Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. - Traffic calming measures. - Proper design of entry and exit points. - Parking norms as per local regulation.	The project is partly operational and partly under construction. During the construction phase, internal access roads and movement of construction vehicles are being managed to ensure the safety of workers and vehicles, and temporary traffic arrangements are being implemented as per site requirements. For the part operational phase, internal circulation and access roads have already been developed and are being operated in a safe and orderly manner. For the remaining operational phase, a comprehensive mobility and traffic management plan will be developed in line with MoUD guidelines and best practices. The internal road network and circulation system shall be designed and operated as per the prescribed criteria.
ii	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during nonpeak hours.	During the construction phase, the vehicles hired for transportation of construction materials to the site are maintained in good condition, and it is ensured that all such vehicles possess valid Pollution Under Control (PUC) certificates. During the part operational phase of the project, ambient air quality and noise levels are being maintained in compliance with the applicable standards and prescribed norms.
IX. Human Health Issues		
i	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Respiratory masks are provided to the workers involved in loading, unloading, and carriage of construction material.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

ii	For indoor air quality the ventilation provisions as per National Building Code of India.	Agreed to comply with.
iii	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Agreed to comply with.
iv	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Approximately 150 laborers have been engaged during the construction phase, preferably from nearby areas. The site is provided with basic facilities, including mobile toilets, safe drinking water.
v	Occupational health surveillance of the workers shall be done on a regular basis.	The record of the health surveillance of the workers was found maintained at project site.
vi	A First Aid Room shall be provided in the project both during construction and operations of the project.	A First Aid Room is provided at the project site during the construction phase and will continue to be maintained during the operational phase.
X. Corporate Environment Responsibility		
i	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental	The project has provided Environmental Policy for standard operating procedures to have proper checks on Environmental Norms.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	/ forest /wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.																												
ii	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	Separate Environment Cell has been set up for monitoring of Environment Measures taken at site. <table border="1"> <thead> <tr> <th>Designation</th><th>Name</th><th>No of Persons</th></tr> </thead> <tbody> <tr> <td>Administrative officer</td><td>Dr. Madan Jain</td><td>1</td></tr> <tr> <td>Environment Officer</td><td>Satyapal</td><td>1</td></tr> <tr> <td>Maintenance In charge /Waste Water Management Incharge</td><td>Mandeep Lakra</td><td>1</td></tr> <tr> <td>Waste Management in charge</td><td>Shift Engineer</td><td>1</td></tr> <tr> <td>STP & RWH persons</td><td>Hemant</td><td>1</td></tr> <tr> <td>Collection & disposal person</td><td>Harsh</td><td>1</td></tr> <tr> <td>Fire & safety persons</td><td>Sunder Sehrawat</td><td>1</td></tr> <tr> <td colspan="2">Total</td><td>7</td></tr> </tbody> </table>	Designation	Name	No of Persons	Administrative officer	Dr. Madan Jain	1	Environment Officer	Satyapal	1	Maintenance In charge /Waste Water Management Incharge	Mandeep Lakra	1	Waste Management in charge	Shift Engineer	1	STP & RWH persons	Hemant	1	Collection & disposal person	Harsh	1	Fire & safety persons	Sunder Sehrawat	1	Total		7
Designation	Name	No of Persons																											
Administrative officer	Dr. Madan Jain	1																											
Environment Officer	Satyapal	1																											
Maintenance In charge /Waste Water Management Incharge	Mandeep Lakra	1																											
Waste Management in charge	Shift Engineer	1																											
STP & RWH persons	Hemant	1																											
Collection & disposal person	Harsh	1																											
Fire & safety persons	Sunder Sehrawat	1																											
Total		7																											
iii	Action plan for implementing EMP and environmental conditions along with	Agreed to comply with this condition.																											

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

	responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	
XI. Miscellaneous		
i	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.	We have already advertised the information of EC approval in two local newspapers.
ii	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	We have already submitted copies of the environmental clearance in Panchayats and Municipal Bodies and local bodies.
iii	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	The status of compliance with prescribed Environmental Clearance (EC) conditions, including the monitored data, is uploaded on the website and updated on a half-yearly basis. Compliance records are maintained as per regulations. Company website link is given below: https://www.actioncancerhospital.com/environment

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

iv	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	We are complying with the prescribed Environmental Clearance (EC) conditions. Compliance data, including monitored environmental parameters, is being uploaded on the PARIVESH portal. Link of Company Website is given below:
v	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	We are submitting the Environmental Statements for every financial year in Form-V are submitted along with the six-monthly compliance reports.
vi	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	The project was found partially under construction and partially operational. It has been ensured by PP that they will inform the regional office as well as the Ministry regarding the progress of the project in six monthly compliance reports.
vii	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	We have ensured to follow all guidelines made by DPCC and the State Government.
viii	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during their presentation to the Expert Appraisal Committee.	Project proponent is abiding by all the commitments and recommendations as suggested by concerned authority.
ix	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	No further expansion or modification will be carried out without prior approval of the Ministry of Environment, Forest and Climate Change.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

x	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed to comply with this condition.
xi	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed to comply with this condition.
xii	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed to comply with this condition.
xiii	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data /information/monitoring reports.	Agreed to comply with this condition.
xiv	The above conditions shall be enforced, inter alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Environmental clearance has been granted by the Ministry of Environment, Forest and Climate Change, New Delhi, vide F. No.(1) vide F.No.21-8/2019-1A-III dated 06/08/2019. Copy of same is enclosed as Annexure I We obtained a Consent to Establish” for 270 Beds obtained vide Letter. No.: DPCC/CMC/2021/5803079 dated 20.04.2022 Consent to Operate for 130 Beds has been obtained from DPCC vide Letter. No.: DPCC/CMC/2021/6762004 dated: 20.04.2022 valid from 30.11.2021 to 29.11.2026. A copy of the CTO is enclosed in Annexure III. BMW Authorization has been obtained vide

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

		F.No.DPCC/(11)(5)(01)/2022/BMW/NST/AUTH/6977312D dated 29.12.2023, which is valid up to 15.12.2026.A copy of the same is enclosed as Annexure-V Fire safety Certificate has been obtained from Delhi Fire Service, vide letter No. F6/DFS/MS/Hospital/WZ/2023/297 dated 20.06.2023, which is valid up to 20.06.2026. A copy of the same is enclosed as Annexure-IV.
xv	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.

Annexure-I
Copy of Environmental clearance

F.No.21-8/2019-IA-III
Government of India
Ministry of Environment, Forest and Climate Change
(IA.III Section)

Indira Paryavaran Bhawan,
Jor Bagh Road, New Delhi - 3

Date: 6th August, 2019

To,

Shri Ram Chandra, Trustee
M/s Manav Sevarth Trust
Manav Sevarth Trust at Facility No. 34,
Paschim Vihar, Punjabi Bagh, Delhi -110063
E-mail: satyapal@actioncancerhospital.com

Subject: Expansion of "Action Cancer Hospital" at A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust - Environmental Clearance - reg.

Sir,

This has reference to your online proposal No. IA/DL/MIS/91893/2019 dated 24th January, 2019, submitted to this Ministry for grant of Environmental Clearance (EC) in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986.

2. The proposal for grant of environmental clearance to the project Expansion of "Action Cancer Hospital" at A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust, was considered by the Expert Appraisal Committee (Infra-2) in its 39th meeting held during 26-28 March, 2019. Correction made in the minutes of 40th meeting held on 23rd April, 2019. The details of the project, as per the documents submitted by the project proponent, and also as informed during the above meeting are as under:-

- (i) The project will be located at Latitude: 28°40'26.36" N and Longitude: 77°06'41.50" E.
- (ii) The proposed project is an Expansion project. The existing hospital complex was constructed in year 2009. The built-up area of existing hospital is 9623.55 sqm, which is less than 20,000 sqm. Hence, it did not attract the provisions of EIA notification 2006. Now, due to increase the capacity of handling of patients and increase in beds, two towers are proposed, resulting in increase in built up area. Hence, proposal for EC for Expansion of the Hospital Complex has been made.
- (iii) Total plot area of 10,000 sqm and built-up area of the project will be 33,021.717 sqm. No. of beds after expansion will be 270 and maximum height of the building will be 32.40 m. Due to increase in the capacity of handling of patients and increase in beds, in the existing complex, a new tower with MLCP will be constructed and vertical addition to existing tower will be done. Hence, 23,398.167 sqm area will be added to existing built up area of 9,623.550 sqm which will result in total Built-up area of 33,021.717 sqm after expansion. Total beds after expansion shall be increased to 270 beds (IPD Only) from existing 200 beds (IPD & OPD) & there will be addition of Hospital

J. K. Rose

& Residential Tower, Multi-level car parking Tower, four no. of basements, atrium & Non-FAR area as well. The details are as follows:

S. No.	Particulars	Unit	Total after expansion
1.	Plot area	sqm	10,000 (1.0 Ha)
2.	Project cost	Rs.	50 Crore
3.	Permissible ground coverage	sqm	4,000.000
4.	Permissible ground coverage for parking	sqm	500.000
5.	Permissible total ground coverage for parking and hospital	sqm	4,500.000
6.	Permissible ground coverage for Atrium	sqm	1,000.00
7.	Proposed ground coverage	sqm	4,286.46
8.	Proposed ground coverage for parking	sqm	500.000
9.	Proposed ground coverage for parking and hospital	sqm	3,887.456
10.	Proposed ground coverage for atrium	sqm	399.004
11.	Permissible FAR	sqm	25000.000
12.	Proposed FAR- A	sqm	21123.831
	Hospital Block	sqm	15311.290
	Residential Block	sqm	5812.539
13.	Non-FAR- B	sqm	2,789.044
	Basement-I	sqm	2,394.633
	Basement-II	sqm	1,411.425
	Basement-III	sqm	400.232
	Basement-IV	sqm	400.232
14.	Total Basement Area-C	sqm	4,606.522
15.	Multilevel Car Parking Area (Excluding Area)-D	sqm	4,502.320
16.	Built-up Area (A+B+C+D)	sqm	33,021.717

- (iv) During construction phase, total water requirement is expected to be 5 KLD for construction purpose which will be met by treated water nearby STP. During the construction phase, soak pits and septic tanks will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labour force.
- (v) During operational phase, total water demand of the project is expected to be 123 KLD out of which fresh water demand is 54 KLD will be met through Delhi Jal Board and tanker supply and 68 KLD of treated water from STP will be reused in flushing, gardening & DG & HVAC Cooling. The total waste water generation will be 79 KLD from Domestic and Flushing uses & 0.5 KLD from Laboratory which will be treated in STP of 600 KLD Capacity & rest 3 KLD of excess treated wastewater will be discharged into sewer line.
- (vi) After expansion, total 72 tons/annum of solid waste shall be generated from the hospital. Biodegradable waste of 43 tons/annum shall be treated in Organic waste converter within the complex and non- biodegradable waste of 14 tons/annum and recyclable waste of 14 tons/annum will be given to approved vendor. 0.19 kL/annum (16 litres/month) of used oil shall be generated. E-waste generation shall be 0.024 -0.036 tons/annum which will be given to Authorised recycler. Biomedical waste generation from beds will be 16.4 tons/annum after expansion which will be given to authorized vendor.
- (vii) The total power requirement of the complex is 500 KW which will be met by BSES. In case of power failure, power backup shall be provided through D.G sets of 1 X 750 kVA (Existing) and 1x750 kVA (Proposed). Hence to reduce the air emissions proper stack height shall be provided as per prescribed norms by CPCB.


S. K. Singh

- (viii) Total 2 nos. of RWH pits will be constructed to recharge the ground water (out of which 1 no. of pit is already in the hospital).
- (ix) Total Parking requirement is 358 ECS. Total parking provision will be 368 ECS.
- (x) No Eco Sensitive area lies within the 10 km radius of the project site. Hence, NBWL Clearance is not required.
- (xi) Forest Clearance is not required.
- (xii) There is no Court case pending against the project.
- (xiii) Cost of the project is Rs. 50 Crores
- (xiv) Employment potential: Labourers during construction phase 150 no. and about 463 personnel as hospital staff during operation phase.
- (xv) Benefits of the project: Employment opportunities provided due to the project will lead to better quality of life and will also set a standard for future developments in the area. The project will led to increase in the infrastructure of the area and encouraged others for further development of the area. The Hospital will boast some of the best medical care infrastructure in the country. It will render tertiary and specialized treatment to general population. It will provide healthy, green & safe premises for living. People have more open and green spaces, bringing them closer to nature. People live, stay and recreate; and have immediate access to entertainment facilities in a single, spacious and secured area. Corporate Environment Responsibility will also be considered for the social benefits of the society.

3. The project/activity is covered under category 'B' of item 8(a) 'Building and Construction projects' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level by sectoral EAC. However, due to absence of SEIAA/SEAC in Delhi, the proposal has been appraised at Central Level.

4. The Committee was informed that the existing hospital complex was constructed in year 2009. The built-up area of existing hospital is 9623.55 sqm, which is less than 20,000 sqm. Hence, it did not attract EIA notification 2006. The project is having Consent to Operate (CTO) from Delhi Pollution Control Committee (DPCC). Now, to increase the capacity of handling of patients and increase in beds, in the existing complex, two new towers will be constructed. Hence, 23,398.167 sqm will be added to existing hospital thereafter total Built-up area will be 33,021.717 sqm. Total beds after expansion shall be 270 from existing 200 beds. CTO for existing hospital was renewed by DPCC/WMC/2016/37169 dated 02.06.2016 and was valid up to 18.12.2018. The project proponent has applied to the DPCC for renewal of CTO and the application is under consideration with DPCC. The project proponent confirmed before the Committee that the present water requirement is being fulfilled by water supply connection from Delhi Jal Board and existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.

5. The EAC in its 39th meeting held on 26-28 March, 2019, based on the information submitted and clarifications provided by the Project Proponent and detailed discussions held on all the issues, recommended the project for grant of



environmental clearance with stipulated specific conditions along with other Standard EC Conditions as specified by the Ministry vide OM dated 4th January, 2019 for the said project/activity, while considering for accord of environmental clearance. Correction made in the minutes of 40th meeting held on 23rd April, 2019. As per recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project Expansion of "Action Cancer Hospital" at A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the specific and general conditions as under:-

A. Specific Conditions:

- (i) Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.
- (ii) The project proponent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from Competent Authority as required.
- (iii) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- (iv) As proposed, fresh water requirement from Delhi Jal Board shall not exceed 54 KLD for which project proponent has already connection for the existing Hospital. Existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.
- (v) Sewage shall be treated in the STP based on MBBR Technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled/re-used for flushing, gardening, & HVAC cooling purposes. No excess treated water from STP shall be discharged to municipal drain.
- (vi) The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.
- (vii) The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
- (viii) The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed 2 nos. of rain water harvesting recharge

S. Bore

pits shall be provided for rain water harvesting after filtration as per CGWB guidelines.

- (ix) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site.
- (x) Laboratory wastes shall be managed in accordance to the BMW Rules, 2016 and the atomic Energy Commission regulations as applicable.
- (xi) Traffic Management Plan as submitted shall be implemented in letter and spirit. Further, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
- (xii) No tree cutting/transplantation of existing trees has been proposed in the instant project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 2,255.879 sqm (22.60% of total area) area shall be provided for green area development.
- (xiii) As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1st May 2018, and proposed by the project proponent, an amount of Rs. 0.5 Crores (1.0% of the project cost) shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as clean drinking water, skill development etc. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.

B. Standard Conditions:

I. Statutory compliance:

- i. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.



- ii. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- iii. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- iv. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- v. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- vi. The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
- vii. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

II. Air quality monitoring and preservation:

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM_{2.5}) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.

J. Rose

- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
- x. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

III. Water quality monitoring and preservation:

- i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iii. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- iv. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- v. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.

S. Rose.

- vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xi. All recharge should be limited to shallow aquifer.
- xii. No ground water shall be used during construction phase of the project.
- xiii. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xiv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- xv. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
- xvi. No sewage or untreated effluent water would be discharged through storm water drains.
- xvii. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xviii. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xix. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

S. Rose

IV. Noise monitoring and prevention:

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

V. Energy Conservation measures:

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

VI. Waste Management:

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.

S. Rose

- iii. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
- iv. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- v. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vi. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- vii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- viii. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- ix. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VII. Green Cover:

- i. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

VIII. Transport

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

3. Zone:

IX. Human health issues:

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

X. Corporate Environment Responsibility:

- i. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- ii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iii. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

XI. Miscellaneous:

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in


J. Rose

addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.

- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
- x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xi. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

J. Bane

- xv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
6. This issues with the approval of the Competent Authority.


(Dr. Subrata Bose)
Scientist F

Copy to:

- 1) The Secretary, Department of Environment, Government of Delhi, New Delhi.
- 2) The Addl. Principal Chief Conservator of Forests (C), Ministry of Environment, Forests and Climate Change, Kendriya Bhavan, 5th Floor, Sector-H, Aliganj, Lucknow - 226024.
- 3) The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
- 4) The Member Secretary, Delhi Pollution Control Committee, Department of Environment, Government of N.C.T. Delhi, 4th Floor, ISBT Building, Kashmere Gate, Delhi.
- 5) Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- 6) Guard File/ Record File/ Notice Board.
- 7) MoEFCC website.


(Dr. Subrata Bose)
Scientist F

Annexure-II
Copy of E- waste agreement



INDIA NON JUDICIAL


Government of Uttar Pradesh

e-Stamp



IN-UP55648625270546Y
STAMP VENDOR
No. 15 OF N-E-85
Collectorate GZB
M 9213981105

Certificate No. : IN-UP55648625270546Y
Certificate Issued Date : 16-Mar-2026 10:46 AM
Account Reference : NEWIMPACC (SV)/ up14076604/ GHAZIABAD SADAR/ UP-GZB
Unique Doc. Reference : SUBIN-UPUP1407660406579580959662Y
Purchased by : SHIV SHAKTI METALS MODI NAGAR GZB
Description of Document : Article 5 Agreement or Memorandum of an agreement
Property Description : Not Applicable
Consideration Price (Rs.) :
First Party : SHIV SHAKTI METALS MODI NAGAR GZB
Second Party : ACTION CANCER HOSPITAL DELHI
Stamp Duty Paid By : SHIV SHAKTI METALS MODI NAGAR GZB
Stamp Duty Amount(Rs.): : 100
(One Hundred only)



Please write or type below this line

Handwritten signature



Statutory Alert

1. The authenticity of this Stamp certificate should be verified at www.shivshaktistamp.com/ or using e-Stamp Mobile App of Stock Holding.
2. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
3. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

SERVICE AGREEMENT

This Agreement is made on this 16th day of March 2026, at Ghaziabad, by and between:

M/s Shiv Shakti Metals, a Proprietorship concern of Mr. Gaurav Rastogi, having its registered office and Recycling facility at Khasra No. 545, Village Phaphrana, Sikhera Road Industrial Area, Modi Nagar, Ghaziabad, Uttar Pradesh - 201204, and its collection centre at Plot No -2, Khasra No 26, New Mandoli Industrial Area, Shahdara, Delhi - 110093 (hereinafter referred to as the "First Party" or "SSM).

AND

M/S ACTION CANCER HOSPITAL, A Unit of Manav Sevarth Trust, having its Registered Office at FC - 34, A - 4, H - 2, Paschim Vihar, New Delhi - 110063 (hereinafter referred to as the "The Second Party" or "ACTION CANCER HOSPITAL").

WHEREAS,

The First Party and the Second Party desire to enter into an agreement, and in consideration of the mutual promises and covenants contained herein, the Parties agree as follows:

ACTION CANCER HOSPITAL, is located at FC - 34, A - 4, H - 2, Paschim Vihar, New Delhi - 110063.



Shiv Shakti Metals, is a fully accredited entity with **ISO 14001:2015, ISO 9001:2015, ISO/IEC 27001:2022, and ISO 45001:2018** certifications, and is registered with the Micro, Small & Medium Enterprises (MSME). It is also fully licensed by The Environment Agency. The First Party operates an Integrated Recycling Facility at Sikheda Road Industrial Area, Modinagar, Ghaziabad, Uttar Pradesh, and holds a valid authorization from the Uttar Pradesh Pollution Control Board (UPPCB) for recycling e-waste, battery scrap, insulated wire scrap, plastic scrap, and non-ferrous scrap.

Additionally, The First Party has a centralized collection center at Mandoli Industrial Area in the National Capital Territory (NCT) of Delhi, approved by the UPPCB, and with due consideration of the Delhi Pollution Control Committee (DPCC) for collection center operations in Delhi NCT. The First Party is also authorized to engage in recycling business of ultrasound, imaging, and scanner machines, holding authorization from the Pre-Conception and Pre-Natal Diagnostic Techniques (PNDT) Department as a recycler, with a Certificate of Registration **DELHI/PCPNDT/232/2022-23**.

The Second Party requires the services (as defined below) to be provided by the First Party, and The First Party has represented that it can provide the services to the Second Party.

The Second Party hereby engages The First Party to provide the services in accordance with the terms and conditions of this Agreement.

NOW, THIS AGREEMENT WITNESSETH AND THE PARTIES HERETO AGREE HEREBY AS UNDER:



DEFINITIONS: Unless the context otherwise requires, the following words and expressions shall have the following meanings ascribed to them:


1. **Shiv Shakti Metals Facility:** The recycling facility situated at Sikhera Road Industrial Area, Modi Nagar, Ghaziabad, Uttar Pradesh.
2. **Applicable Laws:** Laws made by the Ministry of Environment, Forest and Climate Change for the movement of hazardous waste, and all statutes, rules, judgments, orders, regulations, directives, standards, guidelines, policies by law, approvals from government authorities, or other government restrictions or adjudications by quasi-judicial bodies governing the territories of and applicable to the Parties of the First and Second Part.
3. **E-Waste:** Waste electrical and electronic equipment, whole or in part, and scraps or rejects from the manufacturing process, which are intended to be discarded. The waste end-of-life equipment, which can be useful directly or after recycling.
4. **Collection Point:** The place of business of the Second Party, as may be agreed upon from time to time.
5. **Services:** The services to be provided by The First Party, as described in Schedule A.

ENGAGEMENT

1. Subject to the terms and conditions of this Agreement, The Second Party hereby engages The First Party, and The First Party hereby agrees to provide the services to the customer during the term of this Agreement.
2. **Scope of Services:** The First Party, shall provide services, including but not limited to, refurbishing, reusing, and recycling the e-waste, hazardous, and other scrap supplied by ACTION CANCER HOSPITAL, as more fully described in Schedule A, attached hereto, during the term of this Agreement.
3. **Payment Terms:** Payment shall be made online through RTGS or IMPS mode on the same day of invoice generation, upon lifting of the scrap, according to the quotation provided by SSM to ACTION CANCER HOSPITAL.

SHIV SHAKTI METALS'S RESPONSIBILITIES:

1. **Collection Responsibility:** SSM shall collect materials from ACTION CANCER HOSPITAL's site.
2. **Compliance with Laws:** SSM agrees to obtain and maintain all necessary consents, authorizations, licenses, and permissions required under applicable laws to fulfill its obligations.
3. **Timely Collection:** SSM shall ensure timely collection of e-waste, hazardous waste, and other waste from the ACTION CANCER HOSPITAL premises, as prescribed under applicable laws and mutually agreed upon by the parties.
4. **Confidentiality and Trademark Protection:** SSM shall not use ACTION CANCER HOSPITAL's trademark, name, logo, or any abbreviation thereof for its private advantage or otherwise.
5. **Association with B N Medical Solutions:** SSM has been associated with B N Medical Solutions, Ludhiana (Punjab) is authorized by the Atomic Energy Regulatory Board



Madan


(AERB) and National Accreditation Board for Testing and Calibration Laboratories (NABL), for providing Quality Assurance (QA) for radiological equipment and decommissioning of radioactive/X-ray medical equipment.

ACTION CANCER HOSPITAL's Responsibilities

1. **Inspection and Access:** ACTION CANCER HOSPITAL shall permit SSM and its employees to inspect e-waste, hazardous waste and other scrap, ensuring it meets quality and quantity specifications agreed upon by the parties.
2. **Rejection of Non-Conforming Waste:** ACTION CANCER HOSPITAL shall allow SSM to reject any e-waste that fails to meet specifications of e-waste, hazardous, and other waste after recording the reasons for the same in writing.
3. **Notification and Disclosure:** ACTION CANCER HOSPITAL shall notify SSM if required to identify and furnish details of SSM as the e-waste, hazardous waste, and other scrap recycler.
4. **Documentation Assistance:** ACTION CANCER HOSPITAL shall assist SSM with documents like delivery challan, gate passes, and declarations at the point of collection for the movement of the material.
5. **Agreement Term and Renewal:** The agreement shall remain in force for 2 years commencing from **March 16, 2026** and quotation for this agreement will be revised annually based on prevailing market conditions. The agreement may be renewed for similar periods on the terms and conditions as may be agreed upon by and between the parties.
6. **Termination:** This Agreement has been executed with the consent of both parties and shall be terminated in the future with the consent of both parties by giving one month's notice to the other party.
7. **Waste Management Compliance:** ACTION CANCER HOSPITAL shall ensure that all e-waste and hazardous waste generated by it shall be handed over to authorized recyclers having a collection center in the Delhi territory and mentioned on the DPCC portal, and shall not supply such waste to any other entity or individual in the open market.

Collection and Transport of E-Waste, Hazardous Waste, and Other Scrap

1. **Collection and Delivery:** SSM shall collect e-waste from ACTION CANCER HOSPITAL's site, with both parties keeping each other informed of delivery dates and times. In the event of any changes in the date and time of delivery, either party shall give notice at least 24 hours prior to the scheduled delivery time.
2. **Documentation for Transportation:** ACTION CANCER HOSPITAL shall arrange for the necessary documents, such as delivery challans, gate passes, and declarations, at the point of collection for the movement of the material for transportation of e-waste from the collection point.
3. **SSM's Responsibility for Consents and Approvals:** SSM shall, at its sole cost and expense, obtain any and all necessary consents, permissions, licenses, and approvals required under relevant laws for transporting and processing e-waste, hazardous, and



Signature

other scrap. SSM shall be responsible for all necessary consents and performing its obligations under this Agreement.

4. **Transportation Costs:** SSM shall bear all costs associated with transporting e-waste from the collection point to its site.

Inspection and Rejection

1. **Inspection and Rejection Rights:** SSM shall be allowed to inspect the e-waste and other waste. If any e-waste or other waste fails to meet the specifications agreed upon between the parties, it shall be rejected, and SSM shall notify the customer within 24 hours of rejecting such delivery. If no such notification is received, the delivery shall be deemed accepted.
2. **Compliance:** SSM shall strictly comply with applicable laws and its obligations under this agreement.

Representations and Warranties

SSM represents, warrants, and undertakes as follows:


1. It is a duly registered entity, validly existing under the laws of India.
2. It has full power and authority to enter into this Agreement and perform all obligations hereunder.
3. It is not prevented or barred in any way from entering into this Agreement or performing its obligations hereunder, and such performance shall not conflict with or cause a breach of any agreement, undertaking, or law to which it is subject or bound.
4. It has and shall maintain during the term of this Agreement all necessary permits, licenses, consents, and approvals required to render services to ACTION CANCER HOSPITAL.

ACTION CANCER HOSPITAL represents, warrants, and undertakes as follows:

1. It is a registered entity, validly existing under the laws of India, with its registered office located at **FC - 34, A - 4, H - 2, Paschim Vihar, New Delhi - 110063.**
2. It has full power and authority to enter into this Agreement and perform all obligations hereunder.
3. It is not prevented or barred in any way from entering into this Agreement or performing its obligations hereunder, and such performance shall not conflict with or cause a breach of any agreement, undertaking, or law to which it is subject or bound.
4. It has and shall maintain during the term of this Agreement all necessary permits, licenses, consents, and approvals required to perform its obligations pursuant to this Agreement.

Indemnity

SSM shall indemnify, defend, and hold harmless ACTION CANCER HOSPITAL, its shareholders, employees, officers, and directors against all claims, losses, and expenses arising out of or about any breach of SSM's representations and warranties.



Force Majeure

1. **Force Majeure** means any event or combination of events that materially or adversely affects the performance of either party's obligations in whole or in part according to the terms of this Agreement, but only to the extent that such event or circumstances are not within the affected party's reasonable control and have not been caused by willful neglect, act, or omission of the affected party. The following events shall constitute Force Majeure: epidemic, nuclear emergency, earthquake, riot, war, and acts of terrorism.
2. The affected party shall, as soon as possible and in no later than 30 days after the occurrence of a Force Majeure event, provide written notice thereof to the other party.
3. The affected party shall provide the other party with prompt notice of the cessation of the Force Majeure event and resume its obligations as contained herein.

Notice

Any notice, invoice, approval, advice, report, or other communication required to be given to a party hereunder shall be addressed and delivered to the place of business of such party, as set out in the preamble of this Agreement, or such other address as may be communicated by such party to the other party from time to time for this purpose.

Governing Law and Dispute Resolution

1. **Negotiations and Conciliation:** The parties shall endeavor to resolve all claims, disputes, questions, or controversies involving the parties and arising out of or in connection with this Agreement, or the execution, interpretation, validity, performance, breach, or termination hereof (collectively, "Disputes") through amicable negotiation and conciliation.
2. **Arbitration:** The parties agree that this Agreement shall be construed in under the laws in force in India. In the event of any dispute or difference (including any violation of this Agreement by any party), the parties shall refer the matter to the sole arbitration of an arbitrator to be appointed by the parties mutually. The arbitrator's decision shall be final and binding upon the parties. The sole arbitrator shall conduct the arbitration proceedings in Delhi only.
3. **Substitution of Arbitrator:** In the event of the originally appointed arbitrator dying, being unable or failing to act, refusing to act, or withdrawing from office at any stage, the parties shall be entitled to appoint another person to act as the sole arbitrator with mutual consent. The newly appointed arbitrator shall be entitled to proceed with the reference from the stage at which it was left by the predecessor.
4. **Language of Arbitration Proceedings:** The arbitration proceedings shall be conducted in English or Hindi only, and not in any other language.
5. **Jurisdiction:** The courts at Delhi shall have exclusive jurisdiction (subject to the arbitration proceedings, which shall also be conducted in Delhi) over any or all disputes arising out of this Agreement. The parties hereby submit themselves to the jurisdiction of such courts and/or tribunals.



Assignment

This Agreement shall bind and inure to the benefit of each party's successors and assigns, provided that no party may assign this Agreement without the prior written consent of the other party. Any permitted assignee shall agree in writing to be bound by the terms and conditions set forth herein. Any attempt to assign this Agreement without such consent shall be null and void.

Amendment and Waiver

No amendment, modification, or waiver of this Agreement shall be valid unless evidenced in writing and signed by an authorized representative of both parties. Any consent to depart from the provisions of this Agreement must be in writing and signed by both parties. A failure or delay to enforce any provision of this Agreement shall not constitute a waiver thereof.

Severability

If at any time one or more provisions of this Agreement become invalid or unenforceable, the remainder of this Agreement shall survive and remain in full force and effect. The parties shall endeavor in good faith to mutually discuss and include a replacement provision in the Agreement to carry out the intentions of the parties.

Relationship

Nothing in this Agreement shall be construed as creating a partnership or joint venture between the parties or constituting either party as the agent of the other party for any purpose. The parties are independent contractors, and this Agreement does not create any fiduciary relationship between them.



Gyadas



To,

ACTION CANCER HOSPITAL
(A Unit of Manav Sevarth Trust)
FC - 34, A - 4, H - 2, Paschim Vihar,
New Delhi - 110063

Quotation

Sub: Quotation of Condemned Material

Respected Sir/Mam,
Greetings of the day,

As per our discussion Please find the quotation below for your All Hospitals in Delhi NCR.
For Following Items: -

- | | |
|---------------------------|--|
| (1) E- waste Scrap | (A) Electrical & Electronic Equipment waste Rs. - 42.50 per kg.
(B) All type of LED Lights & Electrical Fitting Rs. - 10 per kg
(C) Electronic and Electrical Instruments, Plastic Instruments and
Spares Rs. - 12.50 per Kg. |
| (2) Hazardous Waste Scrap | (A) Lead Battery Waste Scrap Rs. - 88 per Kg. With Acid
(B) Lead Battery Waste Scrap Rs. - 101 per Kg. Without Acid
(C) Lead Scrap Rs. - 88 per Kg |
| (3) Insulated Wires Scrap | (A) Copper wire Mix 98 Rs. Kg.
(B) Aluminum Wire 26 Rs. Kg. |

These All Rates given above are including GST & Other Taxes.

Company will provide the number of services when you will start the Process and we will assure you we are providing the better service and Securities

We are authorized to do recycling business of ultrasound, Imaging & Scanner machines as are having authorization from (PNDT) Department as a recycler to collect all **PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES** related machines from the Delhi region With Certificate of Registration **DELHI/PCPNDT/232/2022-23**, We have been associated **B N MEDICAL SOLUTIONS** (AERB License No: **21-DR_SE_AS-664142 AND TC -14837**) is authorized by Atomic Energy Regulatory Board (AERB) & National Accreditation Board for Testing and Calibration Laboratories (NABL) for providing Quality Assurance (QA) for all Radiological Equipment and Decommissioning of all the Radioactive Medical Equipments activities of Radiology equipment in various hospitals,

Please call us for further assistance. Waiting for your valuable response looking forward to serve you

Note: There are no charges for Collection and Recycling Process of Condemned Material.



IN WITNESS WHEREOF THE PARTIES HERETO HAVE EXECUTED THIS AGREEMENT THE DAY AND YEAR FIRST HEREINABOVE WRITTEN

Signed by SSM

For Shiv Shakti Metals

Signature: _____

Name: GAURAV RASTOGI

Designation: PROPRIETOR



Signed by ACTION CANCER HOSPITAL

For ACTION CANCER HOSPITAL

Signature: _____

Name: _____

Designation: _____

Resources Witnesses:

1. DHEERAJ RASTOGI

(GHAZIABAD)

[Signature]

2. _____

[Signature]



ATTESTED

OM PRAKASH SINGH
Notary, Ghaziabad

16/03/2026

Schedule A

Terms and Condition for the pre and post collection of e waste, hazardous and other scrap.

Shiv Shakti Metals to provide Following kinds of recycling services as committed to the ACTION CANCER HOSPITAL as mentioned herein below,

- A. Free Logistics services from delivery point.
- B. Environmental friendly Recycling of all E Waste, hazardous and Other Scrap.
- C. Certification of Recycling is to be provided to the customer after the period of 30 Working Days from the date of pick up.
- D. SSM shall ensure issue of Form 6 / Form 10.
- E. Minimum Volume of Material for pickups should be according to small logistics.
- F. Material should be lifted within 15 days after the inspection is made to ACTION CANCER HOSPITAL



Annexure-III
Copy of CTO



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

CONSENT ORDER

Certificate No. :G-23155

Name of the unit	:	ACTION CANCER HOSPITAL (A UNIT OF MANAV SEVARTH TRUST)
Address	:	A-4,FC 34 H2 PASCHIM VIHAR, Health Care Facility, Delhi - 110063
Consent Order No	:	DPCC/CMC/2021/6762004
Date of issue	:	20/04/2022
Product/Activity	:	Health Care Establishments having bed strength above 50 beds and connected or not connected to Sewer and without boiler
Manufacturing Activities	:	HEALTH CARE (130 BEDDED)
Category Name	:	[RED]
Product Capacity	:	0 Metric Tonnes/Day

This Consent to **Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **RED** Category. This consent is subjected to terms and conditions specified overleaf. **This is being issued with reference to your application id 6762004 valid from 30/11/2021 to 29/11/2026.**

Prem Swarup
Pankaj

Digitally signed by Prem
Swarup Pankaj
Date: 2022.04.22 12:38:33
+05'30'

Senior Environmental Engineer

Annexure-IV
Copy of Fire safety Certificate



GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001

No. F6/DFS/MS/Hospital/WZ/2023/ 297

Dated:- 20/06/2023

FIRE SAFETY CERTIFICATE

Certified that the Manav Sevarth Trust Hospital (Action Cancer Hospital) Located at, FC-34, A-4, Block, Paschim Vihar, New Delhi-110063, comprised of Two Blocks, A Block (Cancer Hospital), Basement + Ground + 03 Upper Floors & B Block (Nursing Hostel), 02 Basement + Ground + 02 Upper Floors only owned/occupied by Manav Sevarth Trust Hospital. was issued Fire Safety Certificate vide Letter No. F6/DFS/MS/WZ/Hospital/2020/WZ/268 dated 24.07.2020. The said premises was re-inspected by the officers concerned of this department on 27.05.2023 in the presence of Sh. Mandeep Lakra (A.G.M) and found that the building/premises have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rule, 2010, and that the premises/building is fit for occupancy class "Institutional Building" Group C Sub Division C-1 with effect from 20/06/2023 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010, printed below.

Issued on 20/06/2023 at New Delhi by,


(Arul Krishna)
Director
Delhi Fire Service

Copy to:-

1. Dr. Archana Atreja, Medical Superintendent, Action Cancer Hospital, FC-34, A-4, Paschim Vihar, New Delhi-110063.

Following fire safety directives must be adhered to:-

1. All the means of escape shall be kept free of all type of obstruction all the time. It should not bolt /locked.
2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any loss of life any property due to the non-functional of any fire safety measures, management shall be held responsible.
4. Any deviation, with regards to construction, ventilation, occupation, electric installation etc. may be got verified from the concerned authorities.
5. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction / unauthorized use of land if any.
6. All comments / directions of building Department shall always be permitted and followed.
7. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in
8. The owner / occupier shall apply for renewal of this Fire Safety Certificate to the Director in 'Form J' (sub Rule (1) of Rule 37) along with copy of the certificate, six months prior to its expiry.
9. The basement shall be used as per BBI.

Six-monthly compliance Report of June-2026
Expansion of "Action Cancer Hospital" by M/s Manav Sevarth Trust.

Annexure-V
Copy of BMW Authorization



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

visit us at: <https://dpccocmms.nic.in>

(AUTHORIZATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016)

File number of authorization : DPCC/(11)(5)(01)/2022/BMW/NST/AUTH/6977312

Date: 20/04/2022

Application No: 6926999

1. M/s ACTION CANCER HOSPITAL (A UNIT OF MANAV SEVARTH TRUST) an occupier of the facility located at A-4, FC 34 H2 PASCHIM VIHAR 110063 is hereby granted this authorization for Generation, Segregation, Collection, Storage, Transportation, of Biomedical Waste at the premises and for Transportation, Treatment and Disposal of Bio-Medical Waste through Common Bio-Medical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee.
2. Number of beds of HCF : 130
3. Quantity of Biomedical waste handled : 118.40 (Kg/day)
4. This authorization shall be in force for a period of Five Years and valid up to 15/12/2026.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Prem Swarup
Pankaj
Signature.....
Designation

Digitally signed by
Prem Swarup Pankaj
Date: 2022.04.22
13:24:05 +05'30'

-:-Terms and Conditions:-:-

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
3. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers / bags at the point of generation in accordance with Schedule-I (part I).
4. The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transportation, treatment & disposal of the bio-medical waste.
5. The Occupier shall hand over the bio-medical waste timely to the authorized operator of a facility duly segregated, labelled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
6. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio medical waste with in the intended time or as per the agreed time.
7. The occupier shall maintain records of the Bio-Medical Waste generated and disposed of/ handed over. The record shall be made available, for inspection & verification, to any officer authorized by DPCC.
8. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in Form-I, prescribed under the Rules, to DPCC.
9. In case the Occupier is having a DG Set, he shall comply with the noise standards laid down vide Gazette



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

visit us at: <https://dpccocmms.nic.in>

(AUTHORIZATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016)

File number of authorization : DPCC/(11)(5)(01)/2022/BMW/NST/AUTH/6977312

Application No: 6926999

Date: 20/04/2022

1. M/s ACTION CANCER HOSPITAL (A UNIT OF MANAV SEVARTH TRUST) an occupier of the facility located at A-4, FC 34 H2 PASCHIM VIHAR 110063 is hereby granted this authorization for Generation, Segregation, Collection, Storage, Transportation, of Biomedical Waste at the premises and for Transportation, Treatment and Disposal of Bio-Medical Waste through Common Bio-Medical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee.
2. Number of beds of HCF : 130
3. Quantity of Biomedical waste handled : 118.40 (Kg/day)
4. This authorization shall be in force for a period of Five Years and valid up to 15/12/2026.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Prem Swarup Pankaj
Digitally signed by Prem Swarup Pankaj
Date: 2022.04.22 13:24:05 +05'30'
Signature.....
Designation

-:-Terms and Conditions:-:-

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
3. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers / bags at the point of generation in accordance with Schedule-I (part I).
4. The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transportation, treatment & disposal of the bio-medical waste.
5. The Occupier shall hand over the bio-medical waste timely to the authorized operator of a facility duly segregated, labelled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
6. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio medical waste within the intended time or as per the agreed time.
7. The occupier shall maintain records of the Bio-Medical Waste generated and disposed of/ handed over. The record shall be made available, for inspection & verification, to any officer authorized by DPCC.
8. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in Form-I, prescribed under the Rules, to DPCC.
9. In case the Occupier is having a DG Set, he shall comply with the noise standards laid down vide Gazette

Annexure-VI
Copy of Eletricity Bill



Call Us 19123 (TOLL FREE)

Bill of Supply for Electricity

Due Date (देय तिथि):

11-06-2026

Name : M/s. ACTION CANCER HOSPITAL
Billing Address : FC-34 (UNIT OF MANAV SEVARTH TRUST),
PASCHIM VIHAR DELHI 110063
Supply Address : FC-34 (Unit of Manav Sevarth Trust), Paschim
Vihar DELHI 110063
Mobile / Tel. No. : 98*****98
E-mail ID : m*****c@actionhospital.com
District / Division : Punjabi Bagh
Walking Sequence : PJBKA1009A0AA
Bill Month : MAY-26
Bill Date : 27-05-2026

Sanctioned Load : 344.00 (kVA)
Contract Demand : 344.00 (kVA)
MDI : 354.00 (kVA)
Power Factor : 0.994
Pole No : PJBHNT00S1
Meter Reading Status : DL
Cycle No. : KA
Tariff Category : Large Industrial Power

CA No. : 150112691
Enginisation Date : 25-04-2012
Meter Type : 3PSK
Supply Type : HT(11KV)
Bill No. : 100071208949
Bill Basis : Actual
O.D. No. : R/26/10545896854
CCTV Tagged : No
Street Light Tagged : No
Wi-Fi Tagged : No

EBILL Customer

Meter No. (मीटर सं.)	Unit (यूनिट)	Billed Consumption (Current) Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	Billed Consumption (Previous) Date of Meter Reading (मीटर रीडिंग की तिथि)	Reading (रीडिंग)	Multiplication Factor (गुणांक)	Current Consumption (सर्तमान खपत) Days (दिन)	Unit (यूनिट)
Meter Details in Annexure								

Billing Details (बिल का विवरण)

Current Period Charges (वर्तमान अवधि का शुल्क) (26-04-2026 to 24-05-2026)

"LET'S MOVE TO ELECTRIC VEHICLES FOR BETTER TOMORROW"
(आइए हमें बिजली के वाहन की तरफ बदलाव करें)

Fixed Charge= "A" ₹ (स्थायी शुल्क)	Consumption Measured During (खपत अवधि माप)	Energy Units Consumed/ Billed (खपत / बिल में शामिल विद्युत यूनिट)	Slabwise Energy Charge (स्लेब आधारित विद्युत शुल्क)		Slab-wise Power Purchase Adjustment Charge (स्लेब आधारित विद्युत श्रय समायोजन शुल्क)		Time of Day (TOD) Charge टाइम ऑफ़ द डे (टैकोडी) शुल्क		Surcharge @ 8% on (Energy Charge + Fixed Charge - Rebate) = "E" (विद्युत शुल्क + स्थायी शुल्क - छूट, पर 8% अधिभार)	Electricity Tax @ 5% on Energy Charge, PPAC amount & TOD Surcharge/Rebate amount = "F" (विद्युत शुल्क, विद्युत शुल्क के अधिभार, पीपीएससी राशि एवं टैकोडी अधिभार / छूट पर 5% विद्युत कर)	Total Amount (K=A+B+C+D+E+F+G+H+I+J) ₹ (कुल राशि)
			Units Rate (यूनिट दर)	Amount = "B" ₹ (राशि)	PPAC % on B (B पर पीपीएससी प्रतिशत)	PPAC Amount = "C" ₹ (पीपीएससी राशि)	TOD % on "B" (B पर टैकोडी प्रतिशत)	TOD Surcharge/ Rebate Amount = "D" ₹ टैकोडी अधिभार / छूट राशि			
83266.13	OFFPEAK(S)	7997.00	7.75	61976.75	14.51	8992.83			123984.09	89832.60	2149623.65
0.94Mth(S)	PEAK(S)	8495.00	7.75	65836.25	14.51	9552.84					
PPAC on Fixed Charge = "G"	NORMAL (S)	98952.00	7.75	766878.00	14.51	111274.00					
	OFFPEAK(S)	38383.00	7.75	297468.25	14.51	34530.11	(20.00)	(59493.65)	108486.08		
12081.91	PEAK(S)	40777.00	7.75	316021.75	14.51	55025.71	20.00	63204.35	TCS Amount ₹ 1		
CCTV Units									Base Amt. Surcharge		
Street Light Units									Other Charges ₹ "J"		
									705.65		
Wi-Fi Units									CCTV Bill Amt		
	Total Units =	194604	Total (B) =	1508181.00	Total (C) =	219375.49	Total (D) =	3710.70			



Past Dues / Refunds / Subsidy (पिछला बकाया/वापसी/सब्सिडी) Consumer registered under GST may submit it's GSTIN at concerned division

Provisional Bill Refunds (वापसी)	Arrears (बकाया)	Late Payment Surcharge (LPSC)	Total Charges Payable	Rebate / Subsidy	Net Amount Payable
Refund Unit	Refund Amount	Amount (राशि)	Period to which it relates (जिस अवधि से संबंध है)	Amount (राशि)	Period (दिनांक)
		498.48	Since MAR-26	9.42	2150131.55

Amount not immediately payable, if any. (राशि जो तुरंत देय नहीं है, यदि हो तो)	BG Security Deposit ₹	BG Expiry Date
Service line cum Development Charges paid (संगतान किया गया सर्विसलाइन एवं डेवलपमेंट शुल्क)	Cash Security Deposit ₹ 4612500.00	
Interest accrued for FY 2025-26 already adjusted in bill no. 100100972256 (generated for the period 26-03-2026 to 25-04-2026)	₹ (407304.62)	
Interest for FY 2026-27 will be adjusted in your first bill to be generated in FY 2027-28		

Last payment ₹ 1640920.00 received on 11-05-2026. Payment accounted upto 24-05-2026.

Consumption History (खपत का विवरण):

Period	No. of Days	Units (kWh/kVAh)	Total Bill Payable	Bill Basis
From To				
26-03-2026 25-04-2026	31	190590	1641420.00	Actual
26-02-2026 25-03-2026	28	173688	1754620.00	Actual
29-01-2026 25-02-2026	28	164058	1680090.00	Actual
25-12-2025 28-01-2026	35	207042	2103740.00	Actual
27-11-2025 24-12-2025	28	157656	1606110.00	Actual
29-10-2025 26-11-2025	29	168024	1719190.00	Actual

Contact Details: (संपर्क संबंधी विवरण):

Nearest Customer Care & Payment Centre
FIRST FLOOR, PLOT NO 217 OKHLA PHASE III NEW
DELHI 110019 (Tel.No. 49209561)
Business Manager : MR NISHANT SRIVASTAVA (49209561)
Commercial Officer : MR PRADEEP TIWARI (49209185)

(This bill is computer generated, hence does not require any signature.)

IMPORTANT MESSAGE (महत्वपूर्ण सूचना)

*Other charges includes - Load violation Surcharge: 705.65, Power Purchase Adj. Charge (PPAC) @ 14.51% been levied on energy & fixed charge w.e.f. 10-04-2026. CCTV Bill amount included. In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 7.00% has been levied on energy & fixed charge w.e.f. 01-10-2021. The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division office. Anyone treating Electricity Bill as conclusive proof of Residence is advised to verify the particulars. Switch off lights and appliances from mains when not in use. This will conserve energy and reduce your electricity bill. ELCB is a safeguard against faulty internal wiring and prevents shock, fire and electrical.

Payment Slip

• Make your Cheque/DD payable to BRPL CA No. 150112691

Bill Month : MAY-26

Bill Amount payable ₹ 2098190.00 Cheque DD No.:

Date :



KAOYR150112691000209819000207606110000000000

Signature

Scan & Pay QR code
Powered by BOB

9000000000001999202000051880920016921105134000

ELECTRICITY BILL

11015 KCC_RNA - 09/142

Tariff structure

Categories	Description	Fixed/Demand Charge		Energy Charge				Categories	Description	Fixed/Demand Charge	Energy Charge	Temporary	
		Load(kW)	(₹/month)	0 - 200 Units	201 - 400 Units	401 - 600 Units	601 - 1200 Units					Categories	Fixed Charge
Domestic	Individual connections:							Agriculture	Agriculture	125/kW/mth	₹1.50/kWh	Domestic	Same as relevant category
	Domestic Light / Mixed Domestic Power	Upto 2kW	20/kW/mth						Mushroom	200/kW/mth	₹3.50/kWh	Domestic Including GHS	Same as relevant category
	Farm House upto 21kW	>2kW to 5kW	50/kW/mth						Public Utility	250/kW/mth	₹6.25/kWh	Domestic	Same as relevant category
		>5kW to 15kW	100/kW/mth						Delhi International Airport Limited (DIAL)	250/kW/mth	₹7.75/kWh	Domestic	Same as relevant category
Non-Domestic	Shopkeepers	Upto 3kVA	250 kVA/mth					Advertisements and Hoardings	Advertisements and Hoardings	250/kW/mth	₹8.50/kWh	Domestic	Same as relevant category
	Other Non-Domestic	>3kVA							Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery	LT	₹4.50/kWh	Domestic	Same as relevant category
										HT	₹4.00/kWh	Domestic	Same as relevant category
	Industrial											Domestic	Same as relevant category
Industrial								Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery				Domestic	Same as relevant category
												Domestic	Same as relevant category
												Domestic	Same as relevant category
												Domestic	Same as relevant category

Schedule of Time of Day (TOD) Tariff

Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
May-September	1400-1700 hrs and 2200-0100 hrs	20%	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for >10kW / 11kVA other than Domestic. Optional for 3 Phase Domestic Consumers.

As per CEA regulation 31 and 32 : Consumers are advised that all electrical installation works shall be got done and checked periodically through licensed electrical contractors only. In case there is any damaged cable /Insulation damaged -It shall be either replaced or suitably repaired through licensed electrical contractors since such joints are prone to electrical heat / fire.

Customer Complaint Management:

For any query/complaint, you may contact us using any of the following options:

- Call Center No. 19123 (24x7 Toll Free)
- Customer Care Help Desk (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat 9:30 AM to 1:00 PM)
- Email-brpl.customercare@reliancegroupindia.com
- www.bsedelhi.com

Escalation matrix for complaints:

- In case you are not satisfied with the resolution of your query/complaint, you may contact the below listed BRPL officials:-
 - Customer Care officer (Timing 09:30 AM to 5:30 PM)
 - Business Manager (between 10AM to 11AM on any working day)
 - Circle Head (with prior appointment)
- Head-Customer Service**
 - BSES Rajdhani Power Limited,
 - BSES Bhawan, Nehru Place, New Delhi-110019
 - Email-brplhead.customercare@reliancegroupindia.com
- Internal Grievance Redressal Cell (IGCRC)**
 - Website - <https://icgrbrpl.bsedelhi.com/>
 - Contact No.: 011-49107524
- Consumer Grievance Redressal Forum (CGRF):** In case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017.
 - Email - cgrfbrpl@gmail.com
- Electricity ombudsman:** An appeal against the CGRF order may be filled with Electricity Ombudsman, B-53, Paschimi Marg, Vasant Vihar, New Delhi-110057

उपभोक्ता शिकायत प्रबंध

किसी तरह के गुप्तता / शिकायत के लिए कृपया आप हमें निम्नलिखित विकल्पों के जरिए संपर्क कर सकते हैं।

- बॉल सेटर नंबर 19123 (24x7 टोल फ्री)
- ग्राहक सेवा सहायता डेस्क समय (सोमवार से शुक्रवार सुबह 9:30 बजे से अपराह्न 5:30 बजे और शनिवार सुबह 9:30 से अपराह्न 1:00 बजे तक)
- brpl.customercare@reliancegroupindia.com पर ईमेल करें
- www.bsedelhi.com

शिकायतों के लिए यहाँ भी संपर्क करें:

- अगर आप अपने गुप्तता / शिकायत के निवारण से संतुष्ट नहीं हैं तो आप निम्नलिखित बीआरपीएल अधिकारियों से संपर्क कर सकते हैं:-
 - कस्टमर केयर ऑफिसर (सुबह 9:30 बजे से अपराह्न 5:30 बजे)
 - रिजिस्ट्रार सेक्टर (पिछो भी बायर्सविंग्स के दिन सुबह 10 बजे से 11 बजे तक)
 - सर्किल हेड (पूर्व नियुक्ति समझ लेकर)
- हेड ग्राहक सेवा,**
 - बीएसईएस राजधानी पावर लिमिटेड
 - बीएसईएस भवन, नेहरू प्लेस, नई दिल्ली 110019
 - ईमेल - brplhead.customercare@reliancegroupindia.com
- आंतरिक शिकायत निवारण कक्ष (आईसीजीआरसी)**
 - वेबसाइट - <https://icgrbrpl.bsedelhi.com/>
 - संख्या नंबर : 011-49107524
- कंज्यूमर ग्रीवेंस रेड्रेसल फोरम (सीजीआरएफ)** यदि आप अपनी शिकायत पर सेवा प्रदाता के जवाब से संतुष्ट नहीं हैं तो आप सीजीआरएफ-बीआरपीएल, सब स्टेशन बिल्डिंग, सेक्टर-5, पुष्प विहार, नई दिल्ली 110017, ईमेल cgrfbrpl@gmail.com में अपनी शिकायत दर्ज कर सकते हैं।
- इलेक्ट्रिसिटी ओम्बुड्समैन :** सीजीआरएफ के आदेश के खिलाफ अपील इलेक्ट्रिसिटी ओम्बुड्समैन को-53, पश्चिमी मार्ग, वसंत विहार, नई दिल्ली-110057 में दायर कर सकते हैं।

LET THE SUN PAY YOUR BILL!
Maximize the Sun, Minimize Your Electricity Bill by ERO2
Call: 19123 (Ext 3)

आज सूरज चुकाएगा आपका बिल!
आज सूरज और बिजली का बिल चुकाएगा आपका!
फोन नं. 19123 (एक्सटेंशन 3)

FREE LEGAL AID

Please contact for any legal assistance:-
Delhi State Legal Services Authority (DLSLA), Rouse Avenue District Courts, New Delhi.
Toll free helpline No. 1516 (24x7), email id - lae-dlsla@gov.in, web - www.dlsla.org, Facebook.com/dlsla, Or you may approach DLSLA office at your nearest Court Complex of Delhi.
For any dispute related to electricity & public utility services you may approach:-

- Permanent Lok Adalat-II (for BSES RPL, BSES YPL & other public utility services) at Mata Sundari Road, Near ITO, Delhi.
- Permanent Lok Adalat-III (only for BRPL & other public utility services) at PVR Road, G-Block, Near PVR, Vikas Puri, New Delhi-110018

आपका बिल भुगतान

बिल भुगतान सूचना

भुगतान विकल्प

- आप 4000 रुपये तक के अपने बिल का भुगतान नकद / चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं। 4000 रुपये से अधिक की रकम का भुगतान बैंक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं।
- आईएससी के हाथिया टैरिफ ऑर्डर के मुताबिक सभी उपभोक्ताओं (घरेलू कृषि और मरुभूमि की खेती को छोड़कर) के लिए आवश्यक है कि न 20,000 रुपये से अधिक के बिल का भुगतान 1 अक्टूबर 2021 से डिजिटल माध्यमों से करें।
- आरडब्ल्यू ऑफिसियल और डिजिटल बीआरपीएल कार्डर्स पर लग हमारे ड्राफ्ट बैंकर्स में आप अपना चेक डालें। ड्राफ्ट बैंकर्स के डिपॉजिट हमारे वेबसाइट पर उपलब्ध हैं।
- बिल भुगतान केंद्र सुबह 9 बजे से शाम 3 बजे तक खुले रहेंगे।
- पेनाल्टी नेशनल बैंक और बैंक ऑफ बड़ोदा की शाखाओं में 50000 रुपये तक बिजली का भुगतान नकद में करा सकते हैं।

बिल भुगतान करते समय ये बातें याद रखें

- कॉम्यूटरीकृत बिल पाने के बाद ही अपने बिजली बिल का भुगतान करें।
- अनाधिकृत एजेंटों / दलालों को भुगतान न करें।
- अगर आपका चेक बैंक द्वारा कवर भुगतान के / अस्वीकृत हॉकर वापस आ जाता है तो बैंक वापसी शुल्क (मीड्यू 200 रुपये + जीएसटी, जैसा लागू हो) बरतना जाएगा और निगोशिएबल इन्स्ट्रुमेंट एक्ट 1881 की धारा 138 के तहत कार्यवाही की जाएगी।
- वाई स्टाफ और ऑनलाइन के द्वारा 5000 रुपये से अधिक के भुगतान पर लगने वाले सुविधा शुल्क को उपभोक्ता को पटन करना होगा। शुल्क के विलुप्त होना के लिए कृपया हमारे वेबसाइट www.bsedelhi.com पर जाएं।

Paying your electricity bill (Bill payment information)

Payment Options

- You can pay your bill by cash/cheque/DD/Pay Order up to Rs 4000/- and for amount more than Rs 4000/- by cheque/DD/Pay Order.
- According to DERC's recent tariff order, it is mandatory for all consumers (except Domestic, Agriculture & Mushroom Cultivation) to pay their monthly electricity bills exceeding Rs 20,000/- through digital mode by October 1, 2021.
- Drop your cheque in our drop boxes at various RWA offices and at BRPL Counters. The list of drop boxes is available on the website.
- Bill payment counters are open from 0600 hrs to 1500 hrs, from Monday to Saturday.
- Bill payment upto Rs 50,000/- can be paid in cash at Bank branches of PNB and Bank of Baroda.

Points to remember while paying your bill

- Please pay your electricity bill only on obtaining computer generated bill.
- Do not make payment to unauthorized agencies/vendors.
- In case your cheque is returned/unpaid/dishonored by bank, cheque return charges (presently Rs. 200/- GST as applicable) will be imposed and action will be taken under Section 138 of the Negotiable Instruments Act 1881.
- Convenience fee on card swipe and online payments applicable on payment amount above Rs 5000/- is to be borne by the consumer. For charge details, kindly visit our website www.bsedelhi.com.

Pay your electricity bills conveniently by any of the following options:

Payment Options	Timings
Digital Online Payments	24x7
Cash Counters	9AM - 3PM
24*7 self payment Kiosk	24x7 self payment Kiosks by cards, each division office
Bank Branches	Bank Timings
Cheque Drop boxes	24x7
Cheque by Post	24x7

For payment of energy bill		
Details	SBI Bank	Axis Bank
Beneficiary Name	BSES Rajdhani Power Limited	BSES Rajdhani Power Limited
Beneficiary A/C No.	SBIBRE (Fixed) + 9 Digit Customer Account Number (Variable)	VBRE(Fixed) + 9 Digit customer account number (Variable) (For eg. VBRE123456789)
IFSC Code	SBIN0004266	UTIB0CCH274
Bank Name	State Bank of India	Axis Bank Ltd
Branch Address	State Bank of India, CMP Centre	9th floor, Solaris C wing, Opp L&T gate no. 6, Sakhi Vihar Road, Powai, Mumbai-400072

The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection - Single phase ₹200, Three phase ₹500.)

BSES Powered by **BHARAT BILLPAY**

BSES Rajdhani Power Limited

- Cheque should not be post dated.
- Write your telephone number on backside of the cheque.
- Cheque should be account payee and payable at Delhi.
- Do not staple. Only clip the cheque to payment slip.

For detail log on to our website www.bsedelhi.com. Alternatively, you can visit our Customer Care Center or simply call at 19123 (24x7 Toll Free) Regd. Office: BSES Rajdhani Power Limited (A joint venture of Reliance Infrastructure Ltd. and Govt. of NCT of Delhi) BSES Bhawan, Nehru Place New Delhi 110 019. CIN No.: U40109DL2001PLC111527, GSTIN: 07AAGCS3167H2Z3, Tel. No. 19123 (24x7 Toll Free), Fax No.: +91 1149207888, Website: www.bsedelhi.com

"Dear Consumer, please update your Email ID and phone number against your CA number as soon as possible. You may do this by visiting the nearest BRPL office. Alternatively, our Meter Readers and Bill Distributors are also coming to your area. You can also provide your email ID and phone number to them so that your details are correctly updated, helping us serve you more efficiently."

Meter Details Annexure

Name	: M/s. ACTION CANCER HOSPITAL	Sanctioned Load	: 344.00 (kVA)	CA No.	: 150112691
Billing Address	: FC-34 (UNIT OF MANAV SEVARTH TRUST)	Contract Demand	: 344.00 (kVA)	Energisation Date	: 25-04-2012
	: PASCHIM VIHAR DELHI 110063	M D I	: 354.00 (kVA)	Meter Type	: 3PSK
Supply Address	: FC-34 (Unit of Manav Sevarth Trust) , Paschim Vihar DELHI 110063	Power Factor	: 0.994	Supply Type	: HT(11KV)
		Pole No	: PJBNIHT00S1	Bill No.	: 100071208949
Mobile / Tel. No.	: 98*****98	Meter Reading Status	: DL	Bill Basis	: Actual
Email ID	: m*****c@actionhospital.com	Cycle No.	: KA	O.D. No	: R/26/10545896854
District / Division	: Punjabi Bagh	Tariff Category	: Large Industrial Power	CCTV Tagged	: No
Walking Sequence	: PJBKA1009A0AA			Street Light Tagged	: No
Bill Month	: MAY-26			WL-FI Tagged	: No
Bill Date	: 27-05-2026				

Net Meter Consumption Details (Date of Reading :)															
Solar Unit Details				Solar Installation Details					GBI & Capital Subsidy Details						
Generation During the Billing Period		Generation During Current FY (APR To MAR)		Date of Installation		Total Solar Load (kWp)	Solar New Load (kWp)		GBI Approved		GBI Units		GBI Amount For the Month		Capital Subsidy Amount
B/F Units (if any)	Export Reading			Import Reading			Net Difference			Moderate Units			Excess Gen Units	Shared by Prim.	C/F Units (If any)
	Normal	Peak	OffPeak	Normal	Peak	OffPeak	Normal	Peak	OffPeak	Normal	Peak	OffPeak			

(Consumption in the above table are in kWh/kVAh, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading (24:00 Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
29908123	kWh	24-05-2026	795.77	25-04-2026	473.39	600.00	29	193428.00
29908123	kW	24-05-2026	0.59			600.00		354.00
29908123	kVAh	24-05-2026	800.22	25-04-2026	475.88	600.00	29	194604.00
29908123	kVA	24-05-2026	0.59			600.00		354.00
29908123	kVAHP	24-05-2026	201.50	25-04-2026	119.38	600.00	29	49272.00
29908123	kVAHO	24-05-2026	190.90	25-04-2026	113.60	600.00	29	46380.00

Ref No. [E] : BRPL/2025-26/MDI/LE-SD/-CA No. 150112691

Dated: 27-05-2026

Name:- M/s. ACTION CANCER HOSPITAL

Address:- FC-34 (UNIT OF MANAV SEVARTH TRUST) . PASCHIM VIHAR DELHI 110063

Division:-Punjabi Bagh

CA No:- 150112691

Subject: Revision of Sanctioned Load / Security Deposit as per Regulation 17(4) of DERC (Supply Code and Performance Standards) Regulations, 2017.

Dear Sir/Madam,

As per above regulations, sanctioned load for the above CA is due to be revised on the basis of highest of average of Maximum Demand* readings recorded as per billing cycle covering any four consecutive calendar months in the preceding financial year i.e. from 01.04.2025 to 31.03.2026. Consequently, the security deposit and all other charges also need to be revised correspondingly.

Maximum demand recorded during the four consecutive months in FY 2025-26, is given below:

S. No.	Maximum Demand (kW/kVA)	Billing Period
1	678.00	28-MAY-2025 To 26-JUN-2025
2	744.00	27-JUN-2025 To 25-JUL-2025
3	378.00	26-JUL-2025 To 25-AUG-2025
4	570.00	26-AUG-2025 To 27-SEP-2025

Average of maximum demand readings recorded as per billing cycle covering above four consecutive calendar months rounded off to the lower integer comes to **592 /610 kW/kVA**, whereas your existing sanctioned load/ contract demand is **334 /344 kW/kVA**. Thus, your sanctioned load/ contract demand will be revised to **592 /610 kW/kVA** w.e.f. 01.07.2026.

Based on the load revision, an additional security deposit of Rs. 0.00 is required to be deposited by you. This amount will be debited in your electricity bill for the month of July 2026 under the head - Other Charges.

Your sanctioned load / contract demand has been revised as per DERC Regulation and the agreement signed between you and BRPL also to be considered as revised accordingly. In case of any disagreement, please revert within 30 days otherwise load and agreement will be considered as accepted by you.

Further, you are also requested to obtain the copy of a fresh wiring test report from a Licensed Electrical Contractor and maintain it with yourself for any future reference/requirement by any external agencies/authorities or otherwise.

For any further clarification, please contact our Customer Care Teams at Division Office or our Toll-free Call Center at 19123.

Thanking you,

Yours faithfully,



Nishant Srivastava

Division Head (B)

Tel. No.: 49209561

* Maximum demand means the highest load measured in kVA or kW at the point of supply of a consumer during a consecutive period of 30 minutes during the month.

मांग:- M/s. ACTION CANCER HOSPITAL

पता:- FC-34 (UNIT OF MANAV SEVARTH TRUST) . PASCHIM VIHAR DELHI 110063

डिवीजन:- Punjabi Bagh

CA संख्या:- 150112691

विषय: डीईआरसी के विनियमन 17(4) के अनुसार स्वीकृत भार/सुरक्षा जमा में संशोधन (आपूर्ति कोड एवं प्रदर्शन मानक) विनियमन 2017

प्रिय महोदय/महोदया,

उपर्युक्त विनियमन के अनुसार, उक्त CA संख्या के लिए स्वीकृत भार को पिछले वित्त वर्ष अर्थात् 01.04.2025 से 31.03.2026 के दौरान, लगातार चार कैलेंडर महीनों के बिलिंग चक्र के आधार पर, अधिकतम मांग* रीडिंग्स के अधिकतम औसत के आधार पर संशोधित करने की आवश्यकता है। इसके बाद, सुरक्षा जमा तथा अन्य प्रभारों को भी उसी के अनुसार संशोधित करना आवश्यक है।

वित्त वर्ष 2025-26 में लगातार चार महीनों के दौरान रिकॉर्ड की गई अधिकतम मांग, इस प्रकार है:

क्रम संख्या	अधिकतम मांग (kW/kVA)	बिलिंग अवधि
1	678.00	28-MAY-2025 To 26-JUN-2025
2	744.00	27-JUN-2025 To 25-JUL-2025
3	378.00	26-JUL-2025 To 25-AUG-2025
4	570.00	26-AUG-2025 To 27-SEP-2025

लगातार उपर्युक्त चार कैलेंडर महीनों के दौरान बिलिंग चक्र के अनुसार दर्ज औसत अधिकतम मांग रीडिंग्स, जिसे निचली संख्या तक राउंड ऑफ करने पर, **592 /610 kW/kVA** आता है, जबकि आपका मौजूदा स्वीकृत भार **334 /344 kW/kVA** है। इसलिए, आपके स्वीकृत भार/कॉन्ट्रैक्ट मांग को 01.07.2026 से संशोधित कर **592 /610 kW/kVA** कर दिया जाएगा।

भार संशोधन के आधार पर आपको रु. **0.00** की अतिरिक्त सुरक्षा राशि जमा करनी होगी। इस राशि को जुलाई 2026 माह में आपके बिजली बिल में "अन्य प्रभार" मद में डेबिट किया जाएगा।

आपके स्वीकृत भार/कॉन्ट्रैक्ट मांग को डीईआरसी विनियमन के अनुसार संशोधित किया गया है और आपके तथा **BRPL** द्वारा हस्ताक्षरित समझौते को भी तदनुसार संशोधित किया जाएगा। किसी भी प्रकार की असहमति होने पर कृपया 30 दिनों के भीतर जवाब दें अन्यथा भार एवं समझौते को आपके द्वारा स्वीकृत समझा जाएगा।

साथ ही आपसे किसी लाइसेंस वाले इलेक्ट्रिकल कॉन्ट्रैक्टर से गई वायरिंग टेस्ट रिपोर्ट प्राप्त कर उसे अपने पास सुरक्षित रखने की सलाह दी जाती है ताकि भविष्य में किसी भी बाहरी एजेंसी/अथॉरिटी के संदर्भ/आवश्यकता अथवा अन्य के लिए उपलब्ध कराया जा सके।

इस संबंध में किसी भी प्रकार के स्पष्टीकरण के लिए कृपया डिवीजन कार्यालय में हमारी कस्टमर केयर टीमों या टोल-फ्री कॉल सेंटर से **19123** पर संपर्क करें।

आभार,

सादर,


Nishant Srivastava**Division Head (B)**

Tel. No.: 49209561

* अधिकतम मांग से आशय माह के दौरान लगातार 30 मिनट की अवधि के दौरान उपभोक्ता को की जाने वाली आपूर्ति में kVA या kW अधिकतम भार से है।

Annexure-VII
Copy of Bio-Medical Waste Agreement



सत्यमेव जयते

INDIA NON JUDICIAL

Government of National Capital Territory of Delhi


₹50

e-Stamp

₹50 ₹50 ₹50 ₹50

Certificate No. : IN-DL57280144859875Y
Certificate Issued Date : 19-Feb-2026 01:18 PM
Account Reference : IMPACC (IV)/dl782403/ DELHI/ DL-CTD
Unique Doc. Reference : SUBIN-DL78240336073671095508Y
Purchased by : SMS WATER GRACE BMW PVT LTD
Description of Document : Article 5 General Agreement
Property Description : Not Applicable
Consideration Price (Rs.) : 0
(Zero)
First Party : SMS WATER GRACE BMW PVT LTD
Second Party : ACTION CANCER HOSPITAL
Stamp Duty Paid By : SMS WATER GRACE BMW PVT LTD
Stamp Duty Amount(Rs.) : 50
(Fifty only)

सत्यमेव जयते



₹50

Please write or type below this line.

IN-DL57280144859875Y

This Agreement is made and executed at New Delhi on this 14th day of February, 2026.

BY AND BETWEEN

M/s SMS WATER GRACE BMW PVT. LTD., having its office at Sewage Treatment Plant, Delhi Jal Board Complex, Nilothi, New Delhi- 110041 (For short hereinafter referred to as 'Service Provider') through its DGM, Mr. Prabal Pratap Singh Jadon, to enter into and sign this Agreement for and on behalf of the Service Provider of the **ONE PART.**

Prabal Pratap Singh Jadon
Head of Medical Services
&
Medical Superintendent
Action Cancer Hospital
(a part of Manav Sevarth Trust)
New Delhi-110063



Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

AND

ACTION CANCER HOSPITAL having its operating health care unit at **H2-A4, FC-34, PASCHIM VIHAR, NEW DELHI-110063**, (hereinafter referred to as "Waste Generator") represented through its Authorized Signatory **Dr. Pinky Yadav (Head of Medical Services & Medical Superintendent)** to enter into and sign this Agreement for and on behalf of the Waste Generator of the **OTHER PART**.

The expression of both the parties shall mean and include the parties, their respective legal heirs, successors, legal representatives, administrators, executors and assignees.

Whereas the Service Provider has been selected by Director of Health Services (DHS), Health & Family Welfare, Govt. of N.C.T. of Delhi and duly authorized by the Delhi Pollution Control Committee (DPCC), under rule of 8(4) of the Bio-Medical Waste (Management & Handling) Rules 2016 for operating and providing facility for the collection, Reception, Treatment, Storage, Transportation and disposal of the Bio- Medical Waste. Whereas the Waste Generator is desirous of out sourcing the disposal of its Bio-Medical Waste generated at the health care unit and have approached the Service Provider for providing its service in this regard and after discussions and due negotiations taken place, both the parties agreed to enter into this Agreement on the terms and conditions stated herein after:-

NOW THIS AGREEMENT witnessed the following terms & conditions to be performed to by both parties to the present agreement.

1. That the Waste Generator will segregate, pack and label the bio-medical waste in the colour coded bags from the waste generation points as per guidelines of Bio-Medical Waste (Management & Handling) Rules 2016 and keep the said packed waste ready for collection by the staff of the Service Provider. The Service Provider will not collect any Bio-Medical waste which is not properly segregated and packed in accordance with guidelines of Bio-Medical Waste (Management & Handling) Rules 2016. The record of the collected waste shall be maintained by the Waste Generator with the acknowledgement signature of the collection staff of the Service Provider to submit the annual Report to the concerned Pollution Board in the prescribed format.
2. That the Service Provider will ensure that the waste is collected on all working days.
3. That the Waste Generator has to pay monthly payment of **Rs.40,000/- (Forty Thousand Only) + 05% GST** against the BMW disposal services and if the health care unit is closed before expiration of agreement the Service Provider will refund the balance amount after adjusting all the dues if any outstanding towards the Waste Generator.

Pinky Yadav
Head of Medical Services
Medical Superintendent
Action Cancer Hospital
(A Unit of Manav Sevarth Trust)
Paschim Vihar, New Delhi-110063
A-4



4. That the Service Provider Monthly Charges Inclusive to the Waste Generator, being Clinic/Pathological Lab/Diagnostic Centre etc. (Not having bed facilities) and being a Nursing Home/Hospital (Having Bed facilities) as per the following schedule of rates:
- (i) Minimum charges of **Rs.40,000/- (Forty Thousand Only)** per month excluding 05% GST for Hospital (Beds 130 nos.). The goods and service tax (GST) shall be borne by the Waste Generator upon the respective billings.
5. a) Notwithstanding the aforesaid terms this Agreement may be terminated by either party by giving 30 days advance written notice. However this requirement of 30 days notice shall not be applicable in the event occurrence of any of events specified in Clause 4b.(i) in which events the service would be suspended/terminated forthwith.
- (b) Notwithstanding the aforesaid terms and conditions:-
- i. The Service Provider will be at liberty to discontinue this service to the Waste Generator in the event when the Waste generator does not pay the service charges.
- ii. The Waste Generator and Service Provider both to strictly follow the guidelines of the Bio-Medical Waste (Management & Handling) Rules 2016, during segregation, collection, Transportation and disposal of the bio- Medical Waste, except for circumstances arising under force majeure clause or due to circumstances beyond control of the parties.
- (c) That upon expiry of the term or the earlier termination of this Agreement, the accounts shall be settled and excess amount if any paid by the Waste Generator under Clause 3 and 4 shall be refunded back without any interest thereon.
6. Neither party shall transfer and /or assign the rights granted under this Agreement without the prior intimation and written permission of the other party and without obtaining a written undertaking by the proposed assignee/transferee agreeing to assume all of the said party 's obligations under this Agreement and to abide by all the obligations and covenants contained herein.
7. That this Agreement shall be governed by the laws of India and shall be subject to the exclusive jurisdiction of Courts at Delhi, to try, entertain and dispose any disputes between the parties thereto. All notices, requests, demands and other communications, required/permitted to be given under this Agreement shall be in writing.

[Signature]
Head of Medical Services
Medical Superintendent
Action Cancer Hospital
(A Unit of Manav Sevarith Trust)
A-4, Paschim Vihar, New Delhi-110063




8. That the Waste Generator should get the Agreement renewed one month before the expiry of the validity of the Agreement. The Waste generator further undertakes keep the validity period of the Agreement for a minimum period of one year from the date of service as per pollution Control Committee/Board Rule and in between if the Agreement is cancelled/terminated, it should directly intimate pollution control committee / Board with adequate reason about the cancelation of the Agreement, failing which, all the consequence and penalties will be borne by the waste generator. Further, the Waste Generator also undertakes to give one month notice in writing if it wants to discontinue the service and wish to switch over to another service provider failing which, they have to pay the service charge equivalent to one month minimum service charges to the service provider in lieu of one monthly notice period.
9. That in case the Agreement gets misplaced by the Waste Generator then Rs.100/- will be charged from the Waste Generator for issuing the Agreement again.
10. That the Waste Generator further undertakes to sign every page of the Agreement and return both copies of the Agreement to the Service Provider's for its signature and the Services Provider will return the duplicate copy of the Agreement to the Waste Generator. On receipt of the Agreement, the Waste generator will submit a copy of the Agreement with the date of service expiry to the pollution control committee /board.
11. The term of this Agreement shall be for a period of 2 years with effect from **1st April,2026 to 31st March,2028.**
12. That in case there is any change in the constitution of the Waste Generator the same shall be informed forth with to the Service Provider.
13. That both the parties undertake to remain bound by the terms and conditions set out herein above.
14. Please note that the Waste Generator must inform the Service Provider in writing in advance, preferably over email, if the health care unit is closed due to any reason. In the absence of such intimation, Waste Generator shall be liable to pay the service charges.


Head of Medical Services
Medical Superintendent
Action Cancer Hospital
(A Unit of Manav Sevaarth Trust)
A-4, Paschim Vihar, New Delhi-110053



IN WITNESS WHEREOF, THE PARTIES HERE TO HAVE SET THEIR SIGNATURE AND SEAL ON THE DAY AND YEAR MENTIONED HEREIN ABOVE.


ACTION CANCER HOSPITAL
(WASTE GENERATOR)


AUTHORIZED SIGNATORY

Head of Medical Services
&
Medical Superintendent
Action Cancer Hospital

H2-A4, FC-34, PASCHIM VIHAR,
NEW DELHI-110063
Ph: 011-42888888, 9717086942

Witness - H.C.E.

1. 
29/01/16

SMS WATER GRACE BMW PVT. LTD.
(SERVICE PROVIDER)


AUTHORIZED SIGNATORY

Sewage Treatment Plant, Delhi Jal
Board Complex, New Delhi - 110041
Mob: +91- 8744076042
Web: www.smsdelhibmw.co.in
Email: prabal.singh@smsl.co.in

Witness:- SMSWGBMWPL

1.